## INDEX TO VOLUMES 32, 33 AND 34

(1948, 1949 and 1950)\*

## SYMPOSIA

1948

January (Chicago) March (Nationwide)

May (New York) July (Mayo Clinic) September (Boston)

November (Philadelphia)

Trocomoci (a minacipina

January (Chicago) March (Nationwide)

May (New York)

July (Mayo Clinic)

September (Massachusetts General Hospital)

November (Philadelphia)

January (Chicago) March (Nationwide) May (New York) July (Mayo Clinic)

September (Boston)

November (Philadelphia) (Georgetown University) ENDOCRINOLOGY

DISEASES OF DIGESTIVE SYS-

NEUROLOGY AND PSYCHIATRY ANOMALIES OF THE HEART SPECIFIC METHODS OF TREAT-

RECENT ADVANCES IN GYNE-COLOGY AND OBSTETRICS

1949

DISEASES OF THE SKIN
TREATMENT OF LONG-TERM
ILLNESS

CARDIOVASCULAR DISEASE Es-PECIALLY HYPERTENSION

GASTROINTESTINAL CONDI-TIONS RECENT ADVANCES IN MEDI-

CINE
1. MEDICAL EMERGENCIES

2. NUTRITIONAL DISEASES

1950

PEDIATRICS
MEDICAL THERAPEUTICS
CARDIOVASCULAR DISEASES
PSYCHIATRY AND THE GENERAL

PRACTITIONER
SPECIFIC METHODS OF TREAT-

MENT

THE INFECTIOUS DISEASES
CURRENT CONCEPTS OF PATHOGENESIS AND TREATMENT

A377 in rickettsial diseases 1948: Sept., 1337

Abdominal operations, air travel after, 1948: July, 1091

pain, differential diagnosis, 1948: March, 389-397 paracentesis in nephritic edema,

paracentesis in nephritic edema, 1950: Jan., 88 Abortion, habitual, 1949: July, 1115 treatment, 1949: July, 1118 Abortion, infertility and its relation to, 1949: July, 1111-1120 therapeutic, in heart disease in preg-

nancy, 1950: May, 801
Abscess of brain, complicating atrial septal defect, 1948: July, 905 complicating pulmonary stenosis, 1948: July, 870 diagnosis, 1948: May, 800 penicillin in, 1950: March, 323

<sup>\*</sup> Note: The volume year is given in italic type.

Abscess of kidney, cortical, 1949: Sept.,

of liver, acute, 1948: March, 481 amebie, 1948: March, 479; 1950: Nov., 1762 of lung, 1949: March, 395

antibiotic aerosols in, 1948: July, 1082; 1949: March, 404

penicillin in, 1948: Sept., 1221 postpneumonic, 1950: Nov., 1664 treatment, 1949: March, 400 of nasopharyngeal bursa, 1950: Nov.,

perinephritie, 1949: Sept., 1465 peritonsillar, 1950: Nov., 1631 retropharyngeal, 1950: Nov., 1634 Acarophobia, 1948: May, 673; 1949:

Jan., 18 Acetarsone in pemphigus, 1949: Jan., 175

Acetyl strophanthidin in congestive heart failure, 1950: May, 670 Acetyl-beta-methylcholine in congeni-

tal megacolon, 1948: July, 983 Acetylcholine in paroxysmal tachycardia in infancy, 1950: Jan., 219

Acid-ash diet in nephrotic edema, 1950: Jan., 87

Acid-base balance, 1948: Jan., 268, 270; 1950: Jan., 57, March, 402 regulation of, 1948: Jan., 264 mechanism, changes in, tests for de-

termining, 1948: Jan., 267 Acidosis, diabetic, in children, parenteral fluid therapy in, 1950: Jan.

repair solutions in, 1948: Sept., 1296

treatment, 1949: March, 491 metabolic, repair solutions in, 1948: Sept., 1293-1307

renal, repair solutions in, 1948: Sept.,

respiratory, in children, parenteral fluid therapy, 1950: Jan., 65 treatment, 1948: Jan., 264-271; 1950:

March, 407 Acne vulgaris, emotional factors, 1948:

May, 678 excoriations associated with, 1948: May, 674

treatment, 1950: Sept., 1476 Aeromioclavicular joint, injuries, 1950 Sept., 1332

Acrosclerosis, 1949: Jan., 57

ACTH in relief of pain, 1950: March, 374

in rheumatic disorders, 1949: Nov., 1620; 1950: March, 374, Sept., 1424 untoward reactions, 1950: Sept., 1428 Actinomycosis, 1949: Jan., 244

antibiotics in, choice of, 1950: March, 313

of lungs, 1949: Nov., 1490 penicillin in, 1948: July, 1109; 1950:

March, 324

Adams-Stokes syndrome, treatment, 1949: Nov., 1520

Addison's disease, diffuse scleroderma and, differentiation, 1949: Jan.,

Adenoma of adrenal, benign, 1949: Nov., 1748

parathyroid, multiple, associated with islet-cell tumors of pancreas, report of 2 cases, with necropsy findings, 1949: July, 1141-1156

Adolescence, endocrine problems dur-ing, 1948: Jan., 140-150

Adoptive placements, intelligence tests in, 1950: July, 1073

Adrenal adenoma, benign, 1949: Nov., 1748

cortex, functions, evaluation of 1948: Jan., 89-96

disorders in adolescence, 1948: Jan., 147

Adrenalin. See Epinephrine.

Adrenal-sympathetic syndrome in pheochromocytoma, 1950: May, 761 Adrenergic blockade, clinical applica-

tion, 1950: March, 379-394 Adrenocortical insufficiency in chil-

dren, parenteral fluid therapy, 1950: Jan., 65 Adrenolytic drugs, 1949: Nov., 1745 Aerosol administration of antibiotic

preparations, critical evaluation, 1948: July, 1077-1085 Age, increased, of population medicine

and, 1949: March, 295-308 pertinent characteristics of, 1949: March, 303

Agenesis, ovarian, 1948: Jan., 156 Aging and aged, clinical problems, 1948: Jan., 223-229

nutritional aspects, 1949: Nov., 1681-1684

July, 1091-1105 psychosomatic Agglutination test in viral diseases,

1950: Nov., 1612 Air, transporation of patients by, 1948:

July, 1084-1093

Alcoholic coma, 1948: May, 802 Alcoholism, chronic, prefrontal lobot-omy for, 1950: July, 1047

morphine in, dangers, 1950: Nov., 1773

nature and treatment, 1948: May, 687-693

nutritional polyneuropathy in, 1948: May, 731 portal cirrhosis and, 1948: March,

503, 509

Alkalosis, metabolic, 1948: Jan., 270, repair solutions in, 1948: Sept.,

1293-1307

respiratory, in children, parenteral fluid therapy, 1950: Jan., 65

Alkalosis, treatment, 1950: March, 408 1 Allergic diseases, antihistaminic drugs in, 1950: March, 351-368

treatment, 1948: Sept., 1369-1376 reactions, criteria for definining, 1949: Jan., 179

shock from pollen injections, pre-vention, 1949: March, 412 stomatitis, 1948: March, 361

Allergy, dermatologic, 1949: Jan., 177-204

food, 1948: Jan., 245-263 in infancy and childhood, 1950: Jan., 3-11

role, in neurodermatitis, 1950: July, 1610

Aluminum chloride in dermatologic therapy, 1949: Jan., 278 Alzheimer's disease, 1950: July, 1099

Amebiasis, 1950: Nov., 1670

analysis of 100 consecutive cases at Cleveland Clinic, 1948: March,

and indeterminate ulcerative colitis, 1948: March, 408-418

diagnosis, 1948: March, 411; 1949: May, 900

concentration technic, 1949: May, 901

treatment, 1948: March, 414 Amebic dysentery, 1950: Nov., 1670, 1672

hepatitis, 1948: March, 479, 481

Imenorrhea, 1948: Jan., 65 endocrine therapy, 1950: Sept., 1538 functional, management, 1948: Nov., 1509

psychosomatic approach, 1948: Nov., 1585

treatment, 1948: Jan., 69

with psychosomatic disturbances, treatment, 1948: Jan., 71

Amethone in gastrointestinal disorders, 1948: Sept., 1232, 1237 A-methopterin in leukemia, 1950: Jan.,

210, 211, March, 451 pharmacology, 1950: March, 442

Amidopyrine in measles, 1950: Jan., 142

Amino acids, 1949: Nov., 1714, 1728 Amino-an-fol, 1949: Nov., 1722 in leukemia, 1950: Jan., 211

pharmacology, 1950: March, 442 Aminophylline in acute heart failure, 1949: Nov., 1527

in allergy in infants, 1950: Jan., 9 in asthma, 1948: Jan., 238, Sept., 1373; 1949: March, 418

primary atypical pneumonia, 1950: Nov., 1646

in status asthmaticus, 1949: Nov., 1598

potentiate mercurials, 1950: May, 623

Aminopterin, 1949: Nov., 1722 hypoprothrombinemia induced by, 1949: Nov., 1703

in leukemia, 1950: Jan., 209, 210, 211, March, 451

pharmacology, 1950: March, 442 Ammonia-urea compounds in dentifrices and mouthwashes, 1950: Jan.,

Ammonium chloride in nephrotic edema, 1950: Jan., 87

Amnesia, production, in obstetrics, 1950: Sept., 1522
Amphetamine in gastrointestinal disorders, 1948: Sept., 1233, 1235 in hypertension, 1949: Sept., 1271 in obesity in childhood, 1950: Jan.,

Amphojel regimen, diet for use with,

1948: Sept., 1328 Ampulla of Vater, carcinoma, 1948: March, 498

Amylase test in pancreatic disease, 1948: March, 522 Amyloid disease of heart, 1950: July,

1137-1144 tumors of larynx and trachea, 1950:

July, 1145-1150

Amyloidosis, classification and general aspects, 1950: July, 1107-1111 complicating myeloma, 1950: July, 1151-1164

diagnosis, laboratory and biopsy, 1950: July, 1171-1176

primary systemic, 1950: July, 1119with symptoms and signs of liver

disease, diagnosis by biopsy, 1950: July, 1113-1118 secondary, liver involvement in, 1950: July, 1165-1169

Amyotonia congenita, 1950: Jan., 147

Amyotrophies, nuclear, 1950: Jan., 147

Analeptics in respiratory failure, 1950: Sept., 1359

Analgesia, caudal, continuous, in obstetrics, present status, 1948: Nov., 1683-1697

in obstetrics, 1950: Sept., 1521-1535 Analgesics, synthetic, newer, 1950: March, 369-378

Anaphylactic type of sensitivity, 1949: Jan., 186

Anatomic warts, 1949: Jan., 244 Androgen therapy. See Testosterone.

Androgenic function of adrenal, ketosteroids and androgens, 1948: Jan., 89

Anemia(s), air travel in, 1948: July, 1092

causes and treatment, 1949: March, 541-560

classification, 1948: Sept., 1262 diagnosis, 1948: Sept., 1259

Anemia(s), due to acute blood loss, 1950: Sept., 1292 due to deficiency of essential maturation materials, 1949: March, 547

due to excessive peripheral demand, 1949: March, 551

due to toxic agents, 1949: March, 545

electrocardiogram in, 1950: May, 871 hemolytic, 1949: March, 552 splenectomy for, relapses after, 1949: March, 557

treatment, 1948: Sept., 1269 hypochromic, 1949: March, 551; 1950: Sept., 1300

in diseases of intestinal tract, 1948: March, 382-388

iron deficiency, 1949: March, 551; 1950: Sept., 1303

treatment, 1948: Sept., 1264; 1950 Nov., 1779-1789

macrocytic, 1949: March, 548 related to pernicious anemia, 1950: Sept., 1299

treatment, 1948: Sept., 1265 Mediterranean, 1949: March, 543 megaloblastic, of infants, vitamin B<sub>12</sub> in, 1950: July, 1201

of pregnancy, vitamin B<sub>12</sub> in, 1950: July, 1202

myelophthisic, 1949: March, 543 nutritional, treatment, 1948: Sept., 1268

of central bone-marrow origin, 1949: March, 543

pernicious, 1949: March, 548; 1950: Sept., 1295

carcinoma of stomach, prevention, 1949: Sept., 1397 combined system disease, treat-

ment, 1949: Sept., 1392 desiccated stomach in, 1948: July,

desiccated stomach in, 1948: July, 1116 etiology and therapy, recent the-

ories, 1948: July, 1131 folie acid in, 1948: July, 1125, 1133; 1949: March, 549, 550, Sept..

1949: March, 549, 550, Sept., 1394; 1950: Sept., 1299 neurologic complications 1948: July, 1134

hydrochloric acid in, 1949: Sept, 1392

iron in, 1949: Sept., 1391

liver therapy, 1948: July, 1118, Sept., 1266; 1949: Sept., 1386; 1950: Sept., 1298

1950: Sept., 1298 reactions to, 1948: July, 1121; 1949: Sept., 1389

pathologic physiology, 1948: July, 1113

therapeutic test, 1950: Sept., 1297 transfusions in, 1949: Sept., 1386 Anemia(s), pernicious, treatment, 1948: July, 1113-1142; 1949: Sept., 1385-1400; 1950: Sept., 1298 vitamin B<sub>12</sub> in, 1949: March, 551, Sept., 1394; 1950: July, 1197-

siekle cell, 1949: March, 543 treatment, 1948: Sept., 1259-1271; 1949: March, 541-560, 1950: Sept.,

1291-1304 Anesthesia for elderly patients, 1949: March, 584

for major urologic operations, 1949: March, 476

in obstetrics, 1950: Sept., 1521–1535 local, in bursitis, 1949: Nov., 1622 spinal, continuous, in obstetrics, present status, 1948: Nov., 1683–

1697 surgical, newer drugs in, 1950: March,

589-597 Anesthetic agents in dermatologic therapy, 1949: Jan., 271

Aneurysym, cardiac, pulsation of, 1950: May, 724

intracranial, headache due to, 1949: July, 989

intrathoracic, and tumor, differentiation, angiocardiography in, 1950: May, 746, 747

Angina pectoris, 1950: May, 687 neuralgic features, 1949: May, 635-649

occurrence, in hypertension, 1949: May, 653, 654 tetraethylammonium in, 1949:

May, 827 treatment, 1949: May, 644 Vincent's, 1950: Nov., 1626

Angiocardiography, advances in, 1950: May, 745-756

Angioma, senile, 1949: Jan., 227 simplex, 1949: Jan., 222

Angioneurotic edema, antishistaminic drugs in, 1950: March, 358 mouth lesions in, 1948: March, 361 treatment, 1950: Sept., 1478

Anhidrotic agents in dermatology, 1949: Jan., 278

Anhydroxyprogesterone in dysmenorrhea, 1950: Sept., 1544 in functional uterine bleeding, 1950:

Sept., 1547, 1560 Animal protein factor, 1949: Nov., 1723

1723
Ankle, sprains, in athletics, treatment,

1950: Sept., 1259 strapping, protective, in athletics, 1950: Sept., 1266

1950: Sept., 1266 Anomalies of heart, symposium on, 1948: July, 855

Anorexia nervosa, 1950: Sept., 1492 in adolescence, 1948: Jan., 142 Anoxemia test in heart disease, 1950: May, 713-717

Anoxia, anoxie, in air travel, 1948: July, 1087 myocardial, in causation of angina.

1949: May, 636

Antacids in peptic ulcer, 1950: Sept., 1453

Anthrax, antibiotics in, choice of, 1950: March, 313

skin lesions, 1949: Jan., 243

Antibiotics. See also Penicillin, Streptomycin, etc. bacterial resistance, 1950: March,

313 choice in various infections 1950

choice, in various infections, 1950: March, 313

clinical use, 1950: March, 307-318 combinations, use of, 1950: March,

dosages, 1950: March, 316

in dermatology, 1949: Jan., 273 laboratory control, 1950: Nov., 1600 pharmacology and toxicology, 1950: March, 308

use by aerosol method, critical evaluation, 1948: July, 1077-1085

Anticoagulants, administration, 1949: March, 342

in cerebral thrombosis, 1950: May, 909-924

in chronic cardiovascular diseases, 1949: March, 335-345

in prevention of intravascular thrombosis, 1949: Nov., 1507

in treatment of thrombosis and embolism, 1949: Nov., 1509 Anticonvulsant drugs, 1950: March,

341-350 Antihistaminic drugs, 1950: March,

351-368 clinical uses, 1950: March, 357 in allergy in infants, 1950: Jan., 9 in asthma, 1948: Jan., 244; 1949: March, 419

in common cold, 1950: Nov., 1641 in contact dermatitis, 1949: Jan., 185

pharmacology, 1950: March, 354 side effects, 1950: March, 362 toxicity, 1950: March, 364

Antiphlogistic agents in dermatology, 1949: Jan., 271

Antiprurities in dermatologic therapy, 1949: Jan., 271 in eczema, 1949: Jan., 209

Antiseborrheic agents in dermatology, 1949: Jan., 276

Antiseptic agents in dermatology, 1949: Jan., 273

Antiseptics, urinary. See under Urinary tract infections

Antispasmodics in gastrointestinal disorders, 1948: Sept., 1227-1240 in peptic ulcer, 1948: March, 322 Antistine, dosages, 1950: March, 353, 357

Antivitamins, 1949: Nov., 1715, 1721 Anuria, acute, treatment, 1950: March, 509-523

conservative management, 1949: July, 1007

in heart and kidney disease, water balance and, 1950: March, 571-587 Anus, pruritus, 1949: Jan., 16

Anxiety as reaction to disease, 1949: March, 440

neurosis, 1949: Sept., 1343-1364 recognition and management, 1948: May, 597-608; 1949: March, 441, 442

separation, in children, 1950: July, 1084

state, 1950: Sept., 1491

Aorta and pulmonary artery, complete transposition, with patent ductus arteriosus and defect in membranous portion of ventricular septum, 1948: July, 890

coarctation, angiocardiography in, 1950: May, 750

electrocardiogram in, 1949: July, 1159

hypertension in 1949: Nov., 1748 with hypotension in left arm, physiologic observations, 1950: July, 1177-1185

descending, left-sided, and left-sided ductus arteriosus, 1948: July, 929 upper portion on right side, rightsided ductus arteriosus with,

1948: July, 938 effect of syphilis on, clinicopathologic study, 1948: Sept., 1439-1466

Aortic arch, atresia, partial, 1948: July, 933

double, functioning, 1948: July, 929, 938

with atresia of one of arches, 1948: July, 942 left-sided, and left-sided descend-

ing aorta, 1948: July, 936
with retro-esophageal segment
and upper portion of descending aorta on right side, 1948:

July, 942 right-sided, and upper portion of descending aorta on right side, 1948: July, 945

with retro-esophageal segment and left-sided descending aorta, 1948: July, 933

system, derivatives, anomalies of, 1948: July, 925-949

atresia with intact ventricular septum, patent foramen ovale and patent ductus arteriosus, 1948: July, 883

regurgitation, pulsation in, 1950: May, 725 Aortitis, syphilitic, 1948: Sept., 1439 angiocardiography in, 1950: May, 752 diagnosis and course, 1948: Sept.,

1458

Apex beat in heart disease, 1950: May, 722

Aphasia complicating hemiplegia, treatment, 1948: May, 741

Apnea neonatorum, 1950: Sept., 1532 Apomorphine in auricular paroxysmal tachycardia, 1950: May, 737

in obstetrics, 1950: Sept., 1524 Apophysitis of os calcis, 1950: Jan., 183 Apoplexy, after-treatment, 1948: May, 739

prevention, 1948: May, 735 questionable use of term, 1950: July,

1058

treatment, 1948: May, 736 Appendicitis, acute, air travel in, 1948: July, 1092

pain in, 1948: March, 394

Arrhythmias, cardiac, dibenamine in, 1950: March, 391 insurance aspect, 1950: May, 808 pulsation of neck veins in, 1950:

congenital, electrocardiogram in, 1949: July, 1168

Arsenic in leukemia, 1949: March, 537 Arsenical keratoses, 1949: Jan., 110 Arsenicals in urinary infections, 1949:

Sept., 1479; 1950: March, 533 Arsphenamine, dermatitis exfoliativa due to, 1949: Jan., 136

Artane in parkinsonism, 1949: July, 1135

Arterial disease, hypertension with, 1949: March, 313 occlusive, chronic, anticoagulants

in, 1949: March, 335 varices, differential diagnosis and

varices, differential diagnosis and treatment, 1950: May, 897-908 Arteries, cranial, dilatation, headache due to, 1948: May, 558

peripheral, examination, methods, 1950: May, 887-896

Arteriography, 1950: May, 894

Arterioselerosis, cerebral, misdiagnosed, 1949: July, 927

coronary, cholesterol levels in, 1950: May, 678

insurance aspect, 1950; May, 812 diabetes and, 1949; May, 784, 795– 804

diet in, 1949: Nov., 1684 metabolic aspects, 1949: May, 783 obliterans, anticoagulants in, 1949:

March, 335 physical medicine in, 1949: March,

348 of coronary arteries, 1949: May, 652 Arteriosclerosis, pathogenesis, cholesterol in, 1950: May, 673-683

prevention and treatment, 1949 May, 773-781

choline in, 1950: May, 677 Arteriovenous fistula, hypertension in, 1949: Nov., 1751

Arteritis, temporal, headache and, 1949: July, 996

Arthritis, hypertrophie, 1950: Sept., 1435-1446 physical medicine in, 1949: Sept.,

1313-1319 of cervical spine, 1950: Sept., 1324

psoriatic, postpartum plasma in, 1949: May, 907-911

rheumatoid, ACTH in, 1950: March, 374 amyloidosis secondary to, 1950:

July 1167 cortisone in, 1950: March, 373,

Nov., 1703 gold therapy, 1948: Sept., 1365;

1949: Sept., 1382; 1950: Nov., 1700 infection and, 1950: Nov., 1693-

1704 orthopedic treatment, 1949: Sept.,

1379 physical therapy, 1949: Sept., 1378 roentgen treatment, 1949: Sept.,

1383 treatment, 1948: Sept., 1357-1367; 1949: Sept., 1375-1384; 1950:

1949: Sept., 1375–1384; 1950: Nov., 1700 vaccines in, 1950: Nov., 1701

senescent, physical medicine in, 1949: Sept., 1313–1319

Arthogryposis multiplex congenita, 1950: Jan., 153

Artificial respiration, methods, 1950: Sept., 1348

Ascites, recurrent, in pulmonary stenosis without septal defect, 1950: July, 1187-1195

Ascorbic acid, interrelationships, 1949: Nov., 1712

Aspiration biopsy of sternal marrow, 1950: Sept., 1388

of testis to obtain sperm, 1948: Jan.,

of trachea in pulmonary atelectasis, 1949: Nov., 1614

Aspirin in rheumatic fever, 1950: Sept., 1421

Asthenia, neurocirculatory, 1949: Sept., 1343-1364

Asthma, bronchial, 1948: Jan., 230-244 acute attack, treatment, 1948: Jan., 243

air travel in, 1948: July, 1090 aminophylline in, 1948: Jan., 238, Sept., 1373; 1949: March, 418 Asthma, bronchial, antibiotic aerosols in, 1948: July, 1082

antihistaminic drugs in, 1948: Jan., 244; 1949: March, 419; 1950: March, 360

bronchoscopic aspiration in, 1948: Jan., 242; 1949: March, 418

complications and their treatment, 1949: March, 423

demerol in, 1948: Sept., 1374

dibenamine in, 1950: March, 390 ephedrine in, 1948: Jan., 243, Sept.,

epinephrine in. 1948: Jan., 238, 243, Sept., 1373; 1949: March, 418 etiologic diagnosis and treatment, 1948: Jan., 235

hyposensitization, short interval, 1949: March, 415

intractable, severe, management. 1949: Nov., 1597-1603

ipecac in, 1949: March, 417

morphine in, dangers, 1950: Nov., 1767 pathogenesis, 1950: Nov., 1829-1838

penicillin in, 1948: Sept., 1220; 1949: March, 417

rehabilitation in, 1949: March, 420 sedatives in, 1949: March, 419 treatment, 1948: Sept., 1372

new trends, 1949: March, 411-425 Atelectasis, pulmonary, 1949: Nov., 1613

Atherosclerosis, meta 1949: May, 783-794 metabolic aspects.

prevention and treatment, 1949: May, 773-781 Athlete's foot, treatment, 1950: Sept.,

1481

Athletic injuries, treatment, 1950: Sept., 1255-1269

Athyreosis, 1948: Jan., 122, 125; 1950: Jan., 241-244

Atopic dermatitis, 1949: Jan., 7, 186, 190, 205-218 eczema, Kaposi's varicelliform erup

tion complicating, 1949: Jan., 214 Atresia of esophagus, congenital, 1950:

Jan., 247-256 icuspid, congenital, anatomical classification, 1949: July, 1177-1196 tricuspid,

Atrial function, disturbances, unipolar precordial electrocardiogram in, 1950: May, 840

septal defects, 1948: July, 895-910 electrocardiogram in, 1949: July,

Atropine in gastrointestinal disorders, 1948: Sept., 1229, 1203

in parkinsonism, 1949: July, 1136 in ventricular paroxysmal tachy-cardia, 1950: May, 741

Attitude, relation, to cardiovascular patterns, 1950: May, 824

Aureomycin, dosages, 1950: March, 317 in amebiasis, 1950: Nov., 1672

in influenza, 1950: Nov., 1645 in meningitis in children, 1950: Nov.,

in pharyngitis, 1950: Nov., 1633 in primary atypical pneumonia, 1950:

Nov., 1647 in psittacosis. 1950: Nov., 1651 in Q fever, 1950: Nov., 1651

in septic sore throat, 1950: Nov., 1624

in subacute bacterial endocarditis, 1950: May, 781

in urinary infections, 1949: Sept., 1477; 1950: March, 532

pharmacology and toxicology, 1950: March, 309

toxicity, 1950: March, 312 Auricular fibrillation, anticoagulants in, 1949: March, 341

digitalis in, 1950: May, 653 paroxysmal, 1950: May, 741, 742 treatment, 1949: Nov., 1530

flutter, diagnosis, 1949: Sept., 1258 digitalis in, 1950: May, 653 management, 1949: Sept., 1255-1267

paroxysmal, 1949: Nov., 1529; 1950: May, 743, 744

premature contractions, digitalis in, 1950: May, 653

tachycardia, paroxysmal, 1950: May, 735

Azosulfamide. See Neoprontosil. Azotemia in chronic nephritis, 1950: Jan., 83

prerenal, pathogenesis, 1950: May, 642

Bacitracin, dosage, 1950: March, 316 in amebiasis, 1950: Nov., 1672 pharmacology and toxicology, 1950: March, 308

toxicity, 1950: March, 311 Back pain, low, treatment, 1949: Nov.,

1625

Bacteremia, penicillin in, 1950: March, 321

streptomycin in, 1950: March, 328 Bacteriologic specimens, selection for diagnosis, 1950: Nov., 1594-1597

Bacteriologist, role, in diagnosis and treatment of acute infectious diseases, 1950: Nov., 1589-1604

Bacteriology, diagnostic, 1950: Nov., 1590

Bakers' dermatitis, 1949: Jan., 246 BAL in acute mercury bichloride poisoning, 1950: March, 469-484 in gold salt toxicity, 1948: Sept.,

1366

Banti's disease, 1950: Sept.. 1271

Banti's disease, splenectomy for, effect on subsequent, pregnancies, 1950: July, 1223

Barach equalizing pressure chamber, 1950: Sept., 1357

Barbiturates, addiction to, manifestations and treatment, 1950: March. 425-438

in obstetrics, 1950: Sept., 1523 in surgical anesthesia, 1950: March,

Basal body temperatures in functional uterine bleeding, 1948: Jan., 60 in study of sterility, 1948: Jan., 51, Nov., 1549

cell epithelioma, 1949: Jan., 111 metabolism test, clinical application,

1950: Nov., 1839-1851 Base coats, nail changes following use, 1949: Jan., 95-107

Basilar impression of skull, 1950: Jan., 155

Bath(s), carbon dioxide, in peripheral vascular disease, 1949: March, 352 in dermatologic therapy, 1949: Jan., 271

tub, continuous, in psychoses, 1949:

July, 1124 Beard, folliculitis, pyogenic, treatment, 1950: Sept., 1476

Bed exercises for paralyzed patients, 1948: Sept., 1284, 1286 rheumatoid arthritis,

Sept., 1361 wetting, causes and treatment, 1950:

July, 1085 Bedside care of newborn by parturient

mother, 1948: Nov., 1699-1709 Behavior disorders in intellectual inadequacy, 1948: May, 659 intelligence tests in, 1950: July,

postencephalitic, 1948: May, 660

post-traumatic, 1948: May, 661 problems of children, 1948: May, 655-

Bell's palsy, physical medicine in, 1948: May, 783

Bellabulgara in parkinsonism, 1949: July, 1137

Belladonna in gastrointestinal dis-orders, 1948: Sept., 1229 in parkinsonism, 1949: July, 1136 in peptic ulcer, 1948: March, 322 Bellafoline in

afoline in gastrointestinal orders, 1948: Sept., 1229, 1230 Benadryl, dosages, 1950: March, 352, 357

in hay fever, 1948: Sept., 1372 in parkinsonism, 1949: July, 1138 Bence-Jones proteinuria in cancer,

1950: Sept., 1395 Benemid with oral penicillin, 1950: Nov., 1659

Benzedrine in gastrointestinal dis-orders, 1948: Sept., 1233, 1235

Benzodioxanes as adrenergic blocking agents, 1950: March, 381

test in pheochromocytoma, 1950: May, 762

Benzol in leukemia, 1949: March, 537 Benzyl benzoate in dermatologic therapy, 1949: Jan., 274

Beriberi, cardiovascular manifestations, 1949: Nov., 1643-1655

Besnier's lupus pernio, 1949: Jan., 31,

prurigo, 1949: Jan., 186

Beta-haloalkylamines as adrenergic blocking agents, 1950: March, 380 Bile ducts, carcinoma, 1948: March, 498 common, stone in, 1948: March, 495 obstruction, jaundice due to, 1948:

March, 450 stricture, benign, 1948: March, 496 pigment metabolism, normal and abnormal, 1948: March, 443, 444

Biliary calculi. See also Gallbladder disease. jaundice due to, 1948: March, 450

cirrhosis, 1948: March, 512 serum protein fractions in, 1948: March, 463

colie, 1948: March, 487

drainage in diagnosis of gallstones, 1948: March, 489 dyskinesia, 1948: March, 390, 497

obstruction or fistula, hypoprothrom-binemia of, 1949: Nov., 1695, 1706 tract, diseases, 1948: March, 486-499 Bilirubin metabolism in estimate of

liver function, 1950: Sept., 1463 Biopsy, endometrial, 1948: Jan., 49, 61,

Sept., 1181, Nov., 1551 in diagnosis of amyloidosis, 1950: July, 1173

of cancer, 1950: Sept., 1387 of liver, evaluation, 1950: Sept., 1466 testicular, 1948: Jan., 81, 98, Sept., 1175, Nov., 1538

Bladder, carcinoma, 1949: March, 482 decompression, in prostatism, 1949: March, 474

training, in paralyzed patients, 1948: Sept., 1285

B.L.B. mask in status asthmaticus. 1948: Jan., 238, 241

Blood, conservation, in severe hemorrhage, 1949: Nov., 1556

dyscrasias, cutaneous lesions in, 1949: Jan., 281

pressure, basic, determination, 1949: May, 688 control, role of carotid sinus in, 1949: May, 619-633

stream infections, penicillin in, 1950: March, 321

transfusions. See Transfusions.

Blood, urea nitrogen in gastrointestinal hemorrhage, 1949: Nov., 1569 peripheral, vessels. examination.

methods, 1950: May, 887-896 biochemical compartments,

Body structure, deviations in disease, 1950: March, 398 normal, 1950: March, 396

Boeck's sarcoid, 1949: Jan., 32, 35, 36, 257, 258

Boils, treatment, 1950: March, 324, Sept., 1476

Bone, necrosis, avascular, in children, 1950: Jan., 165-186

sarcoidosis of, 1949: Jan., 42 Bone marrow, anemias originating in, 1949: March, 543

aspiration technic, 1950: Nov., 1817-1827

examination, diagnostic importance, in acute hematogenous tuberculosis, 1950: Nov., 1817-

Bowel training of paralyzed patients, 1948: Sept., 1285

Bowen's disease, 1949: Jan., 125-134 precancerous dermatosis, 1949: Jan., 125-134

Bragg-Paul pulsator, 1950: Sept., 1357 Brain, abscess, complicating atrial septal defect, 1948: July, 905

complicating pulmonary stenosis, 1948: July, 870 diagnosis, 1948: May, 800

penicillin in, 1950: March, 323

areas, localization, clinical aspects, 1948: May, 721-726

injuries, coma in, 1948: May, 798 lesions, hemiplegia due to, treatment, 1948: May, 735-742

metabolic disease, cerebral, 1950:

Nov., 1801-1815 organic injury, psychologic testing in, 1950: July, 1074

tumors, coma in, 1948: May, 800 psychotic symptoms masking, 1948: May, 759-767

Branham's sign, 1949: Nov., 1752 Bread, salt-free, recipe, 1950: March,

Breast, carcinoma, hormone therapy, 1948: Jan., 18-36; 1950: March, 447, 448, Sept., 1409

feeding in acute hemolytic disease, 1948: Nov., 1643

Breathing, positive pressure, effects on circulation, 1950: Sept., 1344

Bright's disease, hemorrhagic, 1950: Jan., 95-105. See also Nephritis.

Brine flotation technic for amebae, 1949: May, 901 Bromides in epilepsy, 1950: March, 348

Bromsulfalein excretion test, evaluation, 1950: Sept., 1465 in gastrointestinal hemorrhage, 1949: Nov., 1568 Bronchial asthma. See Asthma.

infections, antibiotics in, aerosol method, 1948: July, 1079

Bronchiectasis, diagnosis, 1949: July,

penicillin in, 1948: July, 1081, Sept., 1218; 1949: March, 404

secretions, common pathogenic bacteria found in, 1948: July, 1084 streptomycin in, aerosol method,

1948: July, 1081 suppurative, 1949: March, 393

treatment, 1949: March, 400 Bronchitis, chronic, antibiotic aerosols in, 1948: July, 1082

Bronchogenic cyst, diagnosis, angiocardiography in, 1950: May, 747,

Bronchography, value, 1949: July, 1054 Bronchopneumonia, penicillin in, 1948: Sept., 1212

Bronchopulmonary suppurations, nontuberculous, management, 1949: March, 391 410

Bronchoscopic aspiration in asthma, 1948: Jan., 242; 1949: March, 418 Bronchoscopy, value, 1949: July, 1054

Brucella dermatitis, 1949: Jan., 243 Brucellosis, antibiotics in, choice of, 1950: March, 313

streptomycin in, 1950: March, 329 and sulfadiazine in 1949: July, 1079-1088

treatment, advances in, 1948: July,

Buerger's disease. See Thromboangiitis obliterans.

exercises, 1949: March, 353 Bullous diseases, 1949: Jan., 165 drug eruption, 1949: Jan., 173, 174 impetigo, 1949: Jan., 173, 174 Burns, severe, in children, parenteral

fluid therapy, 1950: Jan., 65

Bursitis, subacromial, 1949: Nov., 1621 subdeltoid, 1949: Nov., 1621; 1950: Sept., 1330, 1331

Butcher's peniphigus, 1949: Jan, 243

CAFERGONE in migraine, 1949: Nov., 1586, 1588

Caffeine sodium in respiratory failure, 1950: Sept., 1359

Caffey's syndrome, streptomycin in, 1948: May, 834

Calciferol in sarcoidosis, 1949: Jan., 50 Calcinosis in diffuse seleroderma, 1949: Jan., 61

Calcium gluconate in auricular paroxysmal tachycardia, 1950: May, 739 Calcium oxalate stones, medical management, 1948: Sept., 1319 phosphate stones, medical manage-

ment, 1948: Sept., 1321

Calculi, biliary. See also Gallbladder disease.

jaundice due to, 1948: March, 450 common duet, 1948: March, 495 ureteral, 1948: Sept., 1415, 1416 urinary, medical management, 1948: Sept., 1315-1332

Calvé's disease, 1950: Jan., 170

Cancer. See Carcinoma Cancerophobia, 1948: May, 674

Canker sores, 1948: March, 361 Capillaries, inspection, 1950: May, 888 Capillary fragility in hypertension,

1949: May, 675-686 nevus, 1949: Jan., 220, 222 Carbamylcholine in auricular paroxysmal tachycardia, 1950: May, 738 in gastrointestinal disorders, 1948: Sept., 1238, 1240

Carbarsone in amebic dysentery, 1950: Nov., 1672

Carbohydrate metabolism, vascular degeneration and, 1949: May, 785 Carbon dioxide baths in peripheral vascular disease, 1949: March, 352

therapy in psychoses, 1950: Sept.,

Carbuncles, penicillin in, 1950: March, 324

Carcinoma, biopsy in, 1950: Sept., 1387

clinical manifestations, early, 1950: Sept., 1381

cytologic study of body secretions, 1950: Sept., 1395-1404 diagnosis, early, 1950: Sept., 1381-

1408

hormonal treatment, 1950: Sept., 1409-1417

laboratory aids in, 1950: Sept., 1395 of ampulla of Vater, 1948: March,

of bile ducts, 1948: March, 498

of bladder, 1949: March, 482 of breast, hormone therapy, 1948: of breast, hormone therapy, 1948: Jan., 18-36; 1950: March, 447, 448, Sept., 1409

of colon, anemia in, 1948: March, 386 of esophagus, 1948: March, 370

of gallbladder, 1948: March, 497 of liver with portal cirrhosis, clinicopathologic conference, March, 537-544

of lung, inoperable, nitrogen mustards in, 1949: Sept., 1309 nitrogen mustard in, 1950: March,

of pancreas, 1948: March, 533

Carcinoma, of pancreas head, jaundice in, 1948: March, 451

of prostate gland, 1949: March, 479 estrogen therapy, 1948: Jan., 111; 1950: March, 445, 446, Sept.,

orchiectomy in, 1948: Jan., 117; 1950: Sept., 1411 phosphatase determinations.

1948: Jan., 112

of skin, 1949: Jan., 109-117 treatment, 1949: Jan., 119-123 of stomach in pernicious anemia, prevention, 1949: Sept., 1397 perforated, pain in, 1949: July, 965-972

simulating gastric diverticulum, 1948: March, 348

of thyroid, radioiodine in, 1948: July, 962; 1950: March, 450

of uterus, diagnosis, vaginal smear for, 1948: Nov., 1563-1572

early detection, value of periodic examination of well women in, 1948: Nov., 1557

pelvie, diagnosis, delay period in, 1948: Nov., 1573-1581 physical examination in, 1950: Sept.,

1386

roentgen diganosis, 1950: Sept., 1390 squamous cell, 1949: Jan., 115 Cardiac. See also Heart.

cirrhosis, 1948: March, 514 neurosis, 1949: Sept., 1343-1364 Cardiospasm, 1948: March, 366

dibenamine in, 1950: March, 390 Cardiorespiratory arrest, 1950: Sept.,

Cardiovascular conditions. acute. treatment, 1949: Nov., 1519-1535 diseases, studies, recent trends, 1950:

May, 609-614 symposium on, 1949: May, 607; 1950: May, 609

effects of tetraethylammonium, 1949: May, 805-831

manifestations of heart disease, 1949: Nov., 1643-1655

symptoms and disease, relationship of life stress to, 1950: May, 817-831 syphilis, 1948: Sept., 1439-1466

late, treatment, 1950: March, 499 Caries, dental, 1949: Nov., 1713 control and prevention, 1950: Jan.,

13 - 32Caronamide, 1948: July, 1106

Carotid sinus pressure in auricular flutter, 1949: Sept., 1258 in auricular paroxysmal tachy-

cardia, 1950: May, 736 role, in blood pressure control, 1949: May, 611-617

syncope, treatment, 1949: Nov., 1520

Sept., 1409

in cancer of prostate gland, 1950: Sept., 1411

Casts in rheumatoid arthritis, 1949: Sept., 1380

Catheterization of bladder in prostatism, 1949: March, 474

Cauda equina injuries, care of patients paralyzed by, 1948: Sept., 1273-1291

Caudal analgesia, continuous, in obstetrics, present status, 1948: Nov., 1683-1697

in obstetrics, 1950: Sept., 1527 Cavernous hemangioma, 1949: Jan.,

Cecum, carcinoma, anemia in, 1948:

March, 386, 387 Cell count, spinal fluid, in neurosyphilis, 1948: May, 708 Cellular nevi, 1949: Jan., 229

Cellulitis and lymphangitis, recurrent, of extremities, 1949: July, 1089-1098

penicillin in, 1950: March, 324 Cephalgia, histaminic, 1949: July, 977,

1002, Sept., 1447 Cerebral. See also Brain.

arteriosclerosis, misdiagnosed, 1949: July, 927

embolism, 1948: May, 739 hemorrhage, 1948: May, 735, 736 differentiated from thrombosis and embolism, 1948: May, 799

localization, clinical aspects, 1948: May, 721-726

macular degeneration, 1950: Jan.,

metabolic disease, pathologic physiology, 1950: Nov., 1801-1815

treatment, 1948: May, 789-793 sinuses and veins, thrombosis 1948: May, 739 veins, thrombosis of,

thrombosis, 1948: May, 738 anticoagulants in, 1949: March, 339; 1950: May, 909-924

differentiation from hemorrhage and embolus, 1950: May, 910

vascular accidents, priscoline in. 1950: March, 385

Cerebrospinal fluid in infants and children, 1950: Jan., 107-118 methods of obtaining, 1950: Jan., 115

Ceriveal rib, 1950: Sept., 1236 smear in cancer diagnosis, 1950: Sept., 1396

spine, lesions, 1950: Sept., 1323 traction, method, 1950: Sept., 1325

Cervix uteri, carcinoma, diagnosis, vaginal smear for, 1948: Nov., 1563-1572

Castration in cancer of breast, 1950: | Cervix uteri, carcinoma, early detection, value of periodic examination of well women in, 1948: Nov., 1557 diagnostic tests, in infertility,

1948: Sept., 1179 hypersecretion, simple, 1948: Nov..

Cesarean section under caudal analgesia, 1948: Nov., 1688 under spinal anesthesia, 1948:

Nov., 1691 Charcot's triad in multiple sclerosis,

1948: May, 746 Chemotherapy of neoplastic diseases, 1950: March, 439-458

Chest conditions, abdominal pain in, 1948: March, 389 disease, angiocardiography in, 1950: May, 746

Chickenpox, diagnosis, 1950: Sept.,

1310 treatment, 1950: Jan., 144, Sept., 1318

Chigger infestation, 1950: Jan., 267 Childbirth. See Labor.

Children, behavior problems, 1948: May, 655-667

cerebrospinal fluid in, 1950: Jan., 107-118

diagnostic problems in, 1950: July, 1079-1089 diseases of, symposium on, 1950:

Jan., 1 parenteral fluid therapy in, 1950: Jan., 53-70

problems of, 1948: Jan., 272-282 Chloramphenicol. See Chloromycetin. Chlorides, excretion, urinary, test, 1949: Sept., 1273

replacement, 1950: March, 406 Chloroform anesthesia in obstetrics, 1950: Sept., 1529

Chloromycetin, dosages, 1950: March, 318

in meningitis in children, 1950: Nov., in pneumonia, 1950: Nov., 1661

in primary atypical pneumonia, 1950: Nov., 1647

in ricksettsial diseases, 1948: Sept., 1337

in subacute bacterial endocarditis. 1950: May, 781 in typhoid fever, 1950: Nov., 1675

in urinary infections, 1949: Sept., 1478; 1950: March, 533

pharmacology and toxicology, 1950: March, 311

toxicity, 1950: March, 313

Chlorothen, dosages, 1950: March, 352,

Chlor-trimeton, dosages, 1950: March, 353, 357

Cholangitis, complicating common duct | stone, 1948: March, 496

Cholecystectomy, biliary dyskinesia following, 1948: March, 390

Cholecystitis, acute, 1948: March, 490 chronie, 1948: March, 494 pain in, 1948: March, 394, 395

Cholera, 1950: Nov., 1675

antibiotics in, choice of, 1950: March, 313

immunization, 1950: Nov., 1730 Cholesterol, blood, in hypothyroidism, 1950: Jan., 236

dietary, effect on blood levels, 1950: May, 679

in pathogenesis of arteriosclerosis, 1950: May, 673-683

restriction in atherosclerosis, 1949: May, 775

Cholesterosis of gallbladder, 1948: March, 494 Choline in prevention of arteriosclero-

sis, 1950: May, 677 Chorea, diagnosis and treatment, 1950:

July, 1079 Choriomeningitis, lymphocytic, 1950:

Nov., 1686 diagnosis, 1950: Sept., 1316 management, 1950: Sept., 1321 Chronic disease, adjustment to, 1949:

March, 439 anxiety as reaction, 1949: March,

440. 442 certain characteristics of, 1949: March, 300

dietary needs in, 1948: Sept., 1159-1169; 1949: March, 561-572

in the constitutionally inadequate. 1949: March, 427-434

mastery of, 1949: March, 435-446 patient as surgical risk, 1949: March, 573-585

planning for, 1949: March, 587-597 prevalence of, 1949: March, 435 social and cultural aspects, 1949:

March, 437 treatment, symposium on, 1949: March, 293

Chrysarobin in dermatology, 1949: Jan., 276

Cigarettes, smoking, in heart disease, 1950: May, 697-703

Circulation time measurements, 1950: May, 892

Circulatory considerations in respiratory failure, 1950: Sept., 1343 failure, renal insufficiency due to,

1950: May, 641-648 Cirrhosis, 1948: March, 500-517 biliary, 1948: March, 512

serum protein fractions in, 1948: March, 463

cardiac, 1948: March, 514; 1950: May,

Cirrhosis, congestive, 1948: 'Jarch, 514 Laennec's, serum protein fractions in, 1948: March, 460

of liver, diet in, 1949: March, 570, Nov., 1661

in, massive, 1948: hemorrhage March, 328

pigmentary, 1948: March, 511 portal, 1948: March, 501

acute hepatitis and, 1948: March,

alcoholism and, 1948; March, 503, 509

dietary deficiencies and, 1948: March, 503

lipotropic factors in, 1948: March, 502, 509

treatment, 1948: March, 508 with primary eareinoma, clinicopathologie co March, 537-544 conference,

postnecrotic, 1948: March, 511 syphilitic nodular, 1948: March, 514 toxie, 1948: March, 511

Cisternal puncture in infants and children, 1950: Jan., 117

Climacteric. See Menopause. Clinicopathologic conference, Jan., 161-175, March, 537-544

Clostridial infections, antibiotics in, choice of, 1950: March, 313

Coal tar in eczematous dermatoses, 1949: Jan., 209

Coarctation of aorta, angiocardiography in, 1950: May, 750 electrocardiogram in, 1949: July, 1159

hypertension in, 1949: Nov., 1748 with hypotension in left arm, physiologic observations, 1950: July, 1177-1185

Coccal infections, electrocardiogram in, 1950: May, 871

Codeine in hypertrophic arthritis, 1950: Sept., 1438

Cold agglutination test, 1950: Nov.,

Cold, common, 1950: Nov., 1637 in, antihistaminie drugs in March, 362, Nov., 1641 diagnosis, 1950: Sept., 1311

prevention and treatment, 1950:

Nov., 1640 Colectomy in congenital megacolon, 1948: July, 985 Coli-aerogenes infections, antibiotics

in, choice of, 1950: March, 314 Colie, abdominal, 1948: March, 392

biliary, 1948: March, 487 Colitis, thrombo-ulcerative (strepto-

coccal), present-day therapy, 1948: July, 967-979

ulcerative, chronic, anemia in, 1948: March, 384

Colitis, ulcerative, indeterminate, and amebiasis, 1948: March, 408-418 treatment, 1948: March, 414

malignant degeneration in, report of 7 cases, 1949: Sept., 1421-1437 present-day therapy, 1948: July, 967-979

salicylazosulfapyridine in, 1949:

July, 935-942

streptococcal, medical manage-ment, 1948: July, 967 surgical management, 1948: July,

with ileostomy, abdominal pain in, 1948: March, 392

Collapse procedures in tuberculosis, changing picture, 1950: Sept., 1367

Collodion in dermatologic therapy, 1949: Jan., 270

Colon, carcinoma, anemia in, 1948: March, 386

dilatation, idiopathic, congenital, treatment, recent advances, 1948: July, 981-987

irritable, diagnosis and treatment, 1948: March, 398-407

physiology, 1948: March, 400 psychosomatic 1948: factors. March, 400

lavage, in renal failure, 1948: July,

obstruction, 1949: Sept., 1461

Colonic mucus, cytology of, in cancer diagnosis, 1950: Sept., 1403 Colorado tick fever, diagnosis, 1950:

Sept., 1314

management, 1950: Sept., 1320 Coma, diabetic, 1949: Nov., 1537-1553 treatment, 1949: March, 493, Nov., 1550

differential diagnosis, 1948: May, 795-803

examination in, 1948: laboratory May, 798

symptoms and signs, 1948: May, 795 Common duct stones, 1948: March,

Complement fixation, test in viral diseases, 1950: Nov., 1610
spinal fluid in neurosyphilis,
1948: May 708
Company E. See Conjerns

Compound E. See Cortisone.

Compression, arterial, to control hem-orrhage, 1949: Nov., 1558 dressings in severe hemorrhage, 1949:

Nov., 1557 Compulsive movements, skin lesions

due to, 1948: May, 674

reactions, 1950: July, 1027 Conception, physiology of, 1948: Jan.,

Conduct disorders in children, 1948: May, 664

Confusion reactions, 1950: July 1020

Congenital heart disease, electrocardiogram in, 1949: July, 1157-1175

symposium on, 1948: July, 855 tricuspid atresia, classification, 1949: July, 1177-1196

Congo red test for amyloidosis, 1950:

July, 1165, 1171 Connective tissue nevi, 1949: Jan., 237 Constipation, 1949: July, 957-963

management, 1949: July, 959 Constitutional diseases, abo stitutional diseases, al pain in, 1948: March, 391 abdominal

Constitutionally inadequates, chronic illness and, 1949: March, 427-434

Contact dermatitis, 1949: Jan., 181 desensitization in, 1949: Jan., 185

due to foods, 1949: Jan., 239-247 therapy and general management, 1949: Jan., 184

Contagious diseases. See Infectious diseases, acute.

Contraception, methods, 1948: Nov., 1630

role, in preventive medicine, 1948: Nov., 1629-1634

Contusions, muscle, in athletics, treatment, 1950: Sept., 1264

Conversion hysteria, 1950: Sept., 1489 Convulsions, cerebrospinal fluid in, 1950: Jan., 109 coma following, 1948: May, 801

of epilepsy, treatment, 1950: March, 341-350, Sept., 1507-1520 Convulsive therapy in psychoses, 1950:

Sept., 1504 Cor pulmonale, morphine in, dangers, 1950: Nov., 1768

precordial leads in, 1948: Jan., 205 Cornea, erosion, unilateral, nocturnal, recurrent, 1949: July, 998

Coronary arteries, anomalies, electrocardiogram in, 1949: July, 1167

arteriosclerosis, 1949: May, 652 cholesterol levels in, 1950: May, 678 insurance aspect. 1950: May, 812

artery disease, anoxemia test in, 1950: Aay, 713-717 diet in, 1949: Nov., 1631

exercise test, electrocardiogram in, 1950: May, 877

terminology and diagnosis, 1950: May, 685-696

two-step exercise test in, 1950: May, 705-713

blood flow, reflex disturbances, electrocardiogram in, 1950: May, 876

failure, 1950: May, 688 insufficiency, 1950: May, 686

thrombosis, abdominal pain in, 1948: March, 389

in aged, 1948: Jan., 227

Cortisone in relief of pain, 1950: March,

in rheumatic disorders, 1949: Nov. 1620; 1950: March, 373, Sept., 1424 in rheumatoid arthritis, 1950: Nov., 1703

Cosmetic dermatitis, 1949: Jan., 183

Cough, habit, 1949: July, 1055 in thoracic disease, diagnostic significance, 1949: July, 1054 Coxa plana, 1950: Jan., 173

Coxsackie virus, diagnosis, 1950: Sept., 1314

Cranial arteries, dilatation, headache due to, 1948: May, 558

Creatine excretion in hypothyroidism,

1950: Jan., 236 Cretinism, 1947: May, 714; 1948: Jan., 122-139; 1950: Jan., 238-241

Cross-eyes, treatment, problems in, 1950: Jan., 283-302

Culdoscopy, 1948: Sept., 1187 Curare in poliomyelitis, 1948: Sept., 1392; 1950: March, 556

in surgical anesthesia, 1950: March, 591

Curettage, endometrial, 1948: Nov., 1515

uterine, in uterine hemorrhage, 1948: Jan., 67

Cushing's syndrome, hypertension in, 1949: Nov., 1746 Cutaneous. See Skin.

Cyanosis, heart anomalies associated with, 1948: July, 855, 879

Cyclopropane anesthesia, 1950: March, 594

in obstetrics, 1950: Sept., 1530 Cystic enlargement of ovary, significance with respect to treatment, 1948: Nov., 1611-1628

Cystine stones, medical management, 1948: Sept., 1316 Cystitis, 1949: Sept., 1465

Cystoscopy in prostatism, 1949: March,

Cystosis, follicular, 1948: Nov., 1611 Cysts, bronchogenic, diagnosis, angiocardiography in, 1950: May, 747, 748

pancreatic, 1948: March, 532

Cytologic methods in cancer diagnosis, 1948: Nov., 1563-1572; 1950: Sept., 1395

DARIER-ROUSSY sarcoid, 1949: Jan., 31, 32, 36, 37

DDT in pediculosis, 1950: Sept., 1478 Decamethonium bromide in obstet-

rics, 1950: Sept., 1531 with electroshock therapy, 1950: Sept., 1506

Decapryn, dosages, 1950: March, 352,

Deficiency diseases, stomatitis due to, 1948: March, 360

Degenerative joint disease, 1950: Sept., 1435-1446

Dehydration, acute anuria due to, 1950: March, 511

as surgical risk, 1949; March, 578 in infantile diarrhea, 1949: May, 851-

routine treatment, 1949: May, 867

rationale for, 1949: May, 860 treatment, 1950: March, 405

Delirious reactions, 1950: July, 1021 diagnosis and treatment, 1948: May, 647-654

Delusions of parasitosis, 1949: Jan.,

Dementia, arteriosclerotic, 1950: July, 1099

praecox, 1948: May, 623-629 psychoneurosis and, differentiation, 1950: July, 963, 964

senile, 1950: July, 1099 Demerol in asthma, 1948: Sept., 1374 in obstetrics, 1950: Sept., 1524

in relief of pain, 1950: March, 371 Dengue, 1950: Sept., 1315, 1320 Dental caries, 1949: Nov., 1713

control and prevention, 1950: Jan., 13 - 32

Dentifrices, ammonia-urea compounds in, 1950: Jan., 28

fluoride, 1950: Jan., 27 penicillin, 1950: Jan., 30

Deodorants, antiperspirant, dermatitis due to, 1949: Jan., 184

Depressed patients, prefrontal lobotomy for, 1950: July, 1046 Depression as mood response in illness,

1950: July, 1026

electroschock therapy, report of 200 cases, 1949: March, 515-526 psychotic and neurotic, differentiation, 1950: July, 962

Dermal leishmaniasis, diagnosis, 1949: May, 904

Dermatitis, allergie, extrinsic, 1950: Sept., 1474

intrinsic, 1950: Sept., 1482 atopic, 1949: Jan., 7, 186; 1950: Sept.,

1482 emotional factors, 1948: May, 675 Kaposi's varicelliform eruption

complicating, 1949: Jan., 214 of cubitals, forearms, dorsa of hands and wrist, 1949: Jan.,

treatment, 1949: Jan., 190, 205-218 with seborrheic features, 1949: Jan., 215

bakers', 1949: Jan., 246 brucella, 1949: Jan., 243 Dermatitis, contact, 1949: Jan., 181 drugs in, antihistaminic 1950: March, 360

desensitization in, 1949: Jan., 185 due to foods, 1949: Jan., 239-247 treatment, 1949: Jan., 185; 1950: Sept., 1474 cosmetic, 1949: Jan., 183

eczematous, treatment, 1950: Sept.,

exfoliative, 1949: Jan., 135-144 factitia, 1948: May, 674 functional, 1949: Jan., 3-19

herpetiformis, 1949: Jan., 170 in fishermen and fish handlers, 1949: Jan., 245

medicamentosa, 1949: Jan., 136, 198 occupational, 1949: Jan., 183 plant, 1949: Jan., 184

pyogenic, treatment, 1950: Sept., 1475

schistosome, 1950: Jan., 266 seborrheic, exfoliative d and, 1949: Jan., 136, 142 dermatitis, venenata, 1949: Jan., 181

treatment, 1949: Jan., 184; 1950: Sept., 1474

Dermatologic disorders, psychogenic factors in, 1948: May, 669-685

therapy, pharmacodynamics of vehicles and drugs used in, 1949: Jan., 263-279

Dermatology, symposium on, 1949: Jan., 1

Dermatomyositis, 1949: Jan., 21-29 Dermatopathology as window to internal disease, 1949: 281-287

Dermatophytois, 1949: Jan., 197 Dermatophytosis, emotional factors, 1948: Aay, 680

of feet, treatment, 1950: Sept., 1481 trichophyton in diagnosis and treatment, 1949: Jan., 197

Dermatoses, common, dermatitis exfoliativa in, 1949: Jan., 136 precancerous, 1949: Jan., 109 Bowen's, 1949: Jan., 125 134 psychogenic, 1948: May, 673 treatment, 1950: Sept., 1473-1486

Desensitization in contact dermatitis, 1949: Jan., 185

Dextrocardia, isolated, electrocardio-gram in, 1949: July, 1164 DFP in gastrointestinal disorders.

P in gastrointestinal disorders, 1948: Sept., 1239, 1242 DHO 180 in hypertension, 1948: Sept.,

1253 Diabetes mellitus, arteriosclerosis and, 1949: May, 784, 795-804

early vascular degeneration in. 1949: May, 784; treatment and, 1949: May, 791

childhood, prognosis, 1949: March, 495

Diabetes mellitus, late, vascular degeneration in, treatment and. 1949: May, 791

management, during acute complications and surgery, 1949: Sept., 1413-1419

nature of, 1949: March, 485

surgery in, preparation for, 1949: March, 580

treatment, by clinical approach, 1950: March, 485-494 optimism in, 1949: March, 485-496

vascular sclerosis in, 1950: March,

pancreatic, ncreatic, frequency, in chronic pancreatitis, 1949: May, 883-897

Diabetic acidosis in children, paren, teral fluid therapy in, 1950: Jan., 59

repair solutions in, 1948: Sept., 1296

treatment, 1949: March, 491 coma, 1948: May, 801; 1949: Nov.. 1537-1553

treatment, 1949: March, 493, Nov., 1559

Diagnostic problems in children, 1950: July, 1079-1089 Dialysis in renal failure, basic prin-

ciples, 1948: July, 990 peritoneal, in acute renal failure,

1948: July, 995; 1950: March, 516 in congestive heart failure, 1950:

May, 624 Diaphragmatic hernia, air travel in, 1948: July, 1092

Diarrhea, acute, with acidosis and postacidotic tetany in children, parenteral fluid therapy in, 1950: Jan., 57

epidemic, 1950: Nov., 1675 infantile, dehydration in. 1949: Aay, 851-870

streptomycin in, 1948: May, 805 Diatrin, 1950: March, 352, 357

Dibenamine as adrenergic blocking agent, 1950: March, 380 in arterial-embolism, 1950: March,

385

in asthma, 1950: March, 390 in Buerger's disease, 1950: March,

in cardiac arrhythmias, 1950: March,

in cardiospasm, 1950: March, 390 in frostbite, 1950: March, 386

in glaucoma, 1950: March, 389 in hypertension, 1948: Sept., 1252; 1950: March, 387

pheochromocytoma, diagnostic, 1950: March, 386, May, 765 in psychoses, 1950: March, 392

March, 385

in shock, 1950: March, 391

utoline in gastrointestinal dis-orders, 1948: Sept., 1232, 1237 Dibutoline Dicumarol, administration, 1949:

March, 343 hemorrhage in, control, 1949: Nov.,

laboratory control, 1949: Nov.,

and heparin, combined use, 1949: March, 344

hypoprothrombinemia induced by. 1949: Nov., 1700, 1706

in cerebral thrombosis, 1950: May,

in chronic cardiovascular diseases, 1949: March, 335-345

in multiple sclerosis, 1948: May, 753

in prevention of intravascular throm-

bosis, 1949: Nov., 1507 in rheumatic heart disease with periodic arterial embolism, 1948: Sept., 1309-1313

thrombosis in treatment of and embolism, 1949: Nov., 1509, 1511 poisoning, hypoprothrombinemia of.

treatment, 1950: March, 462 therapy with, dangers, 1950: Nov., 179i

Diet, acid ash, 1948: Sept., 1324 high vitamin, 1948: Sept., 1327 in nephrotic edema, 1950: Jan., 87

defective, portal cirrhosis and, 1948: March, 503 for use with Amphojel regimen, 1948:

Sept., 1328 acute in glomerulone phritis, 1950: Jan., 102

in acute renal failure, 1949: July, 1016; 1950: March, 511

in arteriosclerosis, 1949: Nov., 1684 in cirrhosis of liver, 1949: March, 570 congestive heart failure, 1949: Nov., 1631-1641

in constipation, 1949: July, 960 in coronary artery disease, 1949: Nov., 1631

in epilepsy, 1950: Sept., 1518

in gastrointestinal hemorrhage, 1949: Nov., 1576

in heart disease, 1949: March, 564 Nov., 1631-1641

in heart failure, 1949: March, 365; 1950: March, 566

in hypertension, 1948: Sept., 1256: 1949: March, 566, May, 662, 691 Sept., 1271, Nov., 1639; 1950: Nov.,

in hypertrophic arthritis, 1950: Sept.,

Dibenamine in Raynaud's disease, 1950: | Diet in intestinal obstruction, 1948:, March, 378

in kidney disease, 1949: March, 565 in long-term illness, 1948: Sept., 1159-1169; 1949: March, 561-572

in massive hemorrhage from peptic ulcer, 1947: Sept., 1126; 1948: March, 330

in nephritis, 1949: March, 565 in nephrosclerosis, 1949: March, 566 in obesity in childhood, 1950: Jan.,

230 in peptic ulcer, 1948: March, 321; 1950: Sept., 1452

in portal cirrhosis, 1948: March, 508 psychosomatic disorders, 1949: March, 571

in rheumatoid arthritis, 1948: Sept., 1363; 1949: Sept., 1382

in rickettsial diseases, 1948: Sept., 1334

in senility, 1949: March, 563, Nov.,

in spinal cord injuries, 1948: Sept., 1280

in tuberculosis, 1949: March, 563 in ulcerative colitis, 1948: July, 968 in viral hepatitis, 1949: March, 455 Karell, 1949: March, 365, 366, 564, Nov., 1636

low cholesterol, in atherosclerosis, 1949: May, 775

low purine, 1948: Sept., 1318 low sodium, in heart failure, 1949: March, 328, 329, 366, Nov., 1638; 1950: March, 566

in hypertensive vascular disease. 1949: May, 713-725, Sept., 1274 reduction, in hypertension, 1949: March, 569

rice, in hypertension, 1949: March, 323, 325, 568; May, 662, Sept., 1271, Nov., 1639; 1950: Nov., 1742

Schemm, 1949: Nov., 1636 sodium-free, foods to avoid, 1949: March, 567

Dietary factors in liver injury, 1949:

Nov., 1657-1669 needs in long-term illness, 1949: March, 561-572

Diethylstilbestrol in carcinoma of prostate, 1948: Jan., 115 in cystic enlargement of ovary, 1948:

Nov., 1620 in dysmenorrhea, 1950: Sept., in menopause, 1950: Sept., 1549

in mumps orchitis, 1950: Jan., 135 in prostatic hypertrophy, 1948: Jan.,

Digestive system, diseases, symposium on, 1948: March, 301

Digitalis, action of, 1950: May, 649 ambulatory use, 1950: May, 657 contraindications, 1950: May, 659 Digitalis in auricular fibrillation, 1949: Nov., 1531; 1950: May, 653 in auricular flutter, 1949: Nov., 1529;

1950: May, 653

in auricular paroxysmal tachycardia,

1950: May, 738 in heart block, 1950: May, 653 in heart failure, 1949: March, 367,

Nov., 1526; 1950: March, 565, May, 651, 663-671

in paroxysmal auricular fibrillation, prophylactic, 1950: May, 743 in paroxysmal auricular flutter, 1950:

in paroxysmal tachycardias, 1950: May, 653 in infancy and childhood, 1950:

Jan., 219, 222 premature contractions, 1950:

May, 653 in surgery and obstetrics 1950: May,

preparations and dosages, 1950: May,

toxicity, 1950: May 626, 658 use of, directions for, 1950: May, 649-

whole leaf, 1950: May, 655 Digitoxin, 1950: May, 656

in congestive heart failure, 1950: May, 668 Digoxin, 1950: May, 657

in auricular flutter, 1949: Sept., 1261 in congestive heart failure, 1950: May, 669

Dihydroergocornine in hypertension 1950: March, 388

Dihydroergotamine in migraine, 1948: May, 562, Sept., 1352; 1949: Nov., 1587, 1588

Dihydrostreptomycin, current uses, 1950: March, 326-330

dosage and administration, 1950 March, 317, 327

Dihydrostreptomycin in brucellosis, 1949: July, 1087 in influenzal meningitis, 1950: Jan.,

137

in subacute bacterial endocarditis, 1950: May, 781

in tuberculous meningitis, 1950: Jan.,

pharmacology and toxicology, 1950: March, 309

toxicity, 1950: March, 312 Dihydrotachysterol in sarcoidosis, 1949: Jan., 50

Dilantin sodium in epilepsy, March, 346, Sept., 1513, 1516 Diodoquin in amebic dysentery, 1950:

Nov., 1672

Diphenylhydantoin sodium. See Dilantin sodium.

Diphtheria, 1950: Nov., 1628 antibiotics in, choice of, 1950: March,

antitoxin therapy, 1950: Nov., 1630 immunization, 1950: Jan., 133, Nov., 1719

paralysis of, 1950: Nov., 1629 penicillin in, 1950: March, 324, Nov. 1631

stomatitis in, 1948: March, 358 treatment, 1950: Jan., 134 Diplegia, atonic, 1950: Jan., 155

Discogenetic diseases of cervical spine, 1949: Nov., 1623

Dislocation of acromioclavicular joint, 1950: Sept., 1332 Diuresis in heart failure, 1949: March,

369

Diuretics in acute renal failure, 1949: July, 1015

mercurial, in heart failure, 1 March, 568, May, 621, 629 oral and rectal, products and de-scription, 1950: May, 631 Diverticulitis of colon, pain in, 1948:

March, 395

Diverticulum, esophageal, 1948: March,

gastrie, 1948: March, 336-354 malignant disease of stomach simulating, 1948: March, 336-354 Dizziness in aged, 1948: Jan., 225

Dolantin, in relief of pain, 1950: March,

Dolophine, in relief of pain, 1950: March, 369

Doryl, in gastrointestinal disorders, 1948: Sept., 1238, 1240 Drainage headache, 1949: Sept., 1449,

Nov., 1594

Draper-Whitehead method of artificial respiration, 1950: Sept., 1357

Drug addiction, manifestations and treatment, 1950: March, 425-438 eruptions, 1949: Jan., 198 bulbous, 1949: 173, 174

drugs causing, 1949: Jan., 200 treatment, 1949: Jan., 201

Drugs, dermatitis exfoliativa due to, 1949: Jan., 136

effect on electrocardiogram, 1950: May, 873

in dermatologic therapy, pharmacodynamics of, 1949: Jan., 263-279 use of, psychologic aspects, 1950: July, 973-979

Ducci and Watson bilirubin test, evaluation, 1950: Sept., 1463

Ductus arteriosus, left-sided, and leftsided descending aorta, 1948: July, 929

patent, 1948: July, 911-923 electrocardiogram in, 1949: July, Ductus arteriosus, right-sided, with upper portion of descending aorta on right side, 1948: July, 938 Dumping syndrome, 1949: Sept., 1321-

Duodenal drainage, cytology of material from, in cancer diagnosis, 1950: Sept., 1399

in renal failure, 1948: July, 993 ulcer, medical management in light of current etiologic concepts, 1950: Sept., 1447-1457

vagotomy for, indications, 1948: March, 305

Duomycin, in urinary tract infections, 1949: July, 1077, 1078 Dusting powders in dermatologic

therapy, 1949: Jan., 266 Dwarfism, 1948: Jan., 151

pituitary, 1948: Jan., 141, 154 Dye method for estimating plasma volume, 1949: Nov., 1569 Dysentery, amebic, 1950: Nov., 1670

treatment, 1950: Nov., 1672 bacillary, 1950: Nov., 1667 antibiotics in, choice of, 1950:

March, 313 sulfonamides in, 1950: March, 333 treatment, 1950: Nov., 1670

Dyshidrosis, 1949: Jan., 10 Dyskinesia, biliary, 1948: March, 497 Dysmenorrhea, endocrine 1950: Sept., 1542 therapy, psychosomatic approach, 1948: Nov.,

1585

Dyspareunia, in infertility, 1948: Sept., 1172

Dyspnea, diagnostic significance, 1949: July, 1056 paroxysmal, treatment, 1949: Nov., 1521

ECLAMPSIA, hypertension in, 1949: May, 671 management, 1949: May, 839 physiological treatment, 1948: Nov.,

veratrum viride in, 1948: Nov., 1676 Ectasias, senile, 1949: Jan., 227

Eczema, 1950: Sept., 1482 adult, treatment, 1950: Sept., 1484

atopic, management, 1949: Jan., 205-218 exudative, 1949: Jan., 212

flexural, 1949: Jan., 186 infantile, 1949: Jan., 187 treatment, 1949: Jan., 205-218;

treatment, 194 1950: Sept., 1483 nummular, 1949: Jan., 10

of hands, treatment, 1950: Sept., 1484 treatment, 1948: Sept., 1375 vesicular and encrusted, 1949: Jan.,

Eczematous sensitization, 1949: Jan.,

Edema, angioneurotic, .treatment 1950: Sept., 1478

in chronic nephritis and nephrosis, 1950: Jan., 76

treatment, 1950: Jan., 85 pathoin congestive heart failure, genesis and treatment, 1950: May, 615-628

in heart and kidney disease, water balance and, 1950: March, 571-587 pulmonary, 1949: Nov., 1615

Effort syndrome, 1949: Sept., 1343-1364 Ejaculations, premature, diethylstil-bestrol in, 1948: Jan., 120

Electric coma therapy in psychoses, 1950: Sept., 1503

narcosis in psychoses, 1950: Sept., 1503

Electrocardiogram, extremity leads, unipolar, use, recent advances, unipolar, use, recent advances, 1950: May, 857-867 in auricular flutter, 1949: Sept., 1259

in congenital heart disease, 1949: July, 1157-1175

in coronary artery disease, 1950: May, 693

anoxemia test, 1950: May, 713-717 exercise test, 1950: May, 705,

877 emotional disturbances, 1950: May, 821

in hypertension, 1949: May, 656 in pre-excitation syndrome, 1950:

May, 884 in venous thrombosis and pulmonary embolism, 1949: Nov., 1505; 1950:

May, 874 precordial, unipolar, interpretation of, 1950: May, 833-855 QRS diphasic high-potential, 1949:

July, 1171

etrocardiography, clinical, pre-cordial leads in, 1948: Jan., 197-212 Electrocardiography, practical, advances in, 1950: May, 869-886

technics, 1950: May, 836 theory of, 1950: May, 833

Electrodiagnosis, in peripheral nerve injuries, 1948: May, 780

Electroencephalogram, in epilepsy, 1950: Sept., 1511 etrolytes, body,

Electrolytes, body, alterations disease, 1950: March, 398-402 alterations

Electrophoresis, in peripheral vascular disease, 1949: March, 351 Electrophrenic, respiration,

Sept., 1353 Electroshock therapy, ambulatory, instructions to family of patient

receiving, 1948: May, 639 manic-depressive psychosis, 1948: May, 645 report of 200 cases, 1949:

March, 515-526

Electroshock therapy, in outpatient | setting, 1948: May, 585-595 in psychoses, 1950: Sept., 1504-1505

of aged, 1950: July, 1104 in schizophrenia, 1948: May, 628 methods to prevent seizures, 1950: Sept., 1505

Electrostimulation, nonconvulsive, in psychoses, 1950: Sept., 1504

Electrotherapy, in hemiplegia, 1948: May, 786

in peripheral nerve injuries, 1948: May, 781

in poliomyelitis, 1948: May, 785 Elephantiasis, due to recurrent lymphangitis and cellulitis, 1949: July,

nostras streptogenes, 1949: July, 1089, 1093

Emancipation, in psychotherapy, 1948: Sept., 1200, 1205

Embolism, arterial, 1950: March, 385 dibenamine in

periodic, in rheumatic heart disease, dicumarol in, 1948: Sept. 1309-1313

cerebral, 1948: May, 739

differentiation from hemorrhage and thrombosis, 1950: May, 910

pulmonary, 1949: Nov., 1503, 1617 electrocardiogram in, 1950: May,

emergency treatment, 1949: Nov.,

prevention, 1949: Nov., 1506 septic, pathogenesis, 1950: Nov., 1751-1760

Emergencies, medical, acute, posium on, 1949: Nov., 1499

Emerson hip-lift method of artificial respiration, 1950: Sept., 1349, 1351 Emetine, in amebic dysentery, 1950:

Nov., 1672 Emotional conflicts, role, in neuro-dermatitis, 1950: July, 1010

disturbances, functional cardiovascular changes during, 1950: May,

in poliomyelitis, 1948: Sept., 1398 world War II, 1950: July,

in civilian practice, 1950: July, 941

factors in menopause, 1950: March, 547

in skin diseases, 1948: May, 669-685 participation in psychotherapy, 1948: Sept., 1203

Emphysema, antibiotic aerosols in, 1948: July, 1082

bulbous, diagnosis, angiocardiography in, 1950: May, 749 mediastinal, 1949: Nov., 1617

Empyema of gallbladder, 1948: March, 491

penicillin in, 1948: Sept., 1212 postneumonie, treatment, 1950:

Nov., 1663 Encephalitis, acute, coma in, 1948: May, 800

behavior disorders following, 1948: May, 660

cerebrospinal fluid in, 1950: Jan., 112 equine, diagnosis, 1950: Sept., 1317 management, 1950: Sept., 1321

infectious, in children, 1950: Nov., 1689-1692

nonsuppurative, 1950: Jan., 162 parkinsonism following, 1949: July,

St. Louis, diagnosis, 1950: Sept., 1316 management, 1950: Sept., 1321 air travel after.

Encephalography, 1948: July, 1092 Encephalopathy, hypertensive,

glomerulonephritis, acute 1950: Jan., 98 treatment, 1950: Jan., 103

Endamoeba histolytica, concentration technic, 1949: May, 901 Endocardial fibrosis, generalized, elec-

trocardiogram in, 1949: July, 1162 Endocarditis, bacterial, subacute, diagnosis and treatment, revised criteria for, 1950: May, 769-783

etiologic considerations and prophylaxis, 1948: Jan., 176-186 penicillin in, 1950: March, 321

Endocervicitis, treatment, 1948: Sept., 1179

Endocrine disease, electrocardiogram in, 1950: May, 873

factors in menstrual cycle, 1948: Jan., 42 function, clinical tests, 1949: Sept.,

1401-1412 problems during adolescence, 1948: Jan., 140-150

therapy in amenorrhea, 1948: Jan., 69; 1950: Sept., 1538 in cancer, 1950: Sept., 1409-1417

of breast, 1950: March, 446 of prostate, 1950: March, 445 in cystic enlargement of ovary,

1948: Nov., 1620

in dysmenorrhea, 1950: Sept., 1542 in functional menstrual disorders,

1948: Nov., 1517 a functional uterine bleeding, 1948: Jan., 67; 1950: Sept., 1544, 1556

in menopause, 1948: Jan., 69; 1950: Sept., 1547

in menstrual disorders, 1950: Sept., 1537-1550

in prostate disease, 1948: Jan., 111-121 in sterility in men, 1948: Jan., 86

Endocrinology, symposium on, 1948:

Endometrial biopsy, 1948: Jan., 49, 61, Sept., 1181, Nov., 1551

curettage, 1948: Nov., 1515

dysfunction, tests, 1948: Sept., 1180 Endometrium, anatomy, 1948: Nov.,

cyclical changes, 1948: Jan., 42, Nov.,

Enteric infections, acute, 1950: Nov., 1667-1678

Enteritis, regional, diagnosis and treatment, study of 55 cases over nine years, 1948: March, 419-427

Enterococcal infections, antibiotics in, choice of, 1950: March, 314

Enuresis, causes and treatment, 1950: July, 1085 Enzyme activity, intracellular, of

brain, 1950: Nov., 1803

Ephedrine, in allergy in infants, 1950: Jan., 9 in asthma, 1948: Jan., 243, Sept., 1373

in respiratory failure, 1950: Sept., 1359

Epididymovasostomy, 1948: Sept., 1175 Epidural hemorrhage, 1948: May, 798 Epilepsy, air travel in, 1948: July, 1092

behavior problems in, 1948: May, 662 diagnosis, 1950: Sept., 1510

drug therapy, 1950: March, 341-350 questionable use of term, 1950: July, 1055

seizures, treatment, 1950: Sept., 1507-1520

types, 1950: Sept., 1508, 1510 Epinephrine, in allergy in infants, 1950: Jan., 9

in asthma, 1948: Jan., 238, 243, Sept., 1373; 1949: March, 418

in blood in pheochromocytoma, 1950: May, 763 in gastrointestinal disorders, 1948:

Sept., 1235 in status asthmaticus, 1949: Nov.,

1597 in urticaria, 1948: Sept., 1375 reaction in pheochromocytoma, 1950:

May, 765 Epithelial nevi, 1949: Jan., 234

Epithelioma, basal cell, 1949: Jan., 111 squamous cell, basal, 1949: Jan., 112 treatment, 1949: Jan., 120

Ergometry, in peripheral vascular disease, 1949: March, 348

Ergot alkaloids, as adrenergic blocking agents, 1950: March, 382

in hypertension, 1950: March, 389 Ergotamine tartrate, in gastrointestinal disorders, 1948: Sept., 1239,

in headache, 1948: May, 561, Sept., 1351

Erysipelas, treatment, 1950: Jan., 135

Erysipeloid, 1949: Jan., 244 Erythema multiforme, 1949: Jan., 172 nodosum tuberculosum, 1949: Jan.,

Erythematoid benign pemphigus, 1949: Jan., 169

Erythroblastosis fetalis, 1950: Jan., 187-200

Rh factor and, 1948: Nov., 1638 Erythrocytes, buffering action of, 1948: Jan., 265

maturation factor, 1949: March, 548 volume in gastrointestinal hemor-rhage, 1949: Nov., 1569

Erythrophagocytosis, normal, 1949: March, 543

Erythropoiesis, normal, 1949: March, 541 Esophageal hiatus, hernia, recurrent,

1948: Jan., 213-222 Esophagus, atresia of, congenital, 1950:

Jan., 247-256 carcinoma, 1948: March, 370

caremona, 1948: March, 364 diverticulum, 1948: March, 364 involvement, in scleroderma, 1949: Jan., 61, 62 lesions, 1948: March, 363-372 Estradiol, in functional uterine bleed-

ing, 1950: Sept., 1556, 1560 in menopause, 1950: Sept., 1549

n therapy, in amenorrhea, combined with progesterone, Estrogen 1950: Sept., 1540

psychosomatic with disturbances, 1948: Jan., 71 n carcinoma of breast, March, 448, Sept., 1411

in carcinoma of prostate, 1948: Jan., 111; 1950: March, 445, Sept., 1411

in dysmenorrhea, 1950: Sept., 1542 in functional menstrual disorders, 1948: Nov., 1518; 1950: Sept.,

1546, 1556 in hypertrophic arthritis, 1950: Sept., 1438

in menopause, 1948: Jan., 71, 1950: March, 550, Sept., 1548 dangers in, 1948: Nov., 1525 in prostatic hypertrophy, 1948:

Jan., 119 in uterine hemorrhage, 1948: Jan.,

withdrawal as cause of menstrual

bleeding, 1948: Nov., 1488 Etamon, in gastrointestinal disorders, 1948: Sept., 1233, 1237

in hypertension, 1948: Sept., 1252 Ether anesthesia, in obstetrics, 1950:

Sept., 1529 Ethinyl estradiol, in menopause, 1950: Sept., 1549

in oligomenorrhea, 1950: Sept.,

Ethyl carbamate. See Urethane. chloride spray, in relief of pain, 1950: March, 374

Eunuchoidism, secondary, 1948: Jan.,

Euphoria, 1950: July, 1024

in multiple sclerosis, 1948: May, 746 Eve tilting board for artificial respira-

tion, 1950: Sept., 1351 Examination, pelvic, failure to make, as factor in cancer, 1948: Nov.,

periodic, of supposedly well women, value, 1948: Nov., 1557-1561 Excoriations, neurotic, 1949: Jan., 18

Exercise, bed, for paralyzed patients, 1948: Sept., 1284, 1286 in rheumatoid arthritis, 1948:

Sept., 1361 Buerger's, 1949: March, 353

effect, in congestive heart failure, 1950: May, 619

in cerebral palsy, 1948: May, 791 in hypertrophic arthritis of hip, 1950: Sept., 1443

of knee, 1950: Sept., 1444 of spine, 1950: Sept., 1441 peripheral nerve injuries, 1948:

May, 782 in poliomyelitis, 1948: May, 785

in rheumatoid arthritis, 1949: Sept.,

progressive resistance, in arthritis of knee, 1949: Sept., 1316 test in auricular flutter, 1949: Sept.,

1259 in coronary artery disease, elec-trocardiogram in, 1950: May,

705-713, 877 therapeutic, in degenerative joint disease, 1949: Sept., 1314

nthalmie goiter, radio iodine in, 1948: Jan., 3-17 radioactive Exophthalmic treatment, 1950: March, 537

Exophthalmos, relationship of thyrotropic hormone to, 1948: July, 952 Expectorants, in asthma, 1948: Jan.,

Expectoration, in thoracic disease, diagnostic significance, 1949: July,

Exploration, in psychotherapy, 1948: Sept., 1201

Exsanguinotransfusion, in acute renal failure, 1950: March, 518

Extremities, lymphangitis and cellu-litis of, recurrent, 1949: July, 1089-1098

upper, pain in, 1950: Sept., 1323-1334 Extralin, in pernicious anemia, 1948: July, 1117

Extrarenal excretion, clinical considerations, 1948: July, 989-1076 methods, 1948: July, 989

Extrasystoles, therapeutic problem in,

1948: Sept., 1427-1438 lids, heliotrope, of Eyelids, of myositis, 1949: Jan., 23

Eyes, crossed, treatment, problems in, 1950: Jan., 281-302

diseases, headache with, 1948: May,

fundus, changes in hypertension, 1949: May, 665-773 involvement, in multiple sclerosis, 1948: May, 745 movements, development, 1950: Jan.,

286 sarcoidosis of, 1949: Jan., 37

FACIAL neuralgia, 1949: Nov., 1591 Fainting, 1948: May, 803

Fallopian tubes, diagnostic tests, in infertility, 1948: Jan., 46, Sept., 1184, Nov., 1544

ligation, for sterilization, 1948: Nov., 1632

Fallot's tetralogy, 1948: July, 855-877 angiocardiography in, 1950: May, 750

Family-doctor cooperation in mental illness, 1948: May, 631-640

Fat metabolism, vascular degenera-tion and, 1949: May, 786 Fatigue in aged, 1948: Jan., 223

Fauces, infectious, acute, 1950: Nov., 1621-1635

Fears of patient, 1950: July, 948 Feeding, infant, in premature cases, 1950: Jan., 46 self-demand, 1950: Jan., 33-40 Female sex hormone. See Estrogens.

Femoral vein ligation in prevention of and thrombosis embolism, 1949: Nov., 1507

in treatment of thrombosis and embolism, 1949: Nov., 1509 Fertility in men, 1948: Jan., 73-88 in women, 1948: Jan., 37-56

effect of splenectomy on, 1950: July, 1226

impaired, treatment, 1948: Jan., 69 studies, newer approaches, Nov., 1533

Fever therapy in syphilis, 1950: March, 499

Fibrocystic disease of pancreas, congenital, 1948: March, 531

Fibroids of uterus, harmlessness of

many, 1949: March, 432 Fibrositis of lower back, 1949: Nov., 1626

Filariasis, diagnosis, 1949: May, 903 Fingernails, changes, following use of "base coats," 1949: Jan., 95-107

Fingers, arthritis, hypertrophic, 1950: Sept., 1439

lesions, in scleroderma, 1949: Jan., 57, 58, 60

Fish handlers, dermatitis in, 1949: Jan., 245

Fistula, arteriovenous, hypertension in, 1949: Nov., 1751 biliary, hypoprothrombinemia of,

biliary, hypoprothrombinemia of 1949: Nov., 1695, 1706 pancreatic, 1948: March, 532

renal-visceral, 1948: Sept., 1418 tracheo-esophageal, 1950: Jan., 247– 256

Fits. See Convulsions.

Fixation, development, 1950: Jan., 283 Flexural eczema, 1949: Jan., 186

Flocculation tests, evaluation, 1950: Sept., 1467

Fluids, administration, in acute renal failure, 1949: July, 1017 in intestinal obstruction, 1948:

March, 374 in spinal cord injuries, 1948: Sept.,

in ulcerative colitis, streptococcal,

1948: July, 974 parenteral, 1950: March, 395-412

in children, 1950: Jan., 53-70 body, alterations in disease, 1950: March, 398

Fluorides in caries prevention, 1950: Jan., 23

Focal infection, rheumatoid arthritis and, 1950: Nov., 1696

theory of, pro and con, 1950: Nov., 1705-1717

Foci of infection, elimination, in viral hepatitis, 1949: March, 456

Folic acid, antagonists, in leukemia, 1950: Jan., 209, March, 451 pharmacology, 1950: March, 442 conjugates of, 1948: July, 1128

metabolism of, 1948: July, 1129 in macrocytic anemias, 1948: Sept., 1264; 1950: Sept., 1299

in pernicious anemia, 1948: July, 550, Sept., 1394; 1950: Sept., 1299 1125, 1133; 1949: March, 549, 550, Sept., 1394; 1950: Sept., 1299

neurologic complications, 1948: July, 1134

physiology of, 1948: July, 1128 Follicular cystosis, 1948: Nov., 1611 Folliculitis, pyogenic, of beard, treatment, 1950: Sept., 1476

Food allergy, 1948: Jan., 245–263 in nutrition, 1948: Sept., 1160 poisoning, 1950: Nov., 1673

Foods, skin diseases due to, 1949: Jan., 239–247

Foot, avascular necrosis of, 1950: Jan., 183

dermatophytosis, treatment, 1950: Sept., 1481

Foot and mouth disease, 1949: Jan., 244 Formaldehyde in dermatologic therapy, 1949: Jan., 278 Forneau compounds as adrenergic blocking agents, 1950; March, 381 in pheochromocytoma, diagnostie, 1950; March, 386

Freiberg's disease, 1950: Jan., 185 Friedländer's bacillus infections, antibiotics in, choice of, 1950: March, 314

Frigidity, psychosomatic approach, 1948: Nov., 1587

Fröhlich's syndrome, 1948: Jan., 141 Frostbite, dibenamine in, 1950: March, 386

Functional diseases of skin, 1949: Jan., 3

problems, psychologic testing in, 1950: July, 1075

tests of liver, pitfalls in, 1950: Sept., 1459-1472

uterine bleeding, endocrine therapy, 1960: Sept., 1544, 1556 management, 1960: Sept., 1551-

Fundus changes in hypertension, 1949:

May, 665-673 Fungus infection of mouth, 1948: March, 360

superficial, treatment, 1950: Sept., 1480

Furunculosis, emotional factors, 1948: May, 681 penicillin in, 1950: March, 324 treatment, 1950: Sept., 1477

GAFFKYA tetragena infection, antibiotics in, choice of, 1950: March, 314

Gallbladder, carcinoma, 1948: March, 497

cholesterosis, 1948: March, 494 empyema, 1948: March, 491 perforation, in acute cholecystitis, 1948: March, 491 "strawberry," 1948: March, 494 Gallstones, 1948: March, 487 billiam solid 142: March, 487

Gallstones, 1948: March, 487 biliary colie, 1948: March, 487 complications, 1948: March, 490

Gamasoidosis, 1949: Jan., 244 Gas gangrene, penicillin in, 1950: March, 324

Gastrectomy, subtotal, for peptic ulcer, dumping syndrome after, 1949: Sept., 1321-1341

Gastric. See Stomach.

Gastritis, chronic, as source of gross hemorrhage, 1949: Sept., 1365-1374 diseases, air travel in, 1948: July, 1001

Gastrointestinal allergy, antihistaminic drugs in, 1950: March, 359 antispasmodics and spasmodics in, 1948: Sept., 1227–1245

symposium on, 1948: March, 301; 1949: July, 923

Gastrointestinal hemorrhage, laboratory examination, 1949: Nov., 1567

massive, management, 1949: Nov., 1565-1579

upper, indications for surgery, 1948: March, 328 medical management, March, 328-335 1948:

morphine in, dangers, 1950: Nov., 1770

tract, utilization for dialysis, in renal failure, 1949: July, 992

Gastrojejunal ulcer, vagotomy for, indications, 1948: March, 305 Gastroscopy in gastric diverticulum, 1948: March, 342

Gaucher's disease, splenectomy for, effect on subsequent pregnancies, 1950: July, 1223

Gelatin in dermatologic therapy, 1949: Jan., 270

Genitourinary infections, penicillin in, 1950: March, 324

tract, diseases, air travel in, 1948: July, 1092

natrics, psychosomatic aspects, 1950: July, 1091–1105 Geriatrics, surgery in, 1949: March, 583

German measles, diagnosis, 1950: Sept.,

diagnosis, 1950: Sept., 1310 treatment, 1950: Jan., 141, Sept.,

Gestalt pain, 1950: July, 987 Gigantism, 1948: Jan., 143, 157

Gingival biopsy in diagnosis of amyloidosis, 1950: July, 1174 Gingivostomatitis, infectious, acute,

1948: March, 359 Girdle symptom in multiple sclerosis,

1948: May, 744 Gitalin in congestive heart failure,

1950: May, 669 Glandular syphilis, 1949: Jan., 261 Glaucoma, chronic, headache as symptom, 1948: May, 839-844

dibenamine in, 1950: March, 389 Glomerulonephritis, acute, 1950: Jan., 95-105

hypertension in, 1949: May 669 Glomerulotubular imbalance in congestive heart failure, 1950: May, 617

Glossodynia, 1948: May, 674 Glycogen storage disease, electrocardigram in, 1949: July, 1167

cosides, cardiac, in auricular flutter, 1949: Sept., 1261 in congestic heart failure, 1950: Glycosides, May, 620, 663-671

Goiter, adenomatous, treatment, 1950: March, 536 endemic, 1948: Jan., 122, 125

Goiter, exophthalmic, radioactive io-dine in, 1948: Jan., 3-17 treatment, 1950: March, 537

simple, in adolescence, 1948: Jan., 144 toxic, treatment with radioiodine, 1949: Sept., 1211-1223

Goitrogenic drugs, 1948: July, 953 Gold salts, reactions, BAL in, 1948: Sept., 1366

rheumatoid arthritis, Sept., 1365; 1949: Sept., 1382; 1950: Nov., 1700

Gonadotropin therapy in functional menstrual disorders, 1948: Nov.,

in impaired fertility, 1948: Jan., 70 in ovarian failure, 1948: Jan., 149 in primary hypogonadism, 1948: Jan., 147

in sterility in men, 1948: Jan., 87 in undescended testicle, 1948: Jan.,

urinary, assay of, in hypogonadism, 1948: Jan., 98

Gonorrhea, penicillin in, 1949: Sept., 1476; 1950: March, 324 Grave's disease. See Exophthalmic

goiter. Growth needs in children, 1948: Jan.,

277 process in children 1948: Jan., 272

Guaiac test for cancer, 1950: Sept., 1395 Gynecologic investigation in menstrual

irregularities 1948: Jan., 57 Gynecology, psychosomatic aspects, 1948: Nov., 1583-1599; 1950: July,

1948: Nov., 1483 recent advances,

Habit disorders in children, 1948: May, 662

Hair dyes, dermatitis due to, 1948:

Jan., 183 Halter, Sayre, in discogenetic disease of cervical spine, 1949: Nov., 1625

Hamstring muscles, tears, in athletes, 1950: Sept., 1265 Hands, eczema, treatment, 1950: Sept.,

1484 Haptene in erythroblastosis fetalis, 1950: Jan., 198

Hay fever, antihistaminic drugs in, 1948: Sept., 1372; 1950: March, 359

injection treatment, 1948: Sept., 1369

Headache, 1948: May, 557-569; 1949: July, 973-1005; Sept., 1439-1454; 1948: May, 557-569; 1949: Nov., 1581-1596

as symptom of chronic glaucoma, 1948: May, 839-844

clinical varieties and therapeutic suggestions, 1949: July, 973-1005

Headache, diagnosis, 1948: May, 557-569; 1949: July, 978, Sept., 1439 drug addiction and psychoneurosis as background, 1949: July, 983 drugs in, physiologic action, 1949: July, 977 due to cerebrovascular accidents, 1949: Nov., 1590 extracranial, 1949: Sept., 1450 histamine, 1949: July, 977, Sept., 1447, Nov., 1589 hypertensive, 1949: July, 985, Nov., tetraethylammonium in, 1949: May, 826 in sunstroke, 1949: Nov., 1593 intracranial, 1949: Sept., 1449 aneurysm as cause, 1949: July, 989 mechanism and severity, 1949: Sept., 1441, 1442 menopausal, 1949: Nov., 1594 migrainous, 1948: May, 560; 1949: Sept., 1444, Nov., 1583 antihistaminic drugs in, 1950: March, 361 history and physical examination in, 1948: Sept., 1345 treatment, 1948: Sept., 1343-1355 of attack, 1948: April, 1348 prophylaetie, 1948: Sept., 1348 surgical, 1948: Sept., 1353 mixed type, 1949: July, 999 nerve-irritation, 1949: Sept., 1450, nervous tension in, 1949: July, 974 nocturnal, associated with chronic lymphatic leukemia, 1949: July, 992 of acute infections, 1949: Nov., 1590 of sinus thrombosis, 1949: Nov., 1591 posttraumatic, 1949: July, 988, Sept., 1450, 1451, Nov., 1593 propagative tests, 1949. July, 976 provocative tests, 1949: July, 976 psychogenie, 1948: May, 567; 1949: July, 987, Sept., 1448 spinal puncture, 1949: Sept., 1449, Nov., 1594 subarachnoid hemorrhage as cause, 1949: July, 990 summer, 1949: July. 993 temporal arteritis and, 1949: July, tension, 1949: July, 980, 981, Sept., 147 toxic, 1949: Sept., 1452 traction, 1949: Sept., 1449 treatment, 1948: May, 557-569; 1949: July, 979, Sept., 1439 vascular, 1949: Sept., 1444 vasodilator, 1949: Sept., 1447 generalized, 1949: July, 986 winter, 1949: July, 995 Head drop in poliomyelitis, 1950: Jan., 122, 124 injuries, morphine in, dangers, 1950:

Nov., 1769

Head tilting, ocular, 1950: Jan., 292 Health, modern concept of, 1949: March, 436 Heart, amyloid disease, 1950: July, 1137-1144 anomalies, atrial sept 1948: July, 895-910 atrial septal defects, cyanotic, in infants, less common, 1948: July, 879-894 of derivatives of aortic arch system, 1948: July, 925-949 patent ductus arteriosus, 1948: July, 911-923 pulmonary stenosis: tetralogy of Fallot, 1948: July, 855-877 symposium on, 1948: July, 855 block, bundle branch, unipolar precordial electrocardiogram in, 1950: May, 852 congenital, electrocardiogram in, 1949: July, 1168 digitalis in, 1950: May, 653 disease, acquired, angiocardiography in, 1950: May, 752 air travel in, 1948: July, 1090 anoxemia test, 1950: May, 713-717 beriberi, 1949: Nov., 1643-1655 chronic, anticoagulants in, 1949: March, 339 diet in, 1949: March, 564 congenital, angiocardiography in, 1950: May, 749 electrocardiogram in, 1949: July, 1157-1175 symposium on, 1948: July, 855 diagnosis without laboratory aid, 1950: May, 721-733 diet in, 1949: Nov., 1631-1641 electrocardiogram in, normal. 1950: May, 881 exercise test, electrocardiogram in, 1950: May, 705-713, 877 hypertensive, 1949: May, 651-664 insurance aspect, 1950: May, 805-815 precordial leads in, 1948: Jan., 197-212 pregnancy and, 1949: Nov., 1735-1742; 1950: May, 795-804 psychosomatic aspects, 1950: May, 817-831 pulsation and percussion signs in, 1950: May, 721-733 rheumatic, with periodic arterial embolism, ambulatory treatment with dicumarol, 1948: Sept., 1309-1313 smoking in, 1950: May, 697-703 symposium on, 1950: May, 609 two-step exercise test, 1950: May, 705-713 valvular, angiocardiography in, 1950: May, 752 Heart disease, water balance in, as related to edema and oliguria, 1950:

March, 571-587

effect of syphilis on, clinicopathologic study, 1948: Sept., 1439-1466 enlargement, insurance aspect, 1950: May, 811

failure, acute, treatment, 1949: Nov., 1523

causes of, 1949: March, 362 chronic, renal insufficiency plicating, 1950: May, 646

congestive, cardiac glycosides in,

1950: May, 663-671 diet in, 1949: March, 365; Nov.,

1631-1641; 1950: March, 566,

digitalis in. 1949: March, 367; 1950: March, 565, May, 651,

diuresis in, 1949: March, 369; 1950: March, 568, May, 629-

nature of, 1949: March, 359, Nov., 1632

pathogenesis, 1950: May, 615 rest and restriction of activity, 1949: March, 363

salt and water retention in, pathogenesis and treatment, 1950: May, 615-628

treatment, March, 359-373; 1950: March, 563-570, May, 620 in acute glomerulonephritis, 1950: Jan., 98

treatment, 1950: Jan., 104 in hypertension, 1949: May, 651-664 involvement, in scleroderma, 1949:

Jan., 61 malformations, congenital, in infants, clinicopathologie tion, 1948: July, 879-894 correla-

murmurs, insurance aspect, 1950: May, 808

percussion of, 1950: May, 729-732 roentgenograms of, in coronary artery disease, 1950: May, 693

sounds, variation, in auricular flutter, 1949: Sept., 1259 strain, precordial leads in, 1948: Jan., 205

Heat exhaustion and stroke, diagnosis,

1948: May, 803 therapy in degenerative joint disease, 1949: Sept., 1314

in peripheral nerve injuries, 1948: May, 781

peripheral vascular disease, 1949: March, 349

in poliomyelitis, 1948: May, 784 in rheumatoid arthritis, 194 Sept., 1379

Heberden's disease (angina pectoris), neuralgic features, 1949: May, 635-649

Heberden's nodes, 1950: Sept., 1439 physical medicine, 1949: 1315

Hebra's pityriasis rubra, 1949: Jan., 137 Heine-Medin disease, 1950: Jan., 140 Heliotrope eyelids of dermatomyositis, 1949: Jan., 23

Hemachromatosis of liver, 1948: March,

Hemagglutination-inhibition test in viral diseases, 1950: Nov., 1611 Hemangiomas, 1949: Jan., 219

cavernous, 1949: Jan., 225 Hemarthrosis in hemophilia, March, 467 1950:

Hematoma, subdural, 1948: May, 738, 799

Hematospermia, diethylstilbestrol in, 1948: Jan., 121

Hematuria in chronic nephritis, 1950: Jan., 82

Hemiplegia, aphasia complicating, treatment, 1948: May, 741 due to cerebral lesions, treatment, 1948: May, 735-742

physical medicine in, 1948: May, 786 Hemolytic anemia, 1949: March, 552 splenectomy for, relapses after, 1949: March, 557

treatment, 1948: Sept., 1269 disease of newborn, 1950: Jan., 187 breast feeding in, 1948: Nov., 1643 management, 1948: Nov., 1638 not due to Rh factor, 1950: Jan., 199

jaundice, 1948: March, 446 Hemophilia, problems of surgery in, 1950: March, 467

treatment, 1950: March, 464 Hemophilus infections, antibiotics in, choice of, 1950: March, 314 Hemoptysis in lung disease, 1949:

July, 1056 Hemorrhage, abdominal, pain in, 1948:

March, 393 cerebral, 1948: May, 735, 736 differentiation from hemorrhage

and thrombosis, 1950: May, 910 epidural, 1948: May, 798 laboratory examination, 1949: Nov.,

1567 massive indications for surgery, 1948: March, 328

management, 1948: March, 320-335; 1949: Nov., 1565-1599 morphine in, dangers, 1950: Nov.,

gross, chronic gastritis as source, 1949: Sept., 1365-1374 intracranial, in newborn, 1948: May,

737

pulmonary, 1949: Nov., 1605 severe, conservation and replacement of blood in, practical considera-tions, 1949: Nov., 1555-1563

1311

Hemorrhage, subarachnoid, 1948: May, 738, 800 headache due to, 1948: May, 565; 1949: July, 990 uterine, 1948: Jan., 67 in menopause, 1950: March, 546 Hemorrhagic disease of newborn, 1949: Nov., 1692 Hemorrhagic diseases, treatment, 1950: March, 459-468 Heparin, administration, 1949: March. 342 hemorrhage in, control, 1949: Nov.. laboratory control, 1949: Nov., 1512 and Dicumarol, combined use, 1949: March, 344 in cerebral thrombosis, 1950: May, 909-924 in chronic cardiovascular diseases, 1949: March, 335-345 in prevention of intravascular thrombosis, 1949: Nov., 1507 in treatment of thrombosis and embolism, 1949: Nov., 1509, 1510 Hepatic. See also Liver. jaundice, 1948: March, 448 Hepatitis, acute, portal cirrhosis and, 1948: March, 505 amebic, 1948: March, 479, 481; 1950: Nov., 1672 chronie, 1948: March, 500-517 miscellaneous forms, 1949: March, serum protein fractions in, 1948: March, 460 diffuse, acute, 1948: March, 469 infectious, diagnosis, 1950: Sept., 1313 epidemie, 1948: March, 469 management, 1950: Sept., 1319 serum protein fractions in, 1948: March, 457 sporadic, 1948: March, 474 serum, diagnosis, 1950: Sept., 1313 management, 1950: Sept., 1320 suppurative, acute, 1948: March, 479 viral, chronic, 1949: March, 448-458 Hernia, diaphragmatic, air travel in, 1948: July, 1092 hiatus, esophageal, recurrent, 1948: Jan., 213-222 Herpes, 1949: Jan., 145-164 gestationis, 1949: Jan., 172 labialis, 1949: Jan., 147 progenitalis, 1949: Jan., 147 simplex, diagnosis, 1950: Sept., 1311 emotional factors, 1948: May, 679; 1949: Jan., 145-154 encephalitis, 1950: Nov., 1691 management, 1950: Sept., 1319 treatment, 1949: Jan., 152

zoster, 1949: Jan., 154-163

etiology, 1949: Jan., 160 management , 1949: Jan., 163; 1950: Sept., 1319 Herpetic stomatitis, 1948: March, 359 Hiatus hernia, esophageal, recurrent, 1948: Jan., 213-222 Hidradenitis, suppurative, treatment, 1950: Sept., 1476 , arthritis, hypertrophic, 1950: Sept., 1442 physical medicine, 1949: Sept., 1316 necrosis, avascular, 1950: Jan., 173 osteochondritis, 1950: Jan., 173 Hip-lift method of artificial respiration, 1950: Sept., 1349, 1351 Histadyl, dosage, 1950: March, 352, 357 Histamine and mecholyl iontophoresis in peripheral vascular disease, 1949: March, 351 atagonists. See Antihistaminic antagonists. drugs. desensitization, 1949: July, 979 headache, 1949: July, 97, Nov., 1589 intravenous administration, 1949: July, 980 test in pheochromocytoma, 1950: May, 763 Histaminic cephalgia, 1949: July, 977, 1002, Sept., 1447 History taking, careful, need for, 1949: July, 925 Hives. See Urticaria. Hoarseness, diagnostic significance, 1949: July, 1056 Hodgkin's disease, nitrogen mustards in 1949: March, 532, Sept., 1301; 1950: March, 453 treatment, 1949: March, 529 x-ray treatment, 1949: March, 530, 532; 1950: March, 453 Hog itch, 1949: Jan., 244 Holistic treatment, of neurologic disease, 1950: July, 1019-1028 Homatropine in gastrointestinal dis-orders, 1948: Sept., 1231, 1236 Hookworm, diagnosis, 1949: May, 905 Hormones, influence, on cerebral me-tabolism, 1950: Nov., 1806 levels in functional uterine bleeding, 1948: Jan., 62 nutrients and, 1949: Nov., 1715 therapy. See Endocrine therapy. Horton's syndrome, 1949: July, 1002 Hospital, future, character of, 1949: March, 596 Hot flushes, 1950: March, 543 Huhner test, 1948: Jan., 76 Hycodan bitartrate in asthma, 1948: Jan., 238 Hydrillin, dosages, 1950: March, 353, in asthma, 1948: Jan., 244

Herpes zoster, diagnosis, 1950: Sept.,

Hydriodic acid, syrup, in asthma, 1948: Jan., 243

Hydrocephalus, cerebrospinal fluid in, 1950: Jan., 109

Hydrochloric acid in nephrotic edema, 1950: Jan., 87

in pernicious anemia, 1949: Sept.,

Hydronephrosis, infected, 1949: Sept.,

Hydrops folliculi, 1948: Nov., 1613 Hydrotherapy for psychiatric patients, 1949: July, 1121-1139

sedative, 1949: July, 1124 stimulative, 1949: July, 1123

Hykinone, 1949: Nov., 1705

Hyoscyamine in gastrointestinal dis-orders, 1948: Sept., 1230, 1234

Hyperidrosis, 1948: May, 675 Hyperinsulinism, diagnosis, 1948: May, 802

Hypermenorrhea, 1948: Jan., 67 Hyperpituitarism in adolescence, 1948: Jan., 143

Hypersplenism, 1949: March, 552; 1950: Sept., 1271-1289 Hypersensitiveness in poliomyelitis,

1950: Jan., 122 Hypertension, benign aspects, 1949:

May, 611-617, 667 blood pressure, basic, determination,

1949: May, 688 capillary fragility in, 1949: May, 675-

686 classification, 1949: May, 667

diet therapy, 1948: Sept., 1256; 1949: March, 323, 325, 328, 566, May, 662, 691, 713, Sept., 1271; 1950: Nov., 1742

drug therapy, 1948: Sept., 1247-1258; 1949: May, 662, Sept., 1270

due to pheochromocytoma, Nov., 1743 electrocardiogram in, 1949: May, 656

essential, adrenergic blocking agents in 1950: March, 387

in children, sympathectomy for, 1949: Sept., 1295

prognostic signs, 1948: Sept., 1247 psychosomatic factors, 1949: May, 691, 703-712

severe, treatment, 1950: Nov., 1741-1750

symptoms, 1949: March, 310 treatment, 1949: May, 687; Sept., 1269-1282

recent advances, with particular reference to Sept., 1247-1258 drugs,

fundus changes, 1949: May, 665-673 grading of, 1949: Sept., 1270 headache in, 1949: July, 985 heart in, 1949: May, 651-664

hygienic measures in, 1949: May,

Hypertension, in aged, 1948: Jan., 226 in kidney disease, 1949: May, 669

in children, sympathectomy for, 1949: Sept., 1283 in menopause, 1950: March, 545

in pheochromocytoma, 1950: May, 760 in preeclampsia and eclampsia of

pregnancy, 1949: May, 671 insurance aspect, 1950: May, 807 Kempner regimen in, 1949: March, 323, 568, May, 662, Nov., 1639;

1950: Nov., 1742 malignant, 1949: May, 668

treatment, 1950: Nov., 1749 nephrectomy for, 1949: March, 330, May, 761-771

of pregnancy, May, 833-842 management, 1949:

psychotherapy, 1949: May, 661, 691, 708, Sept., 1276 rutin in, effect on capillary fragility,

1949: May, 681 salt restriction in, 1949: May, 713-725, Sept., 1274

secondary, 1949: March, 313

sympathectomy for, 1948: Jan., 187– 196, 1949: March, 326, May, 663, 751–761, Sept., 1275; 1950: Nov., 1745

analysis of results in 300 cases, 1949: May, 735-749

of 66 patients obtaining excellent results, 1949: May, 727-733

evaluation of effects, 1949: May 740, 753

in children, 1949, Sept., 1283-1299 postoperative complications, 1949: May, 738

response to tetraethylammonium after, 1949: May, 823 selection of cases, 1949: May, 727,

tetraethylammonium test to prediet outcome, 1949: May, 824 sympatholytic agents in, 1948: Sept.,

symposium on, 1949: May, 609 tetraethylammonium in, 1949: May, 805-831

test procedure, 1949: May, 815 therapeutic uses, 1949: May, 826 thiocyanates in, 1948: Sept., 1249; 1949: May, 695; Sept., 1271 effect on capillary fragility, 1949:

May, 681

treatment, 1949: March, 661, Sept., 1269-1282 medical, 1949: May, 687-701, Sept.,

1270; 1950: Nov., 1741 surgical, 1949: March, 326, May, 663, 751-761, Sept., 1275; 1950:

Nov., 1745

types demanding surgery, 1949: Nov., 1743-1753

Hypertension, veratrum viride in, 1948: Sept., 1253; 1950: Nov., 1743

without significant cardiac enlargement, clinico 1949: May, 843 clinicopathologic study,

Hypertensive encephalopathy in acute glomerulonephritis, 1950: Jan., 98

treatment, 1950: Jan., 103 headache, 1949: Nov., 1592 heart disease, 1949: May, 651-664,

Nov., 1639 vascular disease, 1949: March, 309-

sodium chloride restriction in, 1949: May, 713-725 surgical treatment, 1949: May, 727-733, 735-749, 751-771

treatment, 1949: March, 322 Hyperthyroidism. See Thyrotoxicosis.

Hypnotic psychotherapy, 1948: May, 571-583

Hypoglycemia, 1950: Nov., 1803 Hypogonadism in female, 1948: Jan., 55, 56, 149

in male in adolescence, 1948: Jan.,

physiological basis, 1948: Jan., 97-

Hypophysis. See Pituitary gland. Hypopituitarism in adolescence, 1948: Jan., 140

Hypoproteinemia as surgical risk, 1949: March, 574

Hypoprothrombinemia, clinical causes and their treatment, 1949: Nov., 1701-1708; 1950: March, 459-464

Hyposensitization, short interval, in asthma, 1949: March, 415 Hypotension in left arm in coarctation

of aorta, physiologic observations, 1950: July, 1177-1185 Hypothyroidism in adolescence, 1948:

Jan., 144 in children, 1948: Jan., 152; 1950:

Jan., 235-245 morphine in, dangers, 1950: Nov.,

1767 Hypotonia, congenital, 1950: Jan., 154

Hysterectomy in functional menstrual disorders, 1948: Nov., 1522 Hysteria, conversion, 1950: Sept., 1489

questionable use of term, 1950: July, Hysterical coma, 1948: May, 803

Hysterosalpingography, 1949: July, 1113

in sterility, 1948: Jan., 45

ICHTHAMMOL in dermatologic therapy,

1949: Jan., 275 Ichthyol in dermatologic therapy, 1949: Jan., 275

Ichthyosis hystrix, 1949: Jan., 237

Icteric index, evaluation, 1950: Sept., 1463

Icterus. See Jaundice.

Ideational content, tests, 1950: July,

Ileus, paralytic, 1949: Sept., 1462

Iliac vein ligation in treatment of thrombosis and embolism, 1949: Nov., 1509

Imidazoline as adrenergic blocking agent, 1950: March, 383

Immunization, mandatory procedures for foreign travel, 1950: Nov., 1724, 1726

pediatric aspects, 1950: Nov., 1722, 1725

today's practices, 1950: Nov., 1713-1740

Immunity, nutrients and, 1949: Nov., 1713

protein deficiency and, 1949: Nov., 1730

Impetigo, bullous, 1949: Jan., 173, 174 treatment, 1950: Sept., 1475 treatment, 1948: Impotence, 1179

Indifference and apathy in illness, 1950: July, 1024

Infants, cerebrospinal fluid in, 1950: Jan., 107-118

diseases, symposium on, 1950: Jan., 1 feeding, in premature cases, 1950: Jan., 46

self-demand, 1950: Jan., 33–40 newborn. See Newborn.

premature, care of, 1950: Jan., 41-51 Infantile ntile diarrhea, de 1949: May, 851–870 dehydration in,

eczema, 1949: Jan., 187 treatment, 1949: Jan., 205-218 1950: Sept., 1483 paralysis. See Poliomyelitis.

Infection, rheumatoid arthritis and, 1950: Nov., 1693-1704

Infectious diseases, acute, cerebrospinal fluid in, 1950: Jan., 112 treatment, modern, 1948: July,

1105; 1950: Jan., 133-145 diagnosis and treatment, role of bacteriologist in, 1950: Nov.,

1589-1604 role of virologist in, 1950: Nov., 1605-1620

symposium on, 1950: Nov., 1587 Infertility (sterility), abortion and, relationship, 1949: July, 1111-1120 classification, 1948: Nov., 1533

diagnosis, minimal survey, 1948: Nov., 1535 in female, 1948: Jan., 37-56, Sept.,

1171-1193, Nov., 1533-1553; 1949: July, 1112 organic causes, 1948: Jan., 38

treatment, 1948: Jan., 42

Infertility (sterility), in male, 1948: | Jan., 73-88; 1949: July, 1111 diagnosis, 1948: Nov., 1537 physiological basis, 1948: Jan., 97 treatment, 1948: Jan., 85

investigation and treatment, 1948: Sept., 1171-1193; 1949: July, 1113 newer approaches, 1948: Nov., 1533-1553

psychosomatic approach, 1948: Nov.,

Inflammations, abdominal, pain in, 1948: March, 394

Influenza, 1950: Nov., 1643 diagnosis, 1950: Sept., 1312 immunization, 1950: Nov., 1733

Influenza, prophylaxis and treatment, 1950: Sept., 1319, Nov., 1644
Influenzal meningitis, 1949: May, 874
streptomycin in, 1948: May, 818, 1949: May, 875, 1950; Jap. 127 1949: May, 875; 1950: Jan., 137,

March, 329 sulfadiazine in, 1949: May, 875 pneumonia, 1950: Nov., 1654 Injection treatment of varicose veins,

1950: May, 904 Injuries, athletic, treatment, 1950: Sept., 1255-1269 acromioclavicular joint,

Sept., 1332 peripheral nerve, physical medicine

in, 1948: May, 779 Insanity, better doctor-family cooperation in, 1948: May, 631-640

questionable use of term, 1950: July, 1064

Insect stings and bites, antihistaminic drugs in, 1950: March, 361

Insemination, test of, in infertility, 1948: Sept., 1173, Nov., 1542 Insomnia in aged, 1948: Jan., 228 in chronic illness, treatment, 1949:

March, 433 Insufflation, tubal, 1948: Sept., 1184, Nov., 1544, 1545

Insulin in diabetes, clinical approach,

1950: March, 486 in diabetic coma, 1949: Nov., 1550 in psychoses, 1950: Sept., 1502

coma therapy, 1950: Sept., 1503 Insurance aspects of heart disease, 1950: May, 805-815

Intellectual inadequacy in children,

1948: May, 659 Intelligence tests in adoptive placements and behavior disorders,

1950: July, 1073 in mental retardation, 1950: July,

Intention tremor in multiple sclerosis, 1948: May, 746

Internal disease, dermatopathology as window to, 1949: Jan., 281

Intervertebral disk, cervical, rupture of, 1950: Sept., 1327 protruded, syndrome Sept., 1403-1413 of, 1948:

Intestinal disorders, hypoprothrombinemia of, 1949: Nov., 1692, 1706 infections, acute, 1950: Nov., 1667-

streptomycin in, 1948: May, 805 irrigation in acute renal failure, 1950: March, 517

metazoa, diagnosis, 1949: May, 905 obstruction, abdominal pain in, 1948:

March, 393 air travel in, 1948: July, 1092 management, 1949: Sept., 1455-

mechanical, 1949: Sept., 1455, 1457,

medical aspects, 1948: March, 373-381

physicochemical changes in, 1948: Nov., 1717-1723 strangulation, 1949: Sept., 1456,

1459

tract, diseases, anemia in, 1948: March, 382-388 tuberculosis, 1950: Nov., 1676

Intestines, irrigation, in renal failure, 1948: July, 993 large, tumors, x-ray diagnosis, 1948:

March, 428-435 small, impaired absorption from,

anemia due to, 1948: March, 383 tumors, x-ray diagnosis, 1948: March, 436-442

Intocostrin in poliomyelitis, 1950: March, 556

Intracranial aneurysm, headache due to, 1949: July, 989 headache, 1949: Sept., 1449

hemorrhage in newborn, 1948: May, 737

injuries, air travel in, 1948: July, 1092 Intraventricular block, pr leads in, 1948: Jan., 208 precordial

Involutional melancholia, 1950: July, 1097

prefontal lobotomy for, 1950: July,

Iodide eruption, bullous, 1949: Jan., 174

Iodides in arteriosclerosis, 1949: May, 777

Iodine in thyrotoxicosis, 1949: March, 500

protein-bound, in hypothyroidism, 1950: Jan., 237

in plasma, in diagnosis of hyperthyroidism, 1949: Sept., 1233

radioactive, excretion, in diagnosis of thyrotoxicosis, 1949: Sept., 1232

Iodine, radioactive, in carcinoma of thyroid, 1948: July, 962; 1950: March, 450

in diagnosis of hypothyroidism, 1950: Jan., 238

in hyperthyroidism, 1948: Jan., 3-17, July, 956, 959; 1949: March, 512, Sept., 1211-1223

pharmacology, 1950: March, 443 Iodochloroxyquinoline in dermatology,

1949: Jan., 273 Iontophoresis in peripheral vascular disease, 1949: March, 351

Ipecac in asthma, 1949: March, 417 in auricular paroxysmal tachycardia, 1950: May, 737

Iridocyclitis in sarcoidosis, 1949: Jan.,

Iron deficiency anemia, 1949: March, 551

treatment, 1948: Sept., 1264 metabolism, current concepts, 1950: Nov., 1779-1789

therapy in anemia, 1950: Nov., 1779-1789

. in erythroblastosis fetalis, 1950: Jan., 199 in hypochromic anemia, 1950:

Sept., 1303 Irradiation. See Roentgen and Radium.

Irrigations in ulcerative colitis, streptococcal, 1948: July, 973 intestinal, in renal failure, 1948:

July, 994 Irritable colon, diagnosis and treat-ment, 1948: March, 398-407

Irritability, 1950: July, 1023 Isonipecaine in relief of pain, 1950:

March, 371 Itch, swimmer's, 1950: Jan., Ivy poisoning, treatment, 1950: Sept., 1474

JAUNDICE, 1948: March, 443-454 classification, 1948: March, 446 constitutional, mild, 1948: March, 446

hemolytic, 1948: March, 447 congenital, 1950: Sept., 1293 splenectomy for, effect on subpregnancies, sequent July, 1221

hepatic, 1948: March, 448 homologous serum, 1948: March, 475 in erythroblastosis fetalis, 1950: Jan., 189

liver function tests, 1948: March, 452 serum, homologous, diagnosis, 1950: Sept., 1313

Jejunum, drainage, in renal failure, 1948: July, 993

obstruction, anemia due to, 1948: March, 383

Joint disease, degenerative, 1950: Sept., 1435-1446 physical medicine in, 1949: Sept., 1313-1319 July, 1061-1069 approach, 1949: psychosomatic

Kan itch, 1949: Jan., 244 Kala-azar, diagnosis, 1949: May, 905 Kaposi's varicelliform eruption, 1949: Jan., 147

complicating atopic eczema, 1949: Jan., 214 Karell diet, 1949: March, 564, Nov.,

1636 in heart failure, 1949: March, 365,

366

Kayquinone, 1949: Nov., 1705 Kempner regimen in hypertension, 1949: March, 323, 568, May, 662; Sept., 1271, Nov., 1639; 1950: Nov., 1742

Keratoconjunctivitis, epidemic, diagnosis, 1950: Sept., 1314 management, 1950: Sept., 1320 Keratolytic and keratoplastic agents

in dermatology, 1949: Jan., 277 Keratoses, arsenical, 1949: Jan., 110

seborrheic, 1949: Jan., 110 senile, 194: Jan., 109 Kerion, 1950: Jan., 259

17-Ketosteroids, androgenic function, 1948: Jan., 93

excretion, in endocrine disorders, 1948: Jan., 94

Kidney, abscess, cortical, 1949: Sept., 1465 artificial, in acute anuria, 1950: March, 513

calculi, medical management, 1948: Sept., 1315

disease, chronic, diet in, 1949: March, 565

complicating congestive heart failure, 1950: May, 626

hypertension due to, 1949: May, 669 for, sympathectomy 1949: Sept., 1283

water balance in, as related to edema and oliguria, 1950: March, 571-587

failure, acute, conservative management, 1949: July, 1007-1025 treatment, 1950: March, 509-523 dialysis in, 1948: July, 990-995

in acute glomerulonephritis, 1950: Jan., 98 treatment, Jan., 104

nature of, 1949: July, 1007 peritoneal lavage to promote extrarenal excretion in, 1948: July, 989-1076

function tests, in chronic nephritis, 1950: Jan., 83

Kidney, insufficiency, due to circulatory failure, 1950: May, 641-648

severely affected, management, 1948:

Sept., 1415-1425 Klotogen, 1949: Nov., 1705

Knee, arthritis, hypertrophic, 1950: Sept., 1444 physical medicine, 1949: Sept.,

1316

region, avascular necrosis of bone in, 1950: Jan., 180

prains, in athletics, treatment, 1950: Sept., 1262

strapping, protective, in athletics, 1950: Sept., 1266

Köhler's disease, 1950: Jan., 183 Kraurosis vulvae, 1949: Jan., 110 Kveim test in sarcoidosis, 1949: Jan.,

Kyphoscoliosis, morphine in, dangers, 1950: Nov., 1768

Kyphosis dorsalis juvenilis, 1950: Jan.,

LABOR, continuous caudal and spinal analgesia in, present status, 1948: Nov., 16 83-1697

sedation, analgesia and anesthesia in, 1950: Sept., 1521-1535

Laboratories, reliability of, 1950: Sept., 1462

Laboratory aids in early cancer diagnosis, 1950: Sept., 1395

bacteriologic, in diagnosis and control of acute infections diseases, 1950: Nov., 1589-1603

virus diagnostic, in control of acute infectious diseases, 1950: Nov., 1605-1620

"base coats," nail Lacquer, nail, changes following, 1949: Jan., 95-

Lacrimal gland and duct, tuberculosis of, 1949: Jan., 261, 262

Lactobacillus casei factor, 1948: July, 1127

Laennec's cirrhosis, serum protein fractions in, 1948: March, 460 Lanatoside C, 1950: May, 657

in congestive heart failure, 1950: May, 669

Landis-Gibbon test, 1949: March, 347 Larynx, amyloid tumors, 1950: July, 1145-1150

Lavage, colonic, in renal failure, 1948: July, 993

gastric, in renal failure, 1948: July, 992

intestinal, in renal failure, 1948: July,

peritoneal, in promotion of extrarenal excretion, 1948: July, 989-1076

Legg-Perthes' disease, 1950: Jan., 173 obturator nerve section in, 1950: Jan., 180

Leishmaniasis, dermal, diagnosis, 1949:

May, 904 visceral, diagnosis, 1949: May, 905 Leukemia, chronic, treatment, 1949: March, 527, 536-540

cutaneous lesions in, 1949: Jan., 282 folic acid antagonists in, 1950: Jan., 209, March, 451

in children, treatment, recent advances, 1950: Jan., 201-216 lymphatic, chronic, headache associ-

ated with, 1949: July, 992

myelocytic, chronic, urethane in, results of three-year study, 1950: July, 1205-1215

nitrogen mustards in, 1949: March, 539; 1950: Jan., 204, March, 452, 453

radioactive phosphorus in Jan., 207, March, 452, 453 phosphorus in, 1950: urethane in, 1950: Jan., 202, March,

452, 453 Leukoplakia, 1949: Jan., 110

of mouth, 1948: March, 361 Leukorrhea, psychic aspects, 1950: July, 1003

rational management, 1948: Nov., 1601-1610

Levocardia, electrocardiogram in, 1949: July, 1164

Levy's anoxemia test in heart disease, 1950: May, 713

Lichen nitidus, 1949: Jan., 259 planus, emotional factors, 1948: May, 677

sclerosis et atrophicus, 1949: Jan.,

scrofulosorum, 1949: Jan., 259 simplex chronicus, 1949: Jan., 4

urticatus following insect bites, 1950: Jan., 269

Life stress, relation to cardiovascular symptoms and disease, 1950: May, 817-831

Light sensitivity in multiple sclerosis, 1948: May, 747

Liniments in dermatologic therapy, 1949: Jan., 267

Lip, carcinoma, squamous cell, 1949: Jan., 115

treatment, 1949: Jan., 122 Lipotropic factors in portal cirrhosis, 1948: March, 502, 509

Listerella infections, antibiotics in, choice of, 1950: March, 314

Lithiasis, pancreatic, 1948: March, 530; 1949: May, 883

Liver, abscess, acute, 1948: March, 481 amebic, 1948: March, 479; 1950: Nov., 1672

Liver, biopsy, evaluation, 1950: Sept., in diagnosis of amyloidosis, 1950: July, 1113, 1173 carcinoma, with portal cirrhosis,

clinicopathologic conference, 1948: March, 544

cirrhosis. See Cirrhosis.

damage, hypoprothrombinemia from, 1950: March, 464

disease, hypoprothrombinemia of, 1949: Nov., 1698, 1706 jaundice in, 1948: March, 449

morphine in, dangers, 1950: Nov.,

serum proteins in, 1948: March, 455-468

functional tests, in jaundice, 1948: March, 452

pitfalls in, 1950: Sept., 1459-1472 hemachromatosis, 1948: March, 511 infections, acute, 1948: March, 469-

injury, endocrine and genetic factors, 1949: Nov., 1663

hypoprothrombinemia of, 1949: Nov., 1698, 1706

nutritional aspects, 1949: Nov., 1657-1669

insufficiency, 1949: March, 447-461 involvement, in primary systemic amyloidosis, 1950: July, 1112-1118

in secondary amyloidosis, 1950: July, 1165-1169

necrosis, acute, dietary factors, 1949: Nov., 1659

serum protein fractions in, 1948: March, 460

therapy, in pernicious anemia, 1948: July, 1118, Sept., 1266; 1950: Sept., 1298

oral, 1949: Sept., 1390 reactions, 1948: July, 1125; 1949: Sept., 1389

venous pulsations, 1950: May, 728 Lobar pneumonia. See Pneumonia. Lobotomy, prefrontal, in psychoses, 1950: Sept., 1501

indications for and complications of, 1950: July, 1019-1028

Localization, cerebral, clinical aspects, 1948: May, 721-726 Lockjaw. See Tetanus.

Lonalac, recipe, 1950: March, 567 Long-term illness, treatment, symposium on, 1949: March, 293. See also Chronic disease

Lotions in dermatologic therapy, 1949: Jan., 266

Lumbago, treatment, 1949: Nov., 1626 Lumbar puncture, headache following, 1948: May, 564, 565

in infants and children, 1950: Jan.,

Lumbar puncture, in syphilis, 1950; March, 496

Lumbosacral strain, 1949: Nov., 1627 Lung, abscess, 1949: March, 395 antibiotic aerosols in, 1948: July,

1082

penicillin in, 1948: Sept., 1121; 1949: March, 404 aerosol method, 1949: March, 404

postpneumonic, 1950: Nov., 1664 postpheumonic, 1990: Nov., 1664 sulfadiazine in, 1949: March, 403 treatment, 1949: March, 406 surgical, 1949: Morch, 406 atelectasis, 1949: Nov., 1613

carcinoma, inoperable, nitrogen mustards in, 1949: Sept., 1309

nitrogen mustard in, 1950: March,

diseases, chronic, clinical investigation, 1949: July, 1047-1059

epidemic, 1949: July, 1099-1110 edema, 1949: Nov., 1615 embolism, 1949: Nov., 1617 emergencies, diagnosis and treatment

1949: Nov., 1605-1618 hemorrhage from, 1949: Nov., 1605 infections, nontuberculous, strepto-

mycin in, 1948: May, 826 penicillin in, 1948: Sept., 1207-1225 involvement, in scleroderma, 1949: Jan., 61, 63 resection, for tuberculosis, 1950:

resection, for Sept., 1372

roentgenograms, undiagnosed shadows, 1949: July, 1049

secretion, cytology of, in cancer diagnosis, 1950: Sept., 1397 suppurations, nontuberculous, man-

agement, 1949: March, 391-410 tuberculosis. See Tuberculosis. tumors, diagnosis, angiocardiography in, 1950: May, 747

Lupus erythematosus, disseminated, clinical and pathologic study, 1949: Jan., 79-94

subacute, dermatomyositis and, differentiation, 1949: Jan., 27 miliaris disseminatus, 1949: Jan.,

pernio, 1949: Jan., 31, 37 psoriasiforme, 1949: Jan., 255 vulgaris, 1949: Jan., 249, 252

Lymphadenitis, tuberculous, streptomycin in, 1950: Jan., 279 Lymphadenopathy, giant follicular,

1949: Jan., 138 Lymphangiectasias, 1949: Jan., 228 Lymphangiectodes, 1949: Jan., 228

Lymphangioma, 1949: Jan., 228 eireumscriptum, 1949: Jan., 228 simplex, 1949: Jan., 228

Lymphangitis and cellulitis, recurrent, of the extremities, 1949: July, 1089 Lymphedema of inflammatory origin, progressive, 1949: July, 1089-1098 Lymphoblastoma, dermatitis exfolia-

tiva due to, 1949: Jan., 137 of stomach simulating gastric diverticulum, 1948: March, 345

Lymphocytic choriomeningitis, 1950: Nov., 1687

Lymphogranuloma benignum, 1949: Jan., 31, 260

inguinale, antibiotics in, choice of,

1950: March, 314 venereum, antibiotics in, choice of, 1950: March, 314 diagnosis, 1950: Sept., 1313

management, 1950: Sept., 1319 Lymphomas, nitrogen mustards in, therapeutic indications, 1949: Sept. 1301-1311

malignant, chronic forme, treatment, 1949: March, 527-540

Lymphosarcoma, nitrogen mustard in, 1950: March, 454 treatment, 1949: March, 534

MACROCYTIC anemias, vitamin B<sub>12</sub> in, 1950: July, 1197-1204

Macular degeneration, cerebral, 1950: Jan., 162

Magnesium sulfate in auricular paroxysmal tachycardia, 1950: May, 739

in ventricular paroxysmal tachy-cardia, 1950: May, 741 Malaria, diagnosis, 1949: May, 899

Malignant degeneration in ulcerative colitis, 1949: Sept., 1421-1437 ignant tumors, chemotherapy, 1950: March, 439-458 Malignant

of internal organs, cutaneous lesions in, 1949: Jan., 284

Malnutrition as surgical risk, 1949: March, 573, 575

Malta fever. See Brucellosis.

Mandelic acid in urinary tract infections, 1949: Sept. 1478; March, 529, 531

Manic-depressive psychosis, 1948: May, 641-646

electroshock therapy, report of 200 cases, 1949: March, 515-526 Mantoux tuberculin test, 1948: July,

Massage in degenerative joint disease, 1949: Sept., 1314

in peripheral nerve injuries, 1948: May, 782

in peripheral vascular disease, 1949: March, 354

Mastery of long-term illness, 1949: March, 435-446

Maturation in psychotherapy, 1948: Sept., 1200, 1205

Measles, diagnosis, 1950: Sept., 1310 treatment, 1950: Jan., 141, Sept., 1318

Meat, skin diseases due to handling or eating, 1949: Jan., 243

Mebaral in epilepsy, 1950: March, 345, Sept., 1513, 1517

Mecholyl and histamine iontophoresis in peripheral vascular disease, 1949: March, 351

in auricular paroxysmal tachycardia, 1950: May, 738 in gastrointestinal disorders, 1948:

Sept., 1238, 1240 test in pheochromocytoma, 1950: May, 765

Mediastinal emphysema, 1949: Nov., 1617

Mediastinum, tumors, diagnosis, angio-cardiography in, 1950: May, 747

Medical care, current trends and influences, 1949: March, 589 future pattern of, 1949: March, 594 emergencies, acute, symposium on,

1949: Nov., 1499 therapeutics, symposium on, 1950: March, 307

Medicine in an aging population, 1949: March, 295-303

Mediterranean anemia, 1949: March, Megacolon, congenital, air travel in,

1948: July, 1091 treatment, recent advances, 1948: July, 981-987

Megaesophagus, 1948: March, 366

Megaloblastic anemia of infants, vitamin B<sub>12</sub> in, 1950: July, 1201 of pregnancy, vitamin B<sub>12</sub> in, 1950: July, 1202 Melancholia, involutional, 1950: July,

1098

electroshock therapy, 1949: March, prefrontal lobotomy for, 1950: July,

Melano-epithelioma 1949: Jan., 115

Melanoma, malignant, 1949: Jan., 234 Meltzer-Auer technic of artificial respiration, 1950: Sept., 1357 Menadione, 1949: Nov., 1705

Menarche, psychosomatic approach, 1948: Nov., 1584

Meningism, cerebrospinal fluid in, 1950: Jan., 109 tularemic, 1948: May, 769-778

Meningitis, bulbar type, 1950: Jan., 126

cerebrospinal fluid in, 1950: Jan., 112 common forms, treatment, 1949: May, 871-881 complicating pneumonia, 1950: Nov.,

1664 headache in, 1948: May, 565 in children, 1950: Nov., 1679-1688 Meningitis, influenzal, 1949: May, 784 streptomycin in, 1948: May, 818; 1949: May, 875. 1950: Jan., 137, March, 329 sulfadiazine in, 1949: May, 875 meningococcie, 1949: May, 871 penicillin in, 1949: May, 871; 1950: March, 323 sulfadiazine in, 1949: May, 871 sulfonamides in, 1950: Jan., 136, March, 335 nonpurulent, in children, 1950: Nov., pneumococcal, 1949: May, 873 penicillin in, 1949: May, 873; 1950: Jan., 137 streptomycin in, 1948: May, 822 sulfadiazine in, 1949: May, 873 purulent, in children, 1950: Nov., 1680 treatment, 1950: Nov., 1682 serous, tularemic, 1948: May 769-778 streptomycin in, 1948: May, 822 streptomycin in, 1948: May, 818 syphilitie, 1950: Nov., 1688 treatment, 1950: Jan., 136 tuberculous, 1949: May, 877; 1950: Nov., 1687 para-aminosalicylic acid in, 1949: May, 879; 1950: Nov., 1688 promizole in, 1949: May, 878; 1950: Nov., 1688 streptomycin in, 1948: May, 830; 1949: May, 877; 1950: Jan., 138; Nov., 1687 Meningococcal infections, antibiotics in, choice of, 1950: March, 314 sulfonamides in, 1950: March, 335

Meningococcemia, sulfonamides 1950: March, 335 Menometrorrhagia, management, 1950: Sept., 1561 Menopausal headache, 1949: Nov., 1594 Menopause, diagnosis, 1950: March, emotional factors, 1950: March, 547

endocrine therapy, 1948: Jan., 71; Nov., 1525; 1950: March, 550; Sept., 1547 management, dangers in, 1948: Nov.,

1523 - 1532psychosomatic aspects, 1948: Nov., . 1593; 1950: July, 1004

psychotherapy, 1950: Mar symptoms, 1948: Nov., 1523 March, 550 treatment during, 1950: March, 541-

Menorrhagia, 1948: Jan., 67 Menstrual cycle after splenectomy, 1950: July, 1226

physiology of, 1948: Jan., 42 disorders, endocrine therapy, 1950; Sept., 1537-1550

functional, etiologic factors, evaluation, 1948: Nov., 1511

Menstrual disorders, functional, management, 1948: Nov., 1509-1522 in cystic enlargement of ovary, 1948: Nov., 1617 psychosomatic aspects, 1950: July,

Menstruation, anovular, and infertil-ity, 1948: Nov., 1546 current hypothesis, 1950: Sept., 1555 cyclic endometrial changes, 1948:

Jan., 42, Nov., 1494 irregularities of, and their treatment, 1948: Jan., 57-72

physiology and endocrinology, present concepts, 1948: Nov., 1485-1507

Mental deficiency in children, 1948: May, 659

hospital, instructions to family of patient going to, 1948: May, 639 illness, better doctor-family coopera-

tion in, 1948: May, 631-640 treatment, modern, 1950: Sept., 1499-1506

retardation, intelligence tests in, 1950: July, 1067 management, 1950: July, 1071

Menthol in dermatology, 1949: Jan.,

Meperidine in relief of pain, 1950: March, 369

Mercurial diuretics in congestive heart disease, 1950: March, 568, May, 621, 629-640

parenteral, products and descrip-tion, 1950: May, 630 potentiation of, 1950: May, 623 Mercurialism, 1950: May, 637

Mercury, ammoniated, in dermatology, 1949: Jan., 273

as diuretic in heart failure, 1949: March, 369 bichloride poisoning, BAL in, 1950:

March, 469-484 Mesantoin in epilepsy, 1950: March, 347, Sept., 1513, 1516 Metabolic acidosis and alkalosis, repair

solutions in, 1948: Sept., 1293-1307 aspects of vascular degeneration, 1949: May, 783-794 disease, cerebral, pathologic physiol-

ogy, 1950: Nov., 1801-1815 Metabolism, basal, in hypothyroidism, 1950: Jan., 235

test for, clinical application, 1950:

Nov., 1839-1851 Metatarsal head, avascular necrosis, 1950: Jan., 185

Metazoa, intestinal, diagnosis, 1949: May, 905

Methacholine. See Mecholyl. Methadone in obstetrics 1950: Sept., in relief of pain, 1950: March, 369

Methenamine in urinary tract infection, 1950: March, 529, 531 Methylphenylethylhydantoin. See

Mesantoin.

Methyltestosterone in menopause. 1950: Sept., 1549

Metopon in relief of pain, 1950: March,

Metrazol in respiratory failure, 1950: Sept., 1359

Metrorrhagia, 1948: Jan., 67

Microsporum audouini, 1948: Jan., 286; 1950: Jan., 258

lanosum, 1948: Jan., 286; 1950: Jan.,

Migraine. See Headache, migrainous. Mikuliez syndrome, 1949: Jan., 41 Minerals, interrelations, 1949: Nov., 1713

Miscarriage. See Abortion.

Mitral stenosis, angiocardiography in, 1950: May, 754

valve, atresia, with rudimentary left ventricle, patent foramen ovale and ventricular septal defect, 1948: July, 880

lesions, percussion in, 1950: May,

pulsatory phenomena, 1950: May,

Moles, 1949: Jan., 230

Moniliasis, treatment, 1950: Sept., 1482

Mononucleosis, infectious, diagnosis, 1950: Sept., 1315

management, 1950: Sept., 1320 Mood response, 1950: July, 1022 Moronic children, behavior problems in, 1948: May, 659

Morphea, 1949: Jan., 67 Morphine in obstetrics, 1950: Sept.,

poisoning, acute, diagnosis, 1948: May, 802

use, hazards in, 1950: Nov., 1761-1771 Mother, parturient, bedside care of newborn by, 1948: Nov., 1699-1709 Motion sickness, antihistaminic drugs

in 1950: March, 361

Motor unit, disorders, in infants and children, 1950: Jan., 147-167 Mouth, hygiene, and caries, 1950: Jan.,

22 inflammations, common forms, diagnosis and treatment, 1948: March, 355

Mouth-to-mouth insufflation, 1950: Sept., 1351

Mouthwashes, ammonia-u pounds in, 1950: Jan., 28 ammonia-urea com-

fluoride, 1950: Jan., 27 Multiple sclerosis, 1948: May, 743-754 Mumps, diagnosis, 1950: Sept., 1311 encephalitis, 1950: Nov., 1691

treatment, 1950: Jan., 134, Sept., 1318

Muscles, contracted, headache due to. 1948: May, 565

contusions, in athletics, treatment, 1950: Sept., 1264 reeducation in peripheral nerve in-

juries, 1948: May, 782 in poliomyelitis, 1948: May, 785

relaxants, in obstetrics, 1950: Sept., 1531

skeletal, disorders, in infants and children, 1950: Jan., 147-167

spasm in rheumatic disorders, alleviation, 1949: Nov., 1619 strains, in athletics, treatment, 1950:

Sept., 1265 Muscular atrophy, spinal, progressive,

in infants, 1950: Jan., 147 Myanesin in parkinsonism, 1949: July, 1138

Myasthenia gravis, 1950: Jan., 159 Mycosis fungoides, nitrogen mustard in, 1949: Sept., 1309; 1950: March, 454

Myeloma, multiple, amyloidosis complicating, 1950: July, 1151-1164 chemotherapy, 1950: March, 455 Myocardial anoxia in causation of

angina, 1949: May, 636 Myocardial infarction, 1950: May, 687 acute, anticoagulants in, 1949: March, 339

precordial leads in, 1948: Jan., 200 unipolar precordial electrocardiogram in, 1950: May, 846

Myochrysine in rheumatoid arthritis, 1948: Sept., 1365

Myomas of uterus, infertility due to, 1948: Nov., 1540 Myositis, multiple. See Dermatomyo-

sitis. Myxedema, diagnosis and treatment, problems in, 1949. Sept., 1249-1254 infantile or childhood, 1948: Jan., 124, 127

pituitary, morphine in, dangers, 1950: Nov., 1767

NAIL changes following use of "base coats," 1949: Jan., 95-107 polish, dermatitis due to, 1949: Jan.,

184 Narcosis, drug, in psychosis, 1950: Sept., 1501

electric, in psychoses, 1950: Sept., 1503 Narcotics, addiction to, manifestations

1950: March, and treatment, 425-438 Nasopharyngeal bursa, abscess, 1950:

Nov., 1633 Nebulizer for aerosol therapy, 1948:

July, 1078 Neck, pain, in, 1950: Sept., 1323-1334 stiffness, in poliomyelitis, 1950: Jan.,

Neck, veins, pulsations, in disturbances of rhythm, 1950: May, 727
Necrosis, avascular, of bone in children, 1950: Jan., 165-186
Negro, cutaneous tuberculosis in, 1949:

Jan., 249-262,

Neo-antergan, dosages, 1950: March, 352, 357

Neoarsphenamine in Vincent's angina,

1950: Nov., 1628 Neohetramine, dosages, 1950: March, 353, 357

Neoplastic diseases, chemotherapy, 1950: March, 439-458

Neoprontosil in ulcerative colitis, streptococcal, 1948: July, 971

Neostigmine in gastrointestinal dis-orders, 1948: Sept., 1238, 1241 Neosynephrine in auricular paroxysmal

tachycardia, 1950: May, 740 Nephrectomy, unilateral, for hypertension, 1949: March, 330; May,

761-771 Nephritis, acute glomerular, acute anuria due to, 1950: March, 309 acute hemorrhagic, 1950: Jan., 95-105 chronic, in children, 1950: Jan., 71-94

treatment, 1950: Jan., 85

diet in, 1949: March, 565 Nephrosclerosis, diet in, 1949: March, 566

Nephrosis, diet in, 1949: March, 565 in children, 1950: Jan., 71-94

treatment, 1950: Jan., 85 lower nephron, 1950: Jan., 72, 74,

76, 82, 88 acute anuria due to, 1950: March, 509

prerenal azotemia and, 1950: May, 646

Nerves, peripheral, injuries, physical medicine in, 1948: May, 779 nutritional polyneuropathy, 1948: May, 727-733

Nervous breakdown, questionable use of term, 1950: July, 1065 system, central, infections, penicillin

in, 1950: March, 323 tension in headache, 1949: July, 974

Neuralgia of face and head, 1949: Nov., 1591

Neuralgic features of angina pectoris, 1949: May, 635-649

Neurasthemia, 1949: Sept., 1343-1364 Neurectomy, presacral, in functional menstrual disorders, 1948: Nov., 1522

Neuritis, multiple. See Polyneuritis. of cervical spine, 1950: Sept., 1325 retrobulbar, in multiple sclerosis, 1948: May, 745

nutritional, 1948: May, 730 Neurocirculatory asthenia, 1949: Sept., 1343-1364

Neurodermatitis, 1949: Jan., 1-14 disseminated, 1948: May, 675; 1949:

Jan., 1861 dry, 1949: Jan., 4 disseminated, 1949: Jan., 7 exudative, 1949: Jan., 10

treatment, dermatologic and psychiatric approaches, correlation, 1950: July, 1009-1017

Neurodermite, 1949: Jan., 4

Neurological complications in folic acid therapy of pernicious anemia, 1948: July, 1134

disorders, holistic treatment, 1950: July, 1019-1026

examination, simultaneous stimulation in, advantages of method, 1948: May, 755-758

Neurology, symposium on, 1948: May,

Neuromuscular affections, physical medicine in, 1948: May, 779-788 psychosomatic approach, July, 1061-1069

Neuropathy, multiple, 1948: May, 727-733 nutritional, Neuroses, anxiety, 1949: Sept., 1343-

better doctor-family cooperation in,

1948: May, 631-640 cardiac, 1949: Sept., 1343-1364

diagnosis and treatment, 1949: July, 931; 1950: Sept., 1487-1497 advantage of family physician, 1949: July, 924

obsessive compulsive, prefrontal lobotomy for, 1950: July, 1047 psychosis and, differentiation, 1950: July, 957-971

Neurosurgery, air travel after, 1948: July, 1092

Neurosyphilis, 1948: May, 707-719 penicillin in, 1948: May, 711-718 spinal fluid examination in, 1948: May, 707-119 treatment, 1950: March, 501; Sept.,

1502 Neurotic exceriations, 1948: May, 673;

1949: Jan., 18 traits in children, 1948: May, 663 Neutralization test in viral diseases, 1950: Nov., 1611

Neutropenia, splenic, 19, 555; 1950: Sept., 1271 1949: March, thrombocytopenia,

Sept., 1280 Nevus (nevi) arraneus, 1949: Jan., 226 bathing trunk, 1949: Jan., 231

capillary, 1949: Jan., 220, 222 cellular, 1949: Jan., 229 common, identification and management, 1949: Jan., 219

connective tissue, 1949: Jan., 237 epithelial, 1949: Jan., 234 flammeus, 1949: Jan., 220

Nevus (nevi). nonvascular, 1949: Jan.,

pigmented, 1949: Jan., 229

methods of removal, 1949: Jan.,

treatment from point of view of possible malignant change, 1949:

Jan., 232 spider, 1949: Jan., 226 unius lateralis, 1949: Jan., 237

vascular, 1949: Jan., 219

verrucous, 1949: Jan., 235, 236 Newborn, bedside care by parturient mother, 1948: Nov., 1699-1709 cerebrospinal fluid in, 1950: Jan., 107 hemolytic disease, 1950: Jan., 187 breast feeding in, 1948: Nov.,

> management, 1948: Nov., 1638 not due to Rh factor, 1950: Jan., 199

hypoprothrombinemia of, 1949: Nov., 1692, 1706

hemorrhage in, 1948: intracranial May, 737

Niacin, interrelationships, 1949: Nov., 1710

Nicotinic acid deficiency. See Pellagra. Nikolsky sign, 1949: Jan., 168

Nitrites in gastrointestinal disorders, 1948: Sept., 1233, 1235 Nitroacridine in rickettsial diseases,

1948: Sept., 1337

Nitrogen mustards, administration and dosage, 1949: Sept., 1302, 1303

in carcinoma of lung, 1950: March, 450

in Hodgkin's disease, 1949: March, 532, Sept., 1301; 1950: March,

in inoperable carcinoma of lung, 1949: Sept., 1309

in leukemia, 1949: March, 539; 1950: Jan., 204, March, 452,

in lymphoma, therapeutic indications, 1949: Sept., 1301-1311

in lymphosarcoma, 1950: March,

in mycosis fungoides, 1950: March, 454

in polycythemia vera, 1950: March,

pharmacology, 1950: March, 440 toxicity, 1949: Sept., 1303

Nitrous oxide and ethylene anesthesia in obstetrics, 1950: Sept., 1530

No. 7337 as adrenergic blocking agent, 1950: March, 383

Nodal paroxysmal tachycardia, 1950: May, 740

Nodules, thyroid, benign and malignant, function of, 1949: Sept., 1225Nor-epinephrine in blood in pheo-chromocytoma, 1950: May, 763 Nose drops in allergy in infants, 1950:

Jan., 9 Nu-445 in kidney disease, 1948: Sept., 1423

Nuclear amyotrophies, 1950: Jan., 147

Nummular eczema, 1949: Jan., 10 Nutrient factors, interrelation, clinical relationship, 1949: Nov., 1709-

1720 Nutrients, biological synthesis, 1949: Nov., 1716

hormones and, 1949: Nov., 1715

immunity and, 1949: Nov., 1713 Nutrition, caries and, 1950: Jan., 20 in protracted disease, 1948: Sept., 1159-1169; 1949: March, 561-572 recent advances, 1949: Nov., 1721-1733

Nutritional aspects of liver injury,

1949: Nov., 1657–1669 of senility, 1949: Nov., 1681–1684 deficiency diseases. See Deficiency diseases.

disorders, symposium on, 1949: Nov., 1629

macrocytic anemia, 1949: March, 548 treatment, 1948: Sept., 1268 polyneuropathy, 1948: May, 727-733 supplements, 1948: Sept., 1162

OBESITY in children, management, 1950: Jan., 223-234

Obstetrics, continuous caudal and spinal analgesia in, present status, 1948: Nov., 1683-1697 sedation, analgesia and anesthesia in,

1950: Sept., 1521-1535 recent advances, symposium on,

1948: Nov., 1483 Rh factor in, 1948: Nov., 1635-1646

Obturator nerve section in Legg-Perthes' disease, 1950: Jan., Occupational dermatitis, 1949: Jan.,

therapy in peripheral nerve injuries, 1948: May, 783

Octin in migraine, 1949: Nov., 1587 Ocular pressure in auricular paroxys

mal tachycardia, 1950: May, 737 Ointments in dermatologic therapy, 1949: Jan., 268

Old age, psychosomatic aspects, 1950: July, 1091–1105 surgery in, 1949: March, 583

Oligomenorrhea, endocrine therapy, 1950: Sept., 1540

Oliguria, con ervative management, 1949: July, 1007 in heart and kidney disease, water

balance and, 1950: March, 571-587 Oophorectomy for cystic enlargement of ovary, 1948: Nov., 1622

Optic nerve disturbances in multiple

sclerosis, 1948: May, 745 Orchiectomy in carcinoma of breast in male, 1950: Sept., 1410

of prostate, 1949: Jan., 117; 1950: Sept., 1411

Orchitis, mumps, 1950: Jan., 135 Orthopedic treatment of rheumatoid

arthritis, 1949: Sept., 1379 Os calcis, apophysitis of, 1950: Jan., 183 Oscillating bed in peripheral vascular disease, 1949: March, 353

Oscillometry, 1950: May, 891

Osgood-Schlatter's disease, 1950: Jan., 180

Osteitis tuberculosa multiplex cystica, 1949: Jan., 42

Osteoarthritis, 1950: Sept., 1435-1446 physical medicine in, 1949: Sept., 1313-1319

Osteochondritis of hip, 1950: Jan., 173 Osteomyelitis in infants, streptomycin in, 1948: May, 834

penicillin in, 1950: March, 323

OT, 1948: July, 1095 Ouabain, 1950: May, 657

in congestive heart failure, 1950: May, 670

Ovary, agenesis, dwarfism with, 1948: Jan., 156

aging of, 1950: March, 541

cyclical changes, 1948: Jan., 42 cytic enlargement, significance with respect to treatment, 1948: Nov., 1611-1628

diagnostic tests, in infertility, 1948: Sept., 1189

function, study in sterility, 1948:

Jan., 49 tumors of, insufficiency, treatment, 1948: Sept., 1192

tumors of, infertility due to, 1948: Nov., 1542

Ovulation, 1948: Jan., 42

timing of, 1948: Sept., 1190

Oxygen anoxemia test in heart disease. 1950: May, 713-717

supply of brain, 1950: Nov., 1808 therapy in heart failure, 1949: March,

in respiratory failure, 1950: Sept., 1359 physiologic basis, 1950: Sept.,

1343 in ulcerative colitis, streptococcal,

1948: July, 972 Oxygen-helium therapy in asthma, 1948: Jan., 238-241

Oxythiamine, 1949: Nov., 1721

Oxytocics, in functional uterine bleeding, 1948: Nov., 1517

PACKS, wet, in psychoses, 1949: July, 1124

Pain, abdominal, differential diagnosis, 1948: March, 389-397

back, low, treatment, 1949: Nov., 1625

control of, synthetic analgesics in, 1950: March, 369-378 Gestalt, 1950: July, 987

in coronary artery disease, 1950: May, 689 in gastric perforation, 1949: July,

965-972 in neck and upper extremity, 1950:

Sept., 1323-1334

intractable, in phantom limb, treatment, psychiatric aspects, 1950: July, 1029-1041

prefrontal lobotomy for, 1950: 1047

psychogenic, 1950: July, 989

psychosomatic aspects, 1950: July, 981-993

thoracic, diagno 1949: July, 1057 diagnostic significance,

visceral, experimental production, by chemical agents, 1949: May, 637

inconclusiveness of, in prognosis, 1949: May, 644

Palsy. See Paralysis. Pancreas, anatomical abnormalities, 1948: March, 533

anatomy and physiology, 1948: March, 518

calculi of, 1948: March, 530 carcinoma, 1948: March, 533 cysts, 1948: March, 532

diseases, 1948: March, 518-536 fibrocystic disease, congenital, 1948: March, 531

head, carcinoma, jaundice in, 1948:

March, 451 islet-cell tumors, multiple parathyroid adenomas associated with,

report of 2 cases, with necropsy findings, 1949: July, 1141-1156
Pancreatic diabetes, frequency, in chronic pancreatitis, 1949: May, 883-897

fistula, 1948: March, 532 insufficiency chronic, 1948: March,

lithiasis, 1949: May, 883

Pancreatitis, acute, 1948: March, 523 chronic and recurrent, 1948: March, 529

pain in, 1948: March, 394 portal cirrhosis and, 1948: March,

relapsing, 1949: May, 883-897; July, 943-956

Pancytopenia, splenic, 1950: Sept., 1281

Panhematopenia, splenic, 1949: March,

Papanicolaou method for diagnosis of uterine cancer, 1948: Nov., 1563-1572

Papaverine in gastrointestinal dis-orders, 1948: Sept., 1231, 1235 Para-aminobenzoic acid in rickettsial

diseases, 1948: Sept., 1337 in Rocky Mountain spotted fever,

1948: July, 1109 Para-aminosalicylic acid in tuberculosis, 1950: Sept., 1366

in tuberculous meningitis, 1949:

May, 879; 1950: Nov., 1688 Paracentesis, abdominal in nephrotic edema, 1950: Jan., 88

Paradione in epilepsy, 1950: March, 349, Sept., 1513, 1516

Paraffin treatment of hypertrophic arthritis of fingers, 1950: Sept.,

Paraldehyde anesthesia in obstetrics, 1950: Sept., 1529

in status epilepticus, 1950: March, 349

Paralysis agitans, 1949: July, 1131 Bell's, physical medicine in, 1948: May, 783 cerebral, treatment, 1948 May.

789-793

diphtheritic, 1950: Nov., 1629 infantile. See Poliomyelitis.

Paralytic ileus, 1949: Sept., 1462 Paralyzed patients, care of, in spinal cord and cauda equina injuries, 1948: Sept., 1273-1291

Paranasal sinuses. See Sinuses. Parasitic disorders of skin in children,

1950: Jan., 257-269 Parasitosis, delusions of, 1949: Jan., 18

Parathyroid adenomas, multiple, associated with islet-cell tumors of pancreas, report of 2 cases, with necropsy findings, 1949: July, 1141-1156

tetany in adolescence, 1948: Jan., 146 Paravertebral block in obstetrics, 1950:

Sept., 1526 Parenteral feeding, 1948: Sept., 1164 Parenteral fluid therapy, 1950: March, 395-412

in children, 1950: Jan., 53-70 in metabolic acidosis and alkalosis, 1948: Sept., 1293-1307

Parkinsonism and related disorders, treatment in general practice, 1949: July, 1131-1139

Parkinson's disease, antihistaminic drugs in, 1950: March, 361

Parotitis, epidemic, treatment, 1950: Jan., 134 Paroxysmal auricular fibrillation, 1950:

May, 741 flutter, 1950: May, 743 Paroxysmal dyspnea, treatment, 1949: Nov., 1521

tachycardias, 1950: May, 735-744 digitalis in, 1950: May, 653

treatment, 1949: Nov., 1528 Parpanit in parkinsonism, 1949: July,

Parturient mother, bedside care of newborn by, 1948: Nov., 1699-1709 Pastes in dermatologic therapy, 1949:

Jan., 267
Pasteurella infections, antibiotics in, choice of, 1950: March, 314
Patch tests in contact dermatitis,

1949: Jan., 182

Patella, necrosis, avascular, 1950: Jan., 180

Patent ductus arteriosus, 1948: July, 911-923 electrocardiogram in, 1949: July,

Pathogenesis, current concepts, sym-

posium on, 1950: Nov., 1739 tients, transportation by air, 1948: July, 1087

Pavatrine in gastrointestinal disorders,

1948: Sept., 1232, 1237 Pavaex boot in peripheral vascular disease, 1949: March, 353

Pediatrics, symposium on, 1950: Jan., 1 Pediculosis, treatment, 1950: Sept., 1478

Pellagra, dermatomyositis and, differentiation, 1949: Jan., 27

Pels-Macht phytopharmacologic test, 1949: Jan., 168

Pelvic carcinoma, diagnosis, delay period in, 1948: Nov., 1573-1581 examination, failure to make, as factor in cancer, 1948: Nov., 1576

eriodic, of supposedly well women, value, 1948: Nov., 1557periodic, inflammatory disease as cause of

infertility, 1948: Nov., 1540 masses, urinary infection due to, 1949: Sept., 1471

Pelvimetric technics, radiographic, evaluation of, 1948: Nov., 1659-1671

Pemphigus, 1949: Jan., 165-176 butcher's, 1949: Jan., 243

differential diagnosis, 1949: Jan., 170 erythematoid, benign, 1949: Jan., 168 foliaceous, 1949: Jan., 168

treatment, 1949: Jan., 175 vegetans, 1949: Jan., 168

vulgaris, 1949: Jan., 165 Penicillin, aerosol administration, 1948: July, 1079

current use, 1950: March, 319-326 dentifrices, 1950: Jan., 30

dosages and administration, 1950 March, 316, 320

Penicillin, hypoprothrombinemia in-duced by, 1949: Nov., 1703 in abscess of brain, 1960: March, 323 of lung, 1948: Sept., 1221; 1950: Nov., 1664 in actinomycosis, 1948: July, 1109; 1950: March, 324 in allergy in infants, 1950: Jan., 9 in asthma, 1948: Sept., 1220; 1949: March, 417 in bacteremia, 1950: March, 321 in bronchiectasis, 1948: Sept., 1218 aerosol therapy, 1948: July, 1081 in bronchopneumonia, 1948: Sept., 1212 in bronchopulmonary suppuration, 1949: March, 404 aerosol method, 1949: March, 404 brucellosis, sulfadiazine with, in 1948: July, 1108 in diphtheria, 1950: March, 324, Nov., 1631 in empyema, 1948: Sept., 1212 in gas gangrene, 1950: March, 324 in gonorrhea, 1949: Sept., 1476; 1950: March, 324 in indeterminate ulcerative colitis, 1948: March, 417 in influenza, 1950: Nov., 1644 in measles, 1950: Jan., 142 in meningitis, 1949: May, 871; 1950: March, 323 ting pneumonia, complicating 1950: Nov., in children, 1950: Nov., 1685 in neurosyphilis, 1948: May, 711-718 in osteomyelitis, 1950: March, 323 in phargyngitis, 1950: Nov., 1632 in pleural effusions, postpneumonic, 1950: Nov., 1663 in pneumococcic meningitis, 1949: May, 873 in pneumonia, 1948: Sept., 1207; 1950: March, 322, Nov., 1657 primary atypical pneumonia, 1948: Sept., 1212 in pulmonary infections, 1948: Sept., 1207-1225 in rheumatic fever, 1950: Sept., 1430 in rickettsial diseases, 1948: Sept., 1337 in scarlet fever, 1950: Jan., 143 in septic sore throat, 1950: Nov., 1624 in sinusitis, 1950: March, 322 in skin infections, 1950: March, 324 in staphylococcic pneumonia, 1948:

Sept., 1211

Sept., 1210

1658

in streptococcic pneumonia, 1948:

in subacute bacterial endocarditis,

in pregnancy, 1948: Nov., 1647-

prophylactic, 1948: Nov., 1651

1950: March, 321, May, 780 in syphilis, 1950: March, 495-507 Penicillin, in tetanus, 1950: March, 324 in tonsillitis, 1950: Nov., 1624 in ulcerative colitis, streptococcal, 1948: July, 972 in urinary tract infections, 1949: July, 1076, 1077, Sept., 1475, 1476; 1950: March, 532 in Vincent's angina, 1950: Nov., 1627 increased concentrations, caronamide for, 1948: July, 1107 pharmacology and toxicology, 1950: March, 308 prophylactic use, 1950: March, 325 resistance, 1950: March, 319 toxicity, 1950: March, 311, 325 Pentaquine in hypertension, 1948: Sept., 1252 Pentobarbital in surgical anesthesia, 1950: March, 594 Pentothal in surgical anesthesia, 1950: March, 592 Peptic ulcer, antacids in, 1950: Sept., 1453 antispasmodies in, 1948: March, 321 diet in, 1948: March, 321; 1950: Sept., 1452 gastrectomy for, dumping syndrome after, 1949: Sept., 1321hemorrhage in, massive, 1948: March, 328 medical management in light of current etiologic concepts, 1950: Sept., 1447-1457 perforated, pain in, 1949: July, 965-972 psychogenic factors, 1950: Sept., relation to symptoms and to indications for operation, March, 313-327 symptoms, mechanism of production, 1948: March, 314 syndrome, components of, 1948: March, 317 treatment planning, 1948: March, 320 use of tobacco in, 1950: Sept., 1454 vagotomy for, clinical conference on, 1948: March, 301-312 complications, 1948: March, 307 indications, 1948: March, 304 medical management after, 1948: Nov., 1711-1716 physiologic aspects, 1948: March, 301 Perazil, dosages, 1950: March, 353, 357 Percussion of heart, 1950: May, 729-Perforation of gallbladder in acute cholecystitis, 1948: March, 491 of stomach, pain in, 1949: July, 965of viscus, abdominal pain in, 1948: March, 394

Periarteritis nodosa, clinicopathologic conference, 1948: Jan., 161

Periarthritis of upper extremity, 1950: Sept., 1329

Pericardial cavity, bullet in, angiocardiography in, 1950: May, 754, 755

disease, adhesive, pulsation in, 1950: May, 727

effusion, angiocardiography in, 1950: May, 753

percussion in, 1950: May, 732 Pericarditis, precordial leads in, 1948: Jan., 205

purulent, complicating pneumonia, 1950: Nov., 1664 Perinephritic abscess, 1949: Sept., 1465

Peripheral nerve injuries, physical medicine in, 1948: May, 779 polyneuropathy, nutritional, 1948:

May, 727-733

vascular diseases, adrenergic block-ing agents in, 1950: March,

physical diagnosis, 1949: March, 347

physical medicine in, 1949: March, 347-358

rehabilitation, 1949: March, 356 vessels, examination, methods, 1950: May, 887-896

Peritendinitis of upper extremity, 1950: Sept., 1329

Peritoneal dialysis in acute renal failure, 1950: March, 516

in congestive heart failure, 1950:

May, 624 lavage in promotion of extrarenal excretion, 1948: July, 989-1076 method, 1948: July, 1015

Peritoneum, physiology, experimental studies, 1948: July, 996

Peritonitis, streptomycin in, 1948: May, 835 Peritonsillar abscess, 1950: Nov., 1631

incision of, 1950: Nov., 1632 Pernicious anemia. See Anemia,

pernicious.

Personality, changes in, following prefrontal lobotomy, 1950: July,

relation, to cardiovascular patterns, 1950: May, 824

tests, 1950: July, 1075

vitamins and, 1949: Nov., 1717 Pertussis. See Whooping cough.

Phantom limb, intractable pain in, treatment, psychiatric aspects, 1950: July, 1029-1041

Pharmacodynamics of vehicles and drugs in dermatologic therapy, 1949: Jan., 263-279

Pharyngitis, acute, 1950: Nov., 1632 viral, 1950: Nov., 1641

Pharynx, infections, acute, 1950: Nov., 1621-1635

Phenobarbital in epilepsy, 1950: March, 345, Sept., 1517 in hypertension, 1949: May, 662,

Sept., 1270 in status epilepticus, 1950: March,

Phenol in dermatology, 1949: Jan., 271

Phenurone in epilepsy, 1950: Sept., 1513, 1517

Pheochromocytoma, diagnosis, adrenergic block in, 1950: March, 386 differential diagnosis, 1950: May, 757-767

hypertension in, 1949: Nov., 1743 Phlebography in venous thrombosis and pulmonary embolism, 1949: Nov., 1505

Phlebothrombosis, treatment, 1949: March, 580

Phosphatase determinations in carcinoma of prostate, 1948: Jan., 112 in diagnosis of cancer, 1950: Sept., 1395

in liver disease, 1950: Sept., 1468 Phosphorus, radioactive, in leukemia, 1949: March, 537, 539; 1950: Jan., 207, March, 452, 453

in polycythemia vera, 1950: March, 454

pharmacology, 1950: March, 441 Phrenic paralysis in tuberculosis, 1950: Sept., 1369

Phthalylsulfathiazole. See Sulfathalidine.

Physical diagnosis in peripheral vascu-lar disease, 1949: March, 347

therapy in cerebral palsy, 1948: May, 791 in degenerative joint disease, 1949: Sept., 1313-1319 in hemiplegia, 1948: May, 786 in multiple sclerosis, 1948: May,

in neuromuscular affections, 1948: May, 779-788 in peripheral nerve injuries, 1948:

May, 779 peripheral vascular disease, 1949: March, 347–358

in poliomyelitis, 1948: May, 784 in rheumatic disorders, 1949: Nov., 1621

in rheumatoid arthritis, 1949: Sept. 1378

Pick's disease, 1950: July, 1099 Picrotoxin in respiratory failure, 1950:

Sept., 1359 Pigmented nevi, 1949: Jan., 229, 232, 233

Pinworms, diagnosis, 1949: May, 905 Pituitary disorders in adolescence, 1948: Jan., 140

Pituitary dwarfism, 1948: Jan., 141, extracts in gastrointestinal disorders, 1948: Sept., 1238, 1241 Pituitary-thyroid relationship, 1948: Jan., 127 Pityriasis rubra of Hebra, 1949: Jan., 137 Plague, immunization, 1950: Nov., 1729, 1731 Plague, streptomycin in, 1948: July, 1109; 1950: March, 328 Plant dermatitis, 1949: Jan., 184 Plasma administration in hemophilia, 1950: March, 465 buffers, 1948: Jan., 264 fractions, in hemophilia, 1950: March, pooled, in chronic nephritis and nephrosis, 1950: Jan., 86 postpartum, in psoriatic arthritis, 1949: May, 907-911 protein-bound iodine in, as test for thyrotoxicosis, 1949: Sept., 1233 volume, estimation, dye method, 1949: Nov., 1569 gastrointestinal hemorrhage, 1949: Nov., 1569 Plasmodia, thick film method, 1949: May, 900 Plaster resting shells in rheumatoid arthritis, 1948: Sept., 1363 Plasters in dermatologic therapy, 1949: Jan., 270 Platybasia, 1950: Jan., 155 Plethysmography, 1950: May, 892 Pleural effusion, diagnostic signifi-cance, 1949: July, 1057 postpneumonic, 1950: Nov., 1663 Pneumectomy for tuberculosis, 1950: Sept., 1372 Pneumococcal infection, antibiotics in choice of, 1950: March, 314 meningitis, 1949: May, 873 penicillin in, 1949: May, 873; 1950: Jan., 137 streptomycin in, 1948: May, 822 sulfadiazine in, 1949: May, 873 pneumonia, 1950: Nov., 1654 Pneumoencephalography, headache following, 1948: May, 564, 565 Pneumonia, air travel in, 1948: July,

atypical, 1949: July, 1099-1110; 1950:

antibiotics in, choice of, 1950:

diagnosis, 1950: Sept., 1312 management, 1950: Sept., 1319,

penicillin, in, 1948: Sept., 1212

chloromycetin in, 1950: Nov., 1661

bacterial, management, 1950: Nov.,

1090

Nov., 1645

March, 314

Nov., 1646

ment, 1950: Nov., 1663 diagnosis, 1949: July, 1053 penicillin in, 1948: Sept., 1207; 1950: March, 322, Nov., 1657 retarded resolution, 1950: Nov., 1665 staphylococcal, penicillin in, 1948: Sept., 1211 streptococcal, penicillin in, 1948: Sept., 1210 streptomycin in, 1950: Nov., 1660 sulfonamides in, 1950: Nov., 1662 terramycin in, 1950: Nov., 1661 viral, 1950: Nov., 1645 Pneumoperitoneum 1950: Sept., 1368 tuberculosis. in Pneumothorax, artificial, in tuberculosis, 1950: Sept., 1367 spontaneous, 1949: Nov, 1608 sucking wound, 1949: Nov., 1612 tension or pressure, 1949: Nov., 1610 Policencephalitis, 1948: Sept., 1387, 1399 Poliomyelitis, abortive, 1948: Sept., 1381, 1389; 1950: Jan., 119 bulbar, 1948: Sept., 1385, 1396; 1950: Jan., 140, March, 559 hypoventilation syndrome in, 1950: Sept., 1337 cerebrospinal fluid in, 1950: Jan., 108 classification, 1948: Sept., 1381 curare in, 1948: Sept., 1392; 1950: March, 556 diagnosis, 1948: Sept., 1377-1402; 1950: Jan., 119-132, March, 553-556, Sept., 1315 dromedary type, 1950: Jan., 120 emotional disturbances in, 1 Sept., 1399 encephalitic type, 1950: Jan., 126, 141, March, 560 epidemiology and incidence, 1950: Jan., 129 in infancy, 1950: Jan., 161 meningitic type, 1950: Jan., 126 nonparalytic, 1948: Sept., 1382, 1390; 1950: Jan., 119, 140
paralytic, 1950: Jan., 120, March, 558
spinal type, 1948: Sept., 1383, 1391
physical medicine in, 1948: May, 784 respirator in, 1948: Sept., 1393; 1950: March, 560 respiratory, 1950: Jan., 141 second attacks, 1950: Jan., 126 spinal type, 1950: Jan., 140, March, treatment, 1948: Sept., 1377-1402; 1950: Jan., 140, March, 556-561, Sept., 1320 Polish, nail, "base coats," nail changes following, 1949: Jan., 95-107 dermatitis, due to, 1949: Jan., 184 Pollen injections, allergic shock from, prevention, 1949: March, 412, 413

Pneumonia, complications, manage-

vera, Polycythemia chemotherapy, 1950: March, 454

Polymyositis, 1949: Jan., 22

Polyneuritis, postdiphtheritic, cerebrospinal fluid in, 1950: Jan., 112 yneuropathy, nutritional, Polyneuropathy,

May, 727-733 Pompholyx, 1949: Jan., 10 Port-wine mark, 1949: Jan., 220

Portal cirrhosis. See Cirrhosis, portal. Positive pressure breathing, effects on

circulation, 1950: Sept., 1344 intermittent, face mask or endotracheal tube to provide, 1950: Sept., 1352

Postcholecystectomy syndrome, 1948: March, 390

Postcoital examination, 1948: Sept.,

Postoperative use of morphine, 1950: Nov., 1773

Postpartum plasma in psoriatic arthritis, 1949: May, 907-911 Potassium bromide in epilepsy, 1950:

March, 348

iodide in asthma, 1948: Jan., 237, 243 replacement, 1950: March, 409 thiocyanate in hypertension, 1948: Sept., 1249; 1949: May, 662, 695, Sept., 1271

effect on capillary fragility, 1949:

May, 681 PPD, 1948: July, 1095

Pratt test for incompetent communicating veins, 1950: May, 903

Preanesthetic medication, 1950: March,

Precancerous dermatoses, 1949: Jan.,

Bowen's 1949: Jan., 125-134 Precordial electrocardiograms, 1948:

Jan., 197-212 unipolar, interpretation of, 1950: May, 831-855

Preeclampsia, hypertension in, 1949: May, 671

Pre-excitation syndrome, electrocardiogram in, 1950: May, 884

Pregnancy after splenectomy, prognosis, 1950: July, 1217-1236

eclampsia in, management, 1949: May, 839 ectopic, ruptured, coma in, 1948:

May, 803 heart disease and, 1949: Nov., 1735-

1742; 1950: May, 795-804 hypertensive disease of, manage-

ment, 1949: May, 833-842 megaloblastic anemia of, vitamin B12 in, 1950: July, 1202

simulated, 1948: Nov., 1592

symptoms, psychosomatic approach to, 1948: Nov., 1591

Pregnancy, syphilis and, management, 1948: Nov., 1647-1658 penicillin in, 1948: Nov., 1647-1658 toxemias, veratrum viride in, 1948: Nov., 1673-1682

urinary infection complicating, 1949: Sept., 1470

Pregnenilone in amenorrhea, 1950: Sept., 1540

Premarin in amenorrhea, 1948: Jan., 71 in impaired fertility, 1948: Jan., 70 in uterine hemorrhag, 1948: Jan., 68 Premature contractions, ventricular, 1948: Sept., 1427-1438

infant, care of, 1950: Jan., 41-51

Premenstrual tension, psychic aspects, 1950: July, 1002

Preoperative use of morphine, 1950: Nov., 1773

Prerenal azotemia, pathogenesis, 1950: May, 642

Pressure measurements in vessels, 1950: May, 895

sores in paralyzed patients, 1948: Sept., 1280 Pretibial fever, diagnosis, 1950: Sept.,

Priscoline as adrenergic blocking agent, 1950: March, 383

in Buerger's disease, 1950: March, 386 in cerebral vascular accidents, 1950:

March, 385 in hypertension, 1950: March, 389

Procaine in dermatology, 1949: Jan., 272 in relief of pain, 1950: March, 375

intravenous, in surgical anesthesia, 1950: March, 590 Procaine penicillin G, 1948: July, 1106

Profenil in gastrointestinal disorders, 1948: Sept., 1231, 1237 Progeria, 1948: Jan., 157

Progesterone in amenorrhea, 1950: Sept., 1539, with estrogen, Sept., 1540

in cystic enlargement of ovary, 1948: Nov., 1620

in dysmenorrhea, 1950: Sept., 1544 in functional menstrual disorders,

1948: Nov., 1519 in functional uterine bleeding, 1950: Sept., 1547, 1557, 1560

in oligomenorrhea, 1950: Sept., 1541 metabolism in sterility, 1948: Jan.,

withdrawal as cause of menstrual bleeding, 1948: Nov., 1488 Progestin, oral, in uterine hemorrhage,

1948: Jan., 68 Promizole in tuberculous meningitis,

1949: May, 878; 1950: Nov., 1688 Propylthiouracil in thyrotoxicosis, 1950: March, 537

Propylthiouracil in thyrotoxicosis, ac- | tion, 1949: March, 499 effectiveness, 1949: March, 502 1950:

maintenance therapy, March, 538

medical and surgical treatment, 1949: March, 506

preoperative, 1948: July, 956; 1950:

March, 538

Prostate, carcinoma, 1949: March, 479 estrogen therapy, 1948: Jan., 111; 1950: March, 445, Sept., 1411 orchiectomy in, 1948: Jan., 117; 1950: Sept., 1411 phosphatase determinations, 1948: Jan., 112

diseases, endocrine therapy, 1948: Jan., 111-121

hypertrophy, 1949: March, 467 estrogen therapy, 1948: Jan., 119 estrogen therapy, 1948: Jan symptoms, 1949: March, 471

treatment, preoperative, operative and postoperative, 1949: March,

Prostatic secretion, cytology of, in cancer diagnosis, 1950: Sept., 1403 Prostatitis, acute, urinary infection in,

1949: Sept., 1467 chronic, urinary infection in, 1949: Sept., 1469 Sept.,

nonspecific treatment, 1950: March, 527

Prostigmine in gastrointestinal dis-orders, 1948: Sept., 1238, 1241 methyl sulfate in auricular paroxysmal tachycardia, 1950: May,

739Protein tein deficiency, 1949: Nov., 1730 immunity and,

estimation, total, of spinal fluid in neurosyphilis, 1948: May, 709

in nutrition, supplements Sept, 1162

therapy in congestive heart failure, 1949: Nov., 1635

1949: March, 576 Proteus antibiotics

teus infections, antibiotic choice of, 1950: March, 314 Prothrombin deficiency, 1949: Nov.,

1701-1708 treatment, 1950: March, 459-464 determinations, 1949: Nov., 1685

in gastrointestinal hemorrhage, 1949: Nov., 1568

Quick test, 1949: March, 343, Nov., vitamin K and, relationship, 1949:

Nov., 1685 Protracted disease, nutrition in, 1948:

Sept., 1159-1169 Prurigo Besnier, 1949: Jan., 186

Pruritus, 1949: Jan., 14-19 ani, 1949: Jan., 16

Pruritus, generalized, 1949: Jan., 14 idiopathic, emotional factors, 1948: May, 676

localized, 1949: Jan., 16 of scalp, 1949: Jan., 17 vulvae, 1949: Jan., 17

treatment, 1950: Sept., 1479 Pseudocyesis, 1948: Nov., 1592

Pseudohermaphrodism, 1948: Jan., 150 Psittacosis, 1950: Nov., 1650 antibiotics in, choice of, 1950: March, 314

diagnosis, 1950: Sept., 1312 management, 1950: Sept., 1319

Psoriasis, dermatitis exfoliativa and, 1949: Jan., 136, 143 emotional factors, 1948: May, 677

treatment, 1950: Sept., 1479 Psoriatic arthritis, postpartum plasma in, 1949: May, 907-911

Psychiatric treatment, modern, 1950: Sept., 1499-1506

of drug addiction, 1950: March, 436 of intractable pain in phantom limb, 1950: July, 1029-1041

Psychiatry, acceptance as medical discipline, 1950: July, 942 and general practitioner, symposium on, 1950: July, 939

symposium on, 1948: May, 1948 Psychic influence in relief of pain, 1950: March, 375

states, quantitative differences between, theory of, 1950: July, 969 Psychoanalytic contributions to psychiatry, 1950: July, 966

Psychogenic factors in dermatologic disorders, 1948: May, 669-685 in peptic ulcer, 1950: Sept., 1447 headache, 1948: May, 567; 1949: July, 987, Sept., 1448

Psychologic aspects of drugs, 1950: July, 973-979

stages in woman, 1950: July, 996 testing from standpoint of general practitioner, 1950: July, 1067-1077

Psychoneuroses, dementia praecox and, differentiation, 1950: July, 963, 964 diagnosis and treatment, 1950: Sept., 1487

prevalence in armed forces of World War II, 1950: July, 939

in civilian practice, 1950: July, 941 psychosis and, differentiation, 1950: July, 957-971

symptom formation in, 1948: May, 701

Psychopaths, prefrontal lobotomy for, 1950: July, 1047

Psychoses, adrenergic block in, 1950: March, 392

air transportation of patient with, 1948: July, 1092

Psychoses, better doctor-family cooperation in, 1948: May, 631-640 therapy, outpatient, electroshock

1948: May, 585-595

hydrotherapy in, 1949: July, 1121–1130 in aged, 1950: July, 1097 in children, 1948: May, 664

in general practice, 1950: July, 943 manic-depressive, 1948: May, 641-646

electroshock therapy, report of 200 cases, 1949: March, 515-526 prefrontal lobotomy in, indications,

1950: July, 1043-1051 psychoneuroses and, differentiation,

1950: July, 957-971 treatment, modern, 1950: Sept., 1499-

Psychosomatic approach, 1950: July,

aspects of geriatrics, 1950: July, 1091-1105

gynecology, 1948: Nov., 1583-1599; 1950: July, 995-1008 of heart disease, 1950: May, 817-

of hypertension, 1949: May, 691, 703-712

of irritable colon, 1948: March, 401 of menstrual irregularities, treatment, 1948: Jan., 71

of neuromuscular and joint diseases, 1949: July, 1061-1069

of pain, 1950: July, 981-993

concept, 1950: July, 944 disorders, diet in, 1949: March, 571 disorders, treatment 1950: July, 950 types, 1950: July, 946

medicine, definition, 1948: May, 609-

general practitioner and, July, 923-933; 1950: July, 939-955 theory and practice in a general hospital, 1948: May, 611-616

Psychotherapy, approach to patient, 1948: May, 696

brief, in medical practice, 1948: Sept., 1195-1206

defined, 1950: July, 950

doctor-patient relationship, 1948: May, 704 goals of, 1948: Sept., 1198

hypnotic, 1948: May, 571-583 in alcoholism, 1948: May, 692

in anxiety states, 1948: May, 603 in behavior disorders in children, 1948: May, 665

in functional menstrual disorders, 1948: Nov., 1515

in gynecologic problems, 1948: Nov., 1595 in hypertension, 1949: May, 661, 708,

Sept., 1276 in manic-depressive psychosis, 1948: May, 646

in menopause, 1950: March, 550

Psychotherapy, in mental disorders of

aged, 1950: July, 1104 in neuroses, 1950: Sept., 1487-1497 in psychoses, 1950: Sept., 1499

in rheumatoid arthritis, 1949: Sept., 1381

orientation for general practitioner, 1948: May, 695-706

outpatient electroshock therapy and, 1948: May, 592

symptom formation, 1948: May, 701 technics, 1948: Sept., 1201

Psychotic symptom masking onset of brain tumor, 1948: May, 759-767 Pteroylglutamic acid. See Folic acid. Pthalylsulfathiazole. See Sulfa-

thalidine. Pudendal nerve block in obstetrics, 1950: Sept., 1526

Pulled tendon, treatment, 1950: Sept., 1265

Pulmonary. See also Lung. artery, and aorta, complete trans-

position, 1948: July, 890 embolism, 1949: Nov., 1503

electrocardiogram in, 1950: May, emergency treatment, 1949: Nov.,

prevention, 1949: Nov., 1506 septic, pathogenesis, 1950: Nov., 1751-1760

stenosis, 1948: July, 855-877 angiocardiography in, 1950: May,

752 electrocardiogram in, 1949: July,

1159 tetralogy of Fallot, 1948: July, 855, 858, 863, 868

without septal defect associated with recurrent ascites, 1950: July, 1187-1195

without ventricular septal defect but with patent foramen ovale, 1948: July, 870

Pulsation signs in heart disease, 1950:

May, 722-729 Pulsator, Bragg-Paul, 1950: Sept., 1357 Purpura, thrombocytopenic, essential, 1949: July, 1027-1046

secondary, 1949: July, 1032 Pyelitis, 1949: Sept., 1465

Pyelography in prostatism, 1949: March, 475

Pyelonephritis, 1949: Sept., 1465 chronic, streptomycin in, 1948: May,

831 Pylephlebitis, suppurative, acute, 1948: March, 484

Pyloric stenosis in children, parenteral fluid therapy in, 1950: Jan., 63 Pyocyaneus infections, antibiotics in,

choice of, 1950: March, 314 Pyonephrosis, 1948: Sept., 1417, 1418 1419; 1949: Sept., 1465

Pyribenzamine, dosages, 1950: March,

in hay fever, 1948: Sept., 1372

Pyridium in urinary infections, 1949: Sept., 1479

Pyridoxine, interrelationships. 1949: Nov., 1712

Pyrogallic acid in dermatology, 1949: Jan., 276

Pyrrolazote, dosages, 1950: March, 353, 357

Q FEVER, 1950: Nov., 1651 treatment, 1948: Sept., 1333-1342 Quadriceps muscle, contusion, in athletics, treatment, 1950: Sept., 1264 Quick test of prothrombin time, 1949: March, 343, Nov., 1685

Quinidine in auricular fibrillation, 1949: Nov., 1531; 1950: May, 742 prophylactic, 1950: May, 743 in auricular flutter, 1949: Nov., 1529 in paroxysmal auricular tachycardia,

1950: May, 739 in children, 1950: Jan., 222 in paroxysmal ventricular tachycar-

dia, 1950: May, 741 in supraventricular tachycardia, 1949: Nov., 1528

Quinine, hypoprothrombinemia duced by, 1949: Nov., 1702

RABELLON in parkinsonism, 1949: July, 1137

Rabies, diagnosis, 1950: Sept., 1316 immunization, 1950: Nov., 1730 management, 1950: Sept., 1321

Radiation sickness, antihistaminic drugs in, 1950: March, 361 Radiographie pelvimetric technics,

evaluation of, 1948: Nov., 1659-

Radioiodine. See Iodine, radioactive. Radiophosphorus. See Phosphorus, radioactive.

Radium treatment of carcinoma of skin, 1949: Jan., 119-123 of functional menstrual disorders.

1948: Nov., 1521 Raynaud's aud's disease, di 1950: March, 385 dibenamine in,

diffuse scleroderma and, differentiation, 1949: Jan., 65

test for, 1949: March, 348 Recent advances in medicine symposium on, 1949: Sept., 1211, Rectal anesthesia in obstetrics, 1950:

Sept., 1528 Reduction diet in hypertension, 1949:

March, 569 Refrigeration in peripheral vascular disease, 1949: March, 355

Rehabilitation as final goal of therapy, 1949: March, 597

Renal. See also Kidney.

acidosis, repair solutions in, 1948: Sept., 1301

Renal-visceral fistula, 1948: Sept.,

Rendu-Osler-Weber syndrome, 1949: Jan., 220

Repair solutions in treatment of metabolic acidosis and alkalosis, 1948: Sept., 1293-1307

Reproductive organs in female, physiology of, 1948: Jan., 40 Resorcin in dermatologic therapy,

1949: Jan., 277

Respiration, artificial, methods, 1950: Sept., 1348

electrophrenic, 1950: Sept., 1353 Respirator, chest, 1950: Sept., 1353 in poliomyelitis, 1948: Sept., 1393; 1950: March, 560

tank, 1950: Sept., 1352 Respiratory alkalosis and acidosis in children, parenteral fluid therapy,

1950: Jan., 65 failure, classification, 1950: Sept., 1335

treatment, 1950: Sept., 1358 1950: physiologic

hysiologic principles, Sept., 1335-1362 problems in paralyzed patients, man-

agement, 1948: Sept., 1277 tract, infections, air travel in, 1948: July, 1090

penicillin in, 1950: March, 322 virus diseases, 1950: Nov., 1637-1652

Rest in heart failure, 1949: March, 363 in rheumatoid arthritis, 1949: Sept.,

in tuberculosis, 1950: Sept., 1363 in viral hepatitis, 1949: March, 455 Resuscitation, methods, 1950: Sept., 1348

Retinal examination, 1950: May, 889 Retrobulbar neuritis in multiple sclero-

sis, 1948: May, 745 nutritional, 1948: May, 730 Retropharyngeal abscess, 1950: Nov., 1634

drainage of, 1950: Nov., 1635 Rh factor and erythroblastosis fetalis, 1948: Nov., 1638; 1950: Jan., 187 immunization against, 1948: Nov.,

in obstetries, 1948: Nov., 1635-1646 nomenclature, 1948: Nov., 1643 Rh-negative women, immunized, pre-

vention or attenuation of injury to infants of, 1948: Nov., 1637

Rhabdomyoma, congenital, electrocardiogram in, 1949: July, 1167

Rheumatic disorders, acute, treatment, 1949: Nov., 1617 fever, ACTH in, 1950: Sept., 1424

Rheumatic fever, cortisone in, 1950: March, 373, Sept., 1424

modern concept of, 1950: May, 785-793

penicillin in, 1950: Sept., 1430 prophylaxis, sulfonamides in, 1950: March, 337

salicylates in, 1950: Sept., 1419 treatment, 1950: Sept., 1419-1434 heart disease with periodic arterial embolism, ambulatory treatment Dicumarol, 1948: 1309-1313

Rheumatoid arthritis, ACTH in, 1950: March, 374

amyloidosis secondary to, 1950: July, 1167

cortisone in, 1950: March, 373, Nov., 1703

gold therapy, 1948: Sept., 1365; 1950: Nov., 1700 infection and, 1950: Nov., 1693-

treatment, 1948: Sept., 1357-1367; 1949: Sept., 1375-1384; 1950: Nov., 1700

vaccines in, 1950: Nov., 1701

spondylitis, 1949: Nov., 1627 Rhinitis, vasomotor, antihistaminic drugs in, 1950: March, 359

Rib, cervical, 1950: Sept., 1326 Riboflavin, interrelationships, 1949: Nov., 1710

Rice diet in hypertension, 1949: March.

323, 325, 568, May, 662, Sept., 1271, Nov., 1639; 1950: Nov., 1742
Rickettsial infections, antibiotics in, choice of, 1950: March, 315
diagnosis, 1950: Nov., 1606
treatment, 1948: Sept., 1333–1342

Ringworm of scalp, 1950: Jan., 257 diagnosis, 1950: Jan., 259 epidemic, 1948: Jan., 283-296 topical applications, 1948: Jan., 294; 1950: Jan., 264

x-ray depilation in, 1948: Jan., 295; 1950: Jan., 264 Rocking bed for artificial respiration,

1950: Sept., 1351

Rocky Mountain spotted fever, diagnosis, 1950: Sept., 1480 para-aminobenzoic acid 1948: July, 1109 treatment, 1948: Sept., 1333– 1342: 1950: Sept., 1329 Roentgen depilation in ringworm of

scalp, 1948: Jan., 295; 1950: Jan.,

diagnosis, cancer, 1950: Sept., 390 chronic pulmonary disease, 1949: July, 1049

differentiation of abdominal pain. 1948: March, 395 gallstones, 1948: March, 489

hypertensive Roentgen diagnosis, heart disease, 1949: May, 655 hypothyroidism, 1950: Jan., 237 pheochromocytoma, 1950: May, 762 pulmonary embolism, 1949: Nov.,

tumors of large intestine, 1948: March, 428-435 of small intestine, 1948: March,

436-442 examination of heart in coronary artery disease, 1950: May, 693

pelvimetry, evaluation of, 1948: Nov., 1659-1671 treatment, bursitis, 1949: Nov., 1622

carcinoma of skin, 1949: Jan., 119-

functional menstrual disorders, 1948: Nov., 1521

Hodgkin's disease, 1949: March, 530, 532; 1950: March, 453 leukemia, 1949: March, 536, 537,

539; 1950: March, 452, 453 lymphosarcoma, 1949: March, 535 rheumatoid arthritis, 1949: Sept.,

thyrotoxicosis, 1949: March, 513 Rosacea, emotional factors, 1948: May,

Roundworms, diagnosis, 1949: May, 905 Rubella, treatment, 1950: Jan., 141 Rubeola. See Measles.

Rubin test for tubal patency, 1948: Nov., 1544, 1545

Rutin in hypertension, effect on capillary fragility, 1949: May, 681

Sacroiliac strain, 1949: Nov., 1627 SALAZOPYRIN in ulcerative colitis, 1949: July, 935-942

Salicylanilide in ringworm of scalp, 1950: Jan., 264

Salicylates, hypoprothrombinemia induced by, 1949: Nov., 1702 in hypertrophic arthritis, 1950: Sept., 1438

in rheumatic disorders, 1949: Nov.,

in rheumatic fever, 1950: Sept .. 1419

in rheumatoid arthritis, 1948: Sept., 1364; 1949: Sept., 1378

in ulcerative streptococcal, colitis, 1948: July, 971

toxic effects, 1950: Sept., 1422 Salicylazosulfapyridine in ulcerative colitis, 1949: July, 935-942

Salicylic acid in dermatologic therapy,

1949: Jan., 277
Salmonella infections, antibiotics in, choice of, 1950: March, 315 streptomycin in, 1948: May, 813

Salpingography in sterility, 1948: Jan. 45, 1948: Sept., 1186

Salt depletion in congestive heart failure, 1950: May, 625 restriction in dietary therapy, 1948:

Sept., 1167

in heart disease, 1949: March, 564; 1950: March, 578

in heart failure, 1949: March, 366,

367, Nov., 1638; 1950: March, 566, 567, May, 621 with mercurials, 1950: May, 636 in hypertension, 1949: March, 323, 325, 328, 329, 567, May, 713–725, 662, Sept., 1274

retention in congestive heart failure. 1950: May, 615-628 Saphenous-femoral vein incompetency,

test, 1950: May, 902 Sarcoid, Boeck's, 1949: Jan., 32, 35,

36, 257-258

Darier-Roussy, 1949: Jan., 31, 36, 37 Sarcoidosis, 1949: Jan., 31-54, 257 Kveim test in, 1949: Jan., 49 treatment, 1949: Jan., 50

Sayre halter in discogenetic disease of cervical spine, 1949: Nov., 1625 Scabies, treatment, 1950: Sept., 1477 Scalenus anticus syndrome, 1950: Sept.,

Scalp, pruritus, 1949: Jan., 17 ringworm of, 1948: Jan., 283-296, 1950: Jan., 257

topical applications, 1948: Jan., 294; 1950: Jan., 264 x-ray depilation in, 1948: Jan., 295;

1950: Jan., 264 Scaphoid bone, necrosis, avascular, 1950: Jan., 183

Scapula, winged. 1950: Sept., 1325, 1326

Searlet fever, immunization, Jan., 143, Nov., 1732 treatment, 1950: Jan., 143 Schemm diet, 1949: Nov., 1636 Schemmen v. 1640: Jan.

Scheuermann's disease, 1950: Jan., 170 Schistosome dermatitis, 1950: Jan., 266 Schistosomiasis, diagnosis, 1949: May,

concentration technic, 1949: May,

Schizophrenia, 1948: May, 623-629 better doctor-family cooperation in, 1948: May, 637

in children, 1948: May, 665 prefrontal lobotomy for, 1950: July,

shock therapy, 1948: May, 628 treatment, 1950: Sept., 1499

Schizophrenic disorders, differential diagnosis, 1950: July, 963, 964

Scleredema adultorum, dermatomyositis and, differentiation, 1949: Jan., 26

diffuse scleroderma and, differentiation, 1949: Jan., 65

Sclerodactylia, 1949: Jan., 57, 58, 60 Scleroderma, 1949: Jan., 55-77 treatment, 1949, Jan., 72 Sclerosis, multiple, 1948: May, 743-754

Scopolamine in gastrointestinal dis-orders, 1948: Sept., 1230, 135 in obstetrics, 1950: Sept., 1522 in parkinsonism, 1949: July, 1136

Scrub typhus, treatment, 1948: Sept., 1333-1342

Seborrhea, emotional factors, 1948: May, 677 Seborrheic features in atopic derma-

titis, 1949: Jan., 215 keratoses, 1949: Jan., 110 Sedation in aged, 1950: July, 1103

in asthma, 1949: March, 419 in obstetrics, 1950: Sept., 1521–1535 in obstetrics, 1950: Sept., 1521-1535 Seizures, treatment, 1950: March, 341-350; Sept., 1507-1520

Self-demand feeding of infants, 1950: Jan., 33-40

Semen as factor in infertility, 1948: Sept., 1173

examination, 1948: Jan., 75, Sept., 1174, Nov., 1537; 1949: July, 1111 methods of obtaining, 1948: Jan., 75 Senear-Usher syndrome, 1949: Jan., 169

Senile angiomas, 1949: Jan., 227 ectasias, 1949: Jan., 227 keratoses, 1949: Jan., 109 vaginitis, leukorrhea in, 1948: Nov., 1606

Senility, dietary needs, 1949: March, 563, Nov., 1681-1684

Separation anxiety in children, 1950: July, 1084

Septal defects, atrial, 1948: July, 895-

electrocardiogram in. 1949: July, streptomycin in, 1948:

Septicemia, May, 823 Serologic tests in viral diseases, 1950:

Nov., 1610 Serratus magnus muscle, paralysis,

1950: Sept., 1325, 1326 Serum hepatitis, diagnosis, 1950: Sept.,

1313

management, 1950: Sept., 1320 homologous, jaundice due to, 1948:

March, 475 pooled, in chronic nephritis and

nephrosis, 1950: Jan., 86 proteins in hepatic disease, 1948: March, 455-468

sickness, antihistaminic drugs in 1950: March, 359 therapy in meningitis in children,

1950: Nov., 1686

Sexual intercourse, difficult, psychic factors, 1950: July, 1003

Shafer prone-pressure method of artificial respiration, 1950: Sept., 1348 Shock, dibenamine in, 1950: March, 391 hypoprothrombinemia of.

March, 464 morphine in, dangers, 1950: Nov.,

1771 Shock therapy in schizophrenia, 1948:

May, 628 Shoulder, bursitis, 1950: Sept., 1329

injuries, 1950: Sept., 1332 pain in, referred, 1950: Sept., 1334

tendon strain, 1950: Sept., 1334 Signal symptom in multiple sclerosis, 1948: May, 745

Silver nitrate in tonsillitis, 1950: Nov.,

Sims-Huhner test, 1948: Nov., 1543 Sinuses, tuberculous, from bone infection, streptomycin in, 1950: Jan., 279

Sinusitis, headache in, 1948: May, 567 penicillin in, 1950: March, 322 Sinusoidal current, interrupted, bursitis, 1949: Nov., 1622

Situs inversus, complete, electrocardiogram in, 1949: July, 1164

Skeletal diseases, abdominal pain in, 1948: March, 389

system, infections 1950: March, 323 infections, penicillin in,

Skin, allergic diseases, 1949: Jan., 77-

bullous diseases, 1949: Jan., 165 carcinoma, 1949: Jan., 109-117 treatment, 1949: Jan., 119-123

diseases, as window to internal disease, 1949: Jan., 281-287 common, treatment, 1950: Sept., 1473-1486

due to foods, 1949: Jan., 239-247 due to handling or eating of meat,

1949: Jan., 243 psychogenic factors in, 1948: May, 669-685

symposium on, 1949: Jan., 1 treatment, pharmacodynamics of vehicles and drugs in, 1949: Jan.,

functional diseases, 1949: Jan., 3 infections, penicillin in, 1950: March, 324

irritants, foods which may act as, 1949: Jan., 241

lupus erythematosus, 1949: Jan., 79 neurotic excoriations, 1948: May, 673 sarcoidosis of, 1949: Jan., 35

scleroderma, 1949: Jan., 55 temperature, testing, 1950: May, 890 tests in contact dermatitis, 1949: Jan., 182

in urticaria, 1949: Jan., 193 tineal and parasitic disorders, in children, 1950: Jan., 257

Skin, tuberculosis, in Negro, 1949: Jan., 249-262

streptomycin in, 1950: Jan., 279 Skull, basilar impression, 1950: Jan., 155

Sleep problems in early childhood, 1950: July, 1081

Smallpox, diagnosis, 1950: Sept., 1310 immunization, 1950: Jan., 144, Nov.,

management, 1950: Sept., 1318

Smears vaginal, in diagnosis of uterine cancer, 1948: Nov., 1563-1572 Smoking for cardiac patient, 1950: May, 697-703

Soaps in dermatologic therapy, 1949:

Jan., 270 Sodium bromide in epilepsy, 1950: March, 348

naphuride in pemphigus, 1949: Jan.,

perborate in Vincent's angina, 1950: Nov., 1628

replacement, 1950: March, 406 salicylate in rheumatic fever, 1950: Sept., 1421

Sore throat, septic, 1950: Nov., 1623 Solganol B in rheumatoid arthritis,

1948: Sept., 1365 Solution "G" in urinary calculi, 1948: Sept., 1330

Solutions in dermatologic therapy, 1949: Jan., 265 Sontoquin in rickettsial diseases, 1948:

Sept., 1337 Spasm, muscle, in rheumatic disorders,

alleviation, 1949: Nov., 1619

Spasmodies in gastrointestinal disorders, 1948: Sept., 1238, 1240 Sperm, counting technic, 1948: Jan., 79 morphology of, 1948: Jan., 79, 80 motility of, estimating, 1948: Jan., 78 Spider nevus, 1949: Jan., 226

Spinal anesthesia, continuous, in obstetrics, present status, 1948: Nov., 1683-1697

in obstetrics, 1950: Sept., 1527 cord, injuries, at birth, 1950: Jan.,

care of patients paralyzed by, 1948: Sept., 1273-1291 drainage, headache following, 1948:

May, 564 fluid examination in neurosyphilis,

1948: May, 707-719 puncture headache, 1949: Sept., 1449,

Nov., 1594 Spine, arthritis, hypertrophic, 1950: Sept., 1440

physical medicine in, 1949: Sept., 1315

cervical, discogenetic diseases, 1949: Nov., 1623 lesions, 1950: Sept., 1323

Spine, necrosis, avascular, 1950: Jan.,

sign in poliomyelitis, 1950: Jan., 122, 123

Spirochetal infections, antibiotics in, choice of, 1950: March, 315

Spleen, abnormal mechanisms, anemias due to, 1949: March, 552 biopsy, in diagnosis of amyloidosis, 1950: July, 1173

Splenectomy in congenital hemolytic

jaundice, 1950: Sept., 1293 in hemolytic anemia, 1948: Sept., 1269

in women of childbearing age, effect on fertility and course of subsequent pregnancies, 1950: July, 1217-1236

relapses after, 1949: March, 557 Splenic neutropenia, 1950: Sept., 1271 thrombocytopenia, Sept., 1280

paneytopenia, 1950: Sept., 1280 thrombocytopenia, 1950: Sept., 1279 Spondylitis, rheumatoid, 1949: Nov.,

Sprains of ankle in athletics, treatment, 1950: Sept., 1259 of knee in athletics, treatment, 1950: Sept., 1262

Sprue, 1949: Nov., 1671-1680 vitamin B<sub>12</sub> in, 1950: July, 1201 Sputum, cytology of, in cancer diagnosis, 1950: Sept., 1397

Squamous cell carcinoma, 1949: Jan., 115

epithelioma, 1949: Jan., 112 Staphylococcal infections, antibiotics in, choice of, 1950: March, 315 meningitis, streptomycin in, 1948:

May, 822 pneumonia, 1950: Nov., 1654 penicillin in, 1948: Sept., 1211 Statural disturbances in pediatric prac-

tice, 1948: Jan., 151-160 Status asthmaticus, 1948: Jan., 238, 241 dibenamine in, 1950: March, 390 management, 1949: Nov., 1597-1603

epilepticus, 1950: Sept., 1518 drug therapy, 1950: March, 349 Stenosis, pulmonary. See Pulmonary stenosis.

Sterility. See Infertility.

Sterilization, therapeutic, role in preventive medicine, 1948: Nov., 1629-

Sternal marrow, aspiration biopsy, 1950: Sept., 1388

Stevens-Johnson syndrome, 1948: March, 359

Stiff neck, 1950: Sept., 1323 Stilbestrol. See Diethylstilbestrol. Stimulation, simultaneous, advantages,

in neurological examination, 1948: May, 755-758

Stings and bites, insect, antihistaminic drugs in, 1950: March, 361

Stokes-Adams syndrome, diagnosis, 1948: May, 802

Stomach, carcinoma, in pernicious ane-mia, prevention, 1949: Sept., 1397 desiccated, in pernicious anemia, 1948: July, 1116

diverticulum, 1948: March, 336-354 disease malignant simulating,

1948: March, 345 lavage, in renal failure, 1948: July. 992

malignant disease, simulating gastric diverticulum, 1948: March, 336 perforation, pain in, 1949: July, 965-

secretion, cytology of, in cancer diagnosis, 1950: Sept., 1403

ulcer. See Peptic ulcer. vagotomy for, indications, 1948: March, 304

Stomatitis, common forms, diagnosis and treatment, 1948: March, 355-

Strabismus, nonparalytic, treatment problems, 1950: Jan., 283-302

Strains, muscle, in athletics, treat-ment 1950: Sept., 1265 sacroiliae or lumbosacral, 1949: Nov., 1627

Stramonium leaves in parkinsonism, 1949: July, 1137

Strapping, protective, in 1950: Sept., 1266, 1267 in athletics,

Strawberry gallbladder, 1948: March, 494 mark, 1949: Jan., 222

Streptobacillus moniliformis infections, antibiotics in, choice of, 1950:

March, 315 Streptococcal infections, antibiotics in, choice of, 1950: March, 315

prophylactic, sulfonamides in, 1950: March, 337

pneumonia, 1950: Nov., 1654 penicillin in, 1948: Sept., 1210 sore throat, 1959: Nov., 1623

stomatitis, 1948: March, 357 ulcerative colitis, present-day therapy, 1948: July, 967-979

Streptodornase in pleural effusions, postpneumonic, 1950: Nov., 1663

Streptomycin, aerosol administration, 1948: July, 1079

current use, 1950: March, 326-330 dosage and administration, 1950: March, 317, 327

experiences with, 1948: May, 805-838

hypoprothrombinemia induced by, 1949: Nov., 1703 in bacteremia, 1950: March, 328

Streptomycin, in bronchiectasis, aerosol method, 1948: July, 1081

in brucellosis, 1950: March, 329 sulfadiazine combined with, 1949: July, 1079-1088 in diarrhea and enteric infections,

1948: May, 805 in influenzal meningitis, 1948: May, 818; 1949: May, 875; 1950: Jan., 137, March, 329

in meningitis, 1948: May, 818 in children, 1950: Nov., 1686

in nontuberculous pulmonary infec-tion, 1948: May, 826 in osteomyelitis in infants, 1948:

May, 834

in peritonitis, 1948: May, 835 plague, 1948: July, 1109; 1950: March, 328

in pneumonia, 1950: Nov., 1660 in rickettsial diseases, 1948: Sept., 1337

in salmonella infections, 1948: May,

in septicemia, 1948: May, 823

tracheobronchial tuberculosis, 1948: July, 1083

in tuberculosis, 1948: May, 828; 1949: March, 375-389; 1950: Sept., 1364 dosage and administration, 194 March, 377; 1950: Sept., 1366 indications and contraindications,

1949: March, 383, 385 in infants and children, 1950: Jan.,

271-281

of intestines, 1950: Nov., 1677 in tuberculous meningitis, 1949: May, 877; 1950: Jan., 138, Nov., 1687 in tularemia, 1948: May, 826; 1950: March, 328

in urinary tract infections, 1948: May, 831; 1949: Sept., 1477; 1950: March, 328, 532

in whooping cough, 1950: Jan., 139, March, 329

pharmacology, 1950: March, 309 resistance, 1950: March, 313, 328 toxicity, 1949: May, 876; 1950: March,

312 Stricture of bile ducts, benign, 1948: March, 497

Stridor, diagnostic significance, 1949: July, 1056

Stroke, questionable use of term, 1950: July, 1058

Strophanthidin, acetyl, in congestive heart failure, 1950: May, 670 Strophanthin K, 1950: May, 657 Stuttering, nature of, 1948: May, 617-

622 Subacromial bursitis, 1949: Nov., 1621 Subarachnoid hemorrhage, 1948: May,

738, 800 headache due to, 1948: May, 565; 1949: July, 990

Subdeltoid arthritis, chronic adhesive,

1950: Sept., 1331 arsitis, 1949: Nov., 1621; 1950: bursitis, 1949: Nov., 1621; 1950: Sept., 1330 Subdural hematoma, 1948: May, 738,

puncture in infants and children, 1950: Jan., 117

Succinylsulfathiazole. See Sulfasuxidine.

Sugar consumption and dental caries, 1950: Jan., 15

Suggestion, role, in hypnosis, 1948: May, 573

Sulfadiazine in bacillary dysentery, 1950: March, 334, Nov., 1670 in bronchopulmonary suppuration,

1949: March, 403

in brucellosis, penicillin with, 1948: July, 1108 streptomycin with, 1949: July,

1079-1088 in meningitis in children, 1950: Nov.,

1685 in meningococcal meningitis, 1949:

May, 871; 1950: March, 336 in pneumococcal meningitis, 1949: May, 873

in streptococcal infections, prophylactic use, 1950: March, 337

in tonsillitis, 1950: Nov., 1624 in ulcerative colitis, streptococcal,

1948: July, 971 in urinary tract infections, 1950: March, 332, 530, 531

Sulfaguanidine, in bacillary dysentery,

1950: Nov., 1670 Sulfamerazine, in meningitis in children, 1950: Nov., 1685

Sulfamethazine, in urinary tract infections, 1950: March, 332 Sulfasudadine, in indeterminate ul-

cerative colitis, 1948: March, 415 Sulfathalidine, in ulcerative colitis, streptococcal, 1948: July, 971

in urinary infections, 1949: Sept., 1474 Sulfathiazole, in Vincent's angina,

1950: Nov., 1621 Sulfonamides. See also the individual

choice of drug, 1950: March, 339 combinations, use of, 1948: July,

hypoprothrombinemia induced by, 1949: Nov., 1703 in bacillary dysentery, 1950: March,

333

in dermatology, 1949: Jan., 273 in erysipelas, 1950: Jan., 136 in measles, 1950: Jan., 142

in meningitis in children, 1950: Nov.,

in meningococcal meningitis, 1950: Jan., 136, March, 335

Sulfonamides, in pneumonia, 1950: Nov. 1662

in rheumatic fever, prophylactic, 1950: March, 337

in rickettsial diseases, 1948: Sept.,

in streptococcal infections, prophylactic use, 1950: March, 337

in ulcerative colitis, 1948: March, 415, July, 970 in urinary tract infections, 1949:

July, 1076, 1078, Sept., 1474; 1950: March, 331, 530, 531

present status, 1950: March, 331-340 Sulfur in dermatologic therapy, 1949: Jan., 276, 277

Summer headache, 1949: July, 993 Sunstroke, headache in, 1949: Nov., 1592

Suprarenal. See Adrenal.

Swimmer's itch, 1950: Jan., 266 Swimming, therapeutic, in psychoses, 1949: July, 1126

Sycosis barbae, treatment, 1950: Sept., 1476

Sympathectomy, for congenital mega-colon, 1948: July, 984 for hypertension, 1949: Jan., 187-196;

1949: March, 326, May, 663, 751-761, Sept., 1275; 1950: Nov., 1745 analysis of results in 300 cases, 1949: May, 735-749

of 66 patients obtaining excellent results, 1949: May, 727-733 effect on fundus changes, 1949:

May, 671 evaluation of effects. 1949: May, 740, 753

in children, 1949: Sept., 1283-1299 postoperative complications, 1949: May, 738

response to tetraethylammonium after, 1949: May, 823 selection of cases, 1949: May, 727,

tetraethylammonium test to pre-

dict outcome, 1949: May, 824 Sympatholytic agents in hypertension, 1948: Sept., 1251

Symptom formation in psychoneurosis, 1948: May, 701

Syncope, treatment, 1949: Nov., 1519 Syncurine with electroshock therapy, 1950: Sept., 1506

Synkamin, 1949: Nov., 1705

Synkayvite, 1949: Nov., 1705 Syntropan, in congenital megacolon, 1948: July, 983

in gastrointestinal disorders, 1948: Sept., 1231, 1236

Syphilis, effect on heart and aorta, elinicopathologic study, Sept., 1439-1466

glandular, 1949: Jan., 261

Syphilis, in pregnancy, management, 1948: Nov., 1647-1658

of nervous system, 1948: May, 707-719 penicillin in, in pregnancy, 1948: Nov., 1647-1658

treatment, present status, 1950: March, 495-507

Syphilitic aortitis, 1948: Sept., 1439 angiocardiography in, 1950: May, 752

diagnosis and course, 1948: Sept .. 1458

cirrhosis, nodular, 1948: March, 514 meningitis, 1950: Nov., 1688 stomatitis, 1948: March, 359 Syphilophobia, 1948: May, 675

TACHYCARDIAS, paroxysmal, 1950: May, 735-744

supraventricular, in infants and children, 1950: Jan., 217-222 treatment, 1949: Nov., 1528

supraventricular, treatment, 1949: Nov., 1528

Tagathen, dosages 1950: March, 352,

Tapeworm disease, diagnosis, 1949: May, 906 Tars in dermatologic therapy, 1949:

Jan., 274

Teeth, caries of, control and prevention, 1950: Jan., 13-32 Telangiectasias, congenital, 1949: Jan., 219

Temperature, body, basal, in func-tional uterine bleeding, 1948:

Jan., 60 in study of sterility, 1948: Jan., 51, Sept., 1190; 1948: Nov., 1549

Temporal arteritis, headache and, 1949:

July, 996 don, "pulled," treatment, 1950: Sept., 1265 Tendon,

strain, of shoulder, 1980: Sept., 1334
Tension headache, 1949: July, 980,
981, Sept., 1447

Terminology, tyranny of certain terms, 1950: July, 1053-1066
Terramycin, in influenza, 1950: Nov.,

1645

in pharyngitis, 1950: Nov., 1632 in pneumonia, 1950: Nov., 1661 in septic sore throat, 1950: Nov., 1624 Testicular biopsy, 1948: Jan., 81, 98, Sept., 1175; 1948: Nov., 1538 failure in adolescence, 1948: Jan., 147

primary, 1948: Jan., 99 secondary, 1948: Jan., 105

Testis, aspiration, to obtain sperm, 1948: Jan., 77

undescended, 1948: Jan., 149

Testosterone, in carcinoma of breast, 1948: Jan., 18-36; 1950: Sept., 1410 Testosterone, in cystic enlargement of ovary, 1948: Nov., 1621

in dysmenorrhea, 1950: Sept., 1543 in functional menstrual disorders, 1948: Nov., 1520

in functional uterine bleeding, 1950: Sept., 1546, 1559, 1560

in menopause, 1950: Sept., 1549 in primary hypogonedrim, 1948: Jan.,

Tests, intelligence, in adoptive place-ments and behavior disorders, 1950: July, 1073

in mental retardation, 1950: July,

personality, 1950: July, 1075 psychologic, from standpoint of general practitioner, 1950: July, 1067-1077

vocational, 1950: July, 1077 Tetanus, immunization, 1950: Nov., 1717

penicillin in, 1950: March, 324

Tetany, parathyroid, in adolescence, 1948: Jan., 146

Tetraethylammonium, cardiovascular effects, with special reference to hypertension, 1949: May, 805-831

in gastrointestinal disorders, 1948: Sept., 1233, 1237

in hypertension, 1948: Sept., 1252; 1949: May, 805-831 Tetralogy of Fallot, 1948: July, 855-877

angiocardiography in, 1950: May,

Thenylene, dosages, 1950: March, 352,

Theophorin, dosages, 1950: March, 353,

Therapeutics, medical, symposium on. 1950: March, 307

Thiamine, in atherosclerosis, 1949: May, 776

in nutritional polyneuropathy, 1948: May, 731 interrelationships, 1949: Nov., 1711

Thibierge - Weissenbach syndrome, 1949: Jan., 63

Thiocyanates, in hypertension, 1948: Sept., 1249; 1949: May, 695, Sept.,

effect on capillary fragility, 1949:

May, 661 Thiomerin, to potentiate mercurials, 1950: May, 623

Thiouracil, 1948: July, 953 in thyrotoxicosis, 1949: March, 499-

512 preoperative preparation, 1948: July, 955

Thoracoplasty, for tuberculosis, 1950: Sept., 1370

Thoractomy, diagnostic, 1949: July, Thornwaldt's disease, 1950: Nov., 1633 Throat, infections, acute, 1950: Nov., 1621-1635

Thrombidiosis, 1950: Jan., 267 Thrombin in hemophilia, 1950: March,

Thrombitis following varicosities, 1950: May, 907

Thromboangiitis obliterans, adrenergic blocking agents in, 1950: March, 386

anticoagulants in, 1949: March, 335 physical medicine in, 1949: March, 348

Thrombocytopenia, recurrent, clinicopathologic conference, 1948: Jan.,

splenic, 1950: Sept., 1279 plus neutropenia, 1950: Sept., 1280

Thrombocytopenic purpura, essential, 1949: July, 1027-1046 splenectomy for, effect on sub-

sequent pregnancies, July, 1223 splenic, 1949: March, 555

Thrombo-embolism as surgical risk, 1949: March, 579 Thrombophlebitis, idiopathic, recur-

ring, anticoagulants in, March, 338

treatment, 1949: March, 580 Thrombosis, arterial, anticoagulants in, 1949: March, 337

cerebral, 1948: May, 738 anticoagulants in, 1949: March, 339; 1950: May, 909-924

coronary, abdominal pain in, 1948: March, 389 of cerebral sinuses and veins, 1948:

May, 739, 801 superior sagittal sinus, 1948:

May, 801 varicosities following, 1950: May, 897,

899, 906 venous, anticoagulants in, 1949: March, 338

prevention, 1949: Nov., 1506 recognition and emergency treatment, 1949: Nov., 1501-1517 sequelae, 1949: Nov., 1515

Thrombo-ulcerative colitis, present-day therapy, 1948: July, 967-979 Fhrush, 1948: March, 360

Thyloquinone, 1949: Nov., 1705 Thyroid clinic, 1949: Sept., 1241-1248 deficiency in childhood, 1950: Jan., 235-245

disturbances in adolescence, 1948: Jan., 144

gland, absence of, 1950: Jan., 241-244 carcinoma, radioiodine in, 1948: July, 962; 1950: March, 450

diseases, treatment, recent vances, 1948: July, 945-965 physiology, in relation to therapy,

1949: March, 497

Thyroid gland, study of, recent advances, 1948: July, 945-965

hormone, fetal requirements, 1948: Jan., 129

nodules, benign and malignant, function of, 1949: Sept., 1225-1230

therapy in atherosclerosis, 1949: May, 777

in cretinism, 1948: Jan., 130 in functional menstrual disorders,

1948: Nov., 1516 in habitual abortion, 1949: July,

in hypertrophic arthritis, 1950: Sept., 1438

in nephrotic edema, 1950: Jan., 85 Thyroid-pituitary relationship, 1948: Jan., 127

Thyrotoxicosis, diagnosis, clinic on, 1949: Sept., 1241-1248 problems in, 1949: Sept., 1231-1239 hypertension in, 1949: Nov., 1750

in adolescence, 1948: Jan., 144 iodine in, 1949: March, 513 action of, 1949: March, 500

plasma protein-bound iodine test, 1949: Sept., 1233

medical propylthiouracil in, and surgical treatment, 1948: July 956; 1949: March, 499, 502, 507; 1950: March, 537, 538

radioiodine in, 1948: Jan., 3-17, July, 956; 1949: March, 512, Sept., 1211-1223

diagnostic test, 1949: Sept., 1232 thiouracil in, 1948: July, 955

treatment, current methods, 1949: March, 497-514; 1950: March, 535-

x-rays in, 1949: March, 513

Thyrotropic hormone, 1948: July, 951 Thyroxine, formation, 1949: March, 499 Tibial tubercle, avascular necrosis, 1950: Jan., 180

Tibione, in tuberculosis, 1950: Sept., 1367

Tie, diagnosis and treatment, 1950: July, 1079

Tick fever. See Rocky Mountain spotted fever.

Tinea capitis, treatment, 1950: Sept.,

corporis, treatment, 1950: Sept., 1481 cruris, treatment, 1950: Sept., 1481 Tineal disorders, of skin in children, 1950: Jan., 257-269

Tobacco, use of, in peptic ulcer, 1950: Sept., 1454

Tolserol, in bursitis, 1949: Nov., 1621 in discogenetic diseases of cervical spine, 1949: Nov., 1623

in rheumatic disorders, 1949: Nov.,

in parkinsonism, 1949: July, 1138

Tonsillitis, acute lacunar, 1950: Nov., 1624

ulcerative, 1950: Nov., 1626 viral, 1950: Nov., 1641

Torticollis, 1950: Sept., 1328 ocular, 1950: Jan., 292

Toxemia of pregnancy, physiology, 1948: Nov., 1674 veratrum viride in, 1948: Nov., 1673-1682

Tourniquets, in severe hemorrhage, 1949: Nov., 1556

Trachea, amyloid tumors, 1950: July, 1145-1150

aspiration, in pulmonary atetectasis, 1949: Nov., 1614

Tracheobronchial tuberculosis, tomycin in, 1948: July, 1083 Tracheo-esophageal fistula, 1950: Jan.,

247-256 Tracheotomy, in respiratory failure,

1950: Sept., 1359

Traction, cervical, method, 1950: Sept., 1325

headache, 1949: Sept., 1449 Trance, in hypnotic psychotherapy, 1948: May, 572

Transfusions, blood, 1950: March, 405 in chronic nephritis and nephrosis, 1950: Jan.,

in erythroblastosis fetalis, 1950: Jan., 196 substitution therapy, Jan., 197

gastrointestinal hemorrhage, 1949: Nov., 1573

in hemophilia, 1950: March, 465 malnutrition, preoperative, 1949: March, 577

in massive hemorrhage from peptic ulcer, 1948: March, 330 in pernicious anemia, 1949: Sept.,

1386

rheumatoid arthritis, 1949: Sept., 1382

in severe hemorrhage, 1949: Nov., 1559 in ulcerative colitis, streptococcal,

1948: July, 972 Transportation of patients by air, 1948: July, 1084-1093

Transposition of great vessels of heart, 1948: July, 890

Trasentine in gastrointestinal orders, 1948: Sept., 1231, 1236

Trauma, behavior disorders following, 1948: May, 661

Traumatic headache, 1949: July, 988, Sept., 1450, 1451, Nov., 1593

Treatment, current concepts, posium on, 1950: Nov., 1739

specific methods, symposium 1948: Sept., 1159; 1950: Sept., 1253 Trench mouth, 1950: Nov., 1626 Trichinosis, dermatomyositis and, dif- | Tuberculosis, hematogenous, acute, ferentiation, 1949: Jan., 26 diagnosis, 1949: May, 906

Trichlorethylene anesthesia, in obstetrics, 1950: Sept., 1530

Trichomonas vaginalis vaginitis, 1948: Nov., 1609

Trichophytin in diagnosis and treatment of dermatophytosis, 1949: Jan., 197

reaction, 1950: Jan., 261

Trichophyton, 1950: Jan., 259 Trichophytosis

chophytosis of toes, recurred lymphangitis in, 1949: July, 1090 recurrent Trichotillomania, 1948: May, 673

Tricuspid atresia, congenital anatomic classification, 1949: July, 1177-1196

with rudimentary right ventricle, patent foramen ovale and ventricular septal defect, 1948: July,

insufficiency, venous pulsations of liver in, 1950: May, 728 regurgitation, pulsation in, 1950:

May, 725 Tridione in epilepsy, 1950: March, 347, Sept., 1513, 1516

Trimethadione. See Tridione.

Trimeton, dosages, 1950: March, 353, 357

Trophic ulcers in scleroderma, 1949: Jan., 57, 59, 74 Tropical diseases, diagnosis, 1949:

May, 899 disease, Tsutsugamushi treatment,

1948: Sept., 1333-1342 Tubal insufflation, 1948: Sept., 1184;

1949: July, 1113 ligation for sterilization, 1948: Nov., 1632

patency, tests for, 1948: Jan., 46, Sept., 1184, Nov., 1544 Tube feeding, 1948: Sept., 1163

formula for, 1948: Sept., 1165

Tuberculin reactions, development and variations, 1948: July, 1098 positive, criteria, 1948: July, 1097 test, 1948: July, 1050

changing concepts, 1948: July, 1095-1103

clinical implications, 1948: July, methods, 1948: July, 1096

types, 1948: July, 1095 Tuberculosis, amyloidosis secondary to, 1950: July, 1167

chronic, dietary needs, 1949: March, 563

collapse procedures, changing pic-ture, 1950: Sept., 1367

combined therapy, 1950: Sept., 1374 cutaneous, in Negro, 1949: Jan., bone marrow examination in, diagnostic importance, 1950: Nov. 1817-1827

immunization, 1950: Nov., 1733 in infants and children, streptomycin

in, 1950: Jan., 271-281 of intestines, 1950: Nov., 1676 of lacrimal gland and duct, 1949: Jan., 261, 262

para-aminosalicylic acid in, 1950: Sept., 1366

pulmonary, air travel in, 1948: July, 1090

diagnosis, 1949: July, 1049 treatment, recent advances, 1950: Sept., 1363-1380

rest in, 1950: Sept., 1363 streptomycin in, 1948: May, 828; 1949: March, 375-389; 1950: Sept.

1364 dosage and administration, 1949:

March, 377; 1950: Sept., 1366 indications and contraindications, 1949: March, 383, 385

surgical technics in, 1950: Sept., 1370 tibione in, 1950: Sept., 1367

tracheobronchial, streptomycin in, 1948: July, 1083

verrucosa cutis, 1949: Jan., 249, 250 Tuberculous meningitis, 1949: May, 877; 1950: Nov., 1687 para-aminosalicylic acid in, 1949:

May, 879

promizole in, 1949: May, 878 streptomycin in, 1949: May, 877; 1950: Jan., 138

Tubocurarine in obstetrics, Sept., 1531

Tularemia, cutaneous, 1949: Jan., 244 streptomycin in, 1948: May, 826; 1950: March, 328

Tularemic meningism and serous meningitis, 1948: May, 769-778 nors, amyloid, of larnyx

Tumors, amyloid, of larnyx trachea, 1950: July, 1145-1150 trathoracic, diagnosis, angio-cardiography in, 1950: May, 746, intrathoracic, 747

chemotherapy, malignant, March, 439-458

of internal organs, cutaneous lesions in, 1949: Jan., 284

of brain, coma in, 1948: May, 800 headache due to, 1948: May, 563 psychotic symptoms masking, 1948: May, 759-767 of large intestine, x-ray diagnosis,

1948: March, 428-435

of lung, diagnosis, 1949: July, 1052 of pancreas, islet-cell, multiple parathyroid adenomas associated with, report of 2 cases, with necropsy findings, 1949: July, 1141-1156

Tumors, of small intestine, x-ray diagnosis, 1948: March, 436-442
Two-step exercise test in heart disease,

1950: May, 705-713

Typhoid fever, 1950: Nov., 1673 immunization, 1950: Nov., 1716 treatment, 1950: Nov., 1674

Typhus fever, immunization, 1950: Nov., 1729, 1730

treatment, 1948: Sept., 1333-1342 Tyrothricin, dosage, 1950: March, 316 pharmacology and toxicology, 1950: March, 308

toxicity, 1950: March, 311

ULCER, duodenal. See Duodenal ulcer and Peptic ulcer. gastric. See Peptic ulcer.

peptic. See Peptic ulcer.

trophic, in scleroderma, 1949: Jan. 57, 59, 75

varicose, 1950: May, 907

Ulcerative colitis. See Colitis, ulcerative. Understature in children, 1948: Jan., 151 Underwater exercises in hemiplegia, 1948: May. 786

1948: May, 786 in poliomyelitis, 1948: May, 785 Urecholine, in gastrointestinal disorders, 1948: Sept., 1238, 1240

Uremia, acute, true, in acute glomerulonephritis, 1950: Jan., 104

diagnosis, 1948: May, 802 treatment, peritoneal lavage in, 1948:

July, 989-1076 Ureteral calculus, 1948: Sept., 1415, 1416

obstruction, chronic urinary infection due to, 1949: Sept., 1468

Ureteropelvic obstructions, chronic urinary infection due to, 1949: Sept., 1468

Sept., 1468 Urethane, in chronic myelocytic leukemia, results of three-year study, 1950: July, 1205-1215

in leukemia, 1950: Jan., 202, March, 452, 453

452, 453 in multiple myeloma, 1950: March, 455

pharmacology, 1950: March, 441 toxicity, 1950: July, 1212

Urethral lesions, chronic urinary infection due to, 1949: Sept., 1469 mucosa, prolapse of, 1949: Sept., 1466

Urethritis, acute, urinary infection in, 1949: Sept., 1466 nonspecific, treatment, 1950: March, 527

Uric acid stones, medical management, 1948: Sept., 1317

Urinary calculi, medical management, 1948: Sept., 1315

obstruction, congenital, and acidosis, parenteral fluid therapy in, 1950: Jan., 61 Urinary sediment, cytology of, in cancer diagnosis, 1950: Sept., 1403 stasis, adynamic, 1949: Sept., 1471 tract disease, abdominal pain in,

1948: March, 390

infections, arsenicals in, 1949: Sept., 1479 aureomycin in, 1949: Sept., 1477 chloromycetin in, 1949: Sept.,

complicating stasis, 1949: Sept.,

management, 1949: Sept., 1465-1480; 1950: March, 525-533 mandelic acid in, 1949: Sept.,

1478 nephritis-like, 1949: Sept., 1472 penicillin in, 1949: Sept., 1475–

pyridium in, 1949: Sept., 1479 role of obstruction and stasis,

1949: Sept., 1467 streptomycin in, 1948: May, 831; 1949: Sept., 1477; 1950: March, 328

sulfonamides in, 1949: Sept., 1474; 1950: March, 331

symptoms, diagnosis and treatment, 1949: July, 1071-1078 Urine, bacteriology, 1949: Sept., 1472

chloride excretion, test, 1949: Sept., 1273

specimen, proper collection, 1949: Sept., 1473 Urobilingen in urine, determinations,

value of, 1950: Sept., 1464 Urogenital disorders of aged, 1949: March, 463-483

Urologic surgery, anesthesia for, 1949: March, 476

Urticaria, 1949: Jan., 191 antihistaminic drugs in, 1950: March, 358

skin tests in, 1949: Jan., 193 treatment, 1948: Sept., 1375; 1949: Jan., 194; 1950: Sept., 1478

Uterine bleeding, functional, causes, 1950: Sept., 1551 endocrine therapy, 1950: Sept., 1544, 1556

treatment, 1948: Nov., 1509; 1950: Sept., 1551

1950: Sept., 1551 irregularities of, and their treatment, 1948: Jan., 57-72

ment, 1948: Jan., 57-72 Uterosalpingography, 1948: Nov., 1546 Uterotubal insufflation, 1948: Nov., 1544, 1545

Uterus, abnormalities, congenital and developmental, 1948: Sept., 1182 carcinoma, diagnosis, vaginal smear, for, 1948: Nov., 1563-1572

for, 1948: Nov., 1563-1572 early detection, value of periodic examination of well women in, 1948: Nov., 1557

cervix. See Cervix uteri.

Uterus, cyclical changes, 1948: Jan., 42; Nov., 1491

diagnostic tests, in infertility, 1948: Sept., 1180 fibroids, harmlessness of many, 1949:

March, 432

malformations, infertility due to, 1948: Nov., 1541
myomas, infertility due to, 1948: Nov., 1540

Uveitis in sarcoidosis, 1949: Jan., 41 Uveoparotid fever, 1949: Jan., 31, 34, 41

VACCINATION, smallpox, 1950: Nov.,

Vaccines, in rheumatoid arthritis, 1950: Nov., 1701

in ulcerative colitis, streptococcal, 1948: July, 970

Vagina, absence of, 1948: Jan., 150 biology, changed, leukorrhea due to, 1948: Nov., 1605 normal, 1948: Nov., 1601

diagnostic tests, in infertility, 1948: Sept., 1171

Vaginal smear, in cancer diagnosis, 1948: Nov., 1563-1572; 1950: Sept., 1396

Vaginitis, senile, leukorrhea in, 1948: Nov., 1606

treatment, 1948: Sept., 1172 Trichomonas vaginalis, 1948: Nov.,

Vagotomy for peptic ulcer, clinical conference on, 1948: March,

301-312 medical management following, 1948: Nov., 1711-1716

Valvular heart disease, angiocardiography in, 1950: May, 753
Van den Bergh test, modifications, evaluation of, 1950: Sept., 1463 Varicella. See Chickenpox

Varicelliform eruption of Kaposi, 1949:

Jan., 147 complicating a 1949: Jan., 214 atopic eczema.

Varices, arterial, differential diagnosis and treatment, 1950: May, 897-908 Varicose ulcer, 1950: May, 907

veins, differential diagnosis and treatment, 1950: May, 897-908 Variola. See Smallpox.

Vascular degeneration, metabolic aspects, 1949: May, 783-794

diseases, peripheral, adrenergic blocking a March, 384 in, 1950: agents physical diagnosis, 1949: March,

physical medicine in, 1949: March, 347-358

rehabilitation, 1949: March, 356 symposium on, 1950: May, 609 headaches, 1949: Sept., 1444

Vascular nevi, 1949: Jan., 219 sclerosis in diabetes, 1950: March, 491

Vasodilator headache, 1949: Sept., 1447 Vasodilators, in acute renal failure, 1949: July, 1014

in multiple sclerosis, 1948: May,

in peripheral vascular disease, 1949: March, 351

Vasomotor disturbances of menopause, 1950: March, 543 ninitis, antihistaminic drugs in,

rhinitis, antihista 1950: March, 359

Vehicles in dermatologic therapy, pharmacodynamics of, 1949: Jan., 263-279

Veins, pathologically enlarged, differential diagnosis and treatment, 1950: May, 897-908

peripheral, examination, methods,

1950: May, 887 postthrombotic, May, 897, 899 treatment, 1950: May, 906 varicose, 1950: May, 897-908

Vena cava ligation, in treatment of thrombosis and embolism, 1949: Nov., 1509

Venography, 1950: May, 894

Venous disease, chronic, anticoagulants in, 1949: March, 338

thrombosis, prevention, 1949: Nov.,

recognition and emergency treatment, 1949: Nov., 1501-1517 sequelae, 1949: Nov., 1515

Ventral flexion sign in poliomyelitis, 1950: Jan., 122

Ventricular hypertrophy, electrocar-diogram in, 1949: July, 1159, 1169 unipolar precordial electrocardiogram in, 1950: May, 849

paroxysmal tachycardia, 1950: May, 740

premature contractions, a therapeutic challenge, 1948: Sept., 1427-1438

puncture in infants and children, 1950: Jan., 117

1948: July, 1117 Ventriculin, in air travel after,

Ventriculography, a 1948: July, 1092 Veratrum viride, in hypertension, 1948:

Sept., 1253; 1950: Nov., 1743 in toxemias of pregnancy, 1948: Nov., 1673-1682

Verruca necrogenica, 1949: Jan., 244 Verrucae, emotional factors, 1948: May, 680

Verrucous nevus, 1949: Jan., 235, 236 Vesicles, recurrent, streptomycin in, 1948: May, 834

Vincent's angina, 1950: Nov., 1926

Vinobel in parkinsonism, 1949: July,

Vioform, in dermatology, 1949: Jan., 273

ment, 1950: Sept., 1303-1322, Nov., 1606 Viral diseases, diagnosis and manage-

of respiratory tract, 1950: Nov., 1637-1652

hepatitis, chronic, 1949: March, 448-458

infection, stomatitis due to, 1948: March, 359 pharyngitis and tonsillitis, 1950:

Nov., 1641

pneumonia, 1950: Nov., 1645 Virologist, role, in diagnosis of acute infectious diseases, 1950: Nov., 1605 Virus diagnostic laboratory, utiliza-tion, by physician, 1950: Nov., 1615 in etiology of zoster, 1949: Jan., 160

Visceral leishmaniasis, diagnosis, 1949: May, 905 Vision, development, 1950: Jan., 284

Visual acuity, determination, i infants and children, 1950: Jan., 284, 286 Vitamin A, interrelationships, 1949:

Nov., 1709 preparations of, comparative absorption, 1950: March, 413-424

Vitamin antagonists, 1949: Nov., 1715, 1721 Vitamin B in atherosclerosis, 1949:

May, 776 in pernicious anemia, 1949: Sept., 1394

interrelationships, 1949: Nov., 1710 Vitamin Be, 1948: July, 1127

Vitamin B<sub>12</sub>, 1949: Nov., 1723

clinical results, 1949: Nov., 1726 in megaloblastic anemia of infants, 1950: July, 1201

in pernicious anemia, 1949: March, 551, Sept., 1394; 1950: J 1197-1204, Sept., 1298 in sprue, 1950: July, 1201 Vitamin C. See also Ascorbic acid. 1950: July,

interrelationships, 1949: Nov., 1712 Vitamin deficiency, electrocardiogram in, 1959: May, 870 imbalance, 1949: Nov., 1715

Vitamin K, clinical administration, 1949: Nov., 1685

deficiency, 1949: Nov., 1688, 1690 Dicumarol poisoning, March, 463

in specific conditions, dosages, 1949: Nov., 1706 in prothrombin deficiency, 1950:

March, 461

metabolism, 1949: Nov., 1687 preparations and dosages, 1949: Nov., 1705

prothrombin and 1949: Nov., 1685 and, relationship, test, response to, 1949: Nov., 1703

Vitamin M, 1948: July, 1127

Vitamin therapy in congestive heart failure, 1949: Nov., 1635

in functional menstrual disorders, 1948: Nov., 1516 gastrointestinal hemorrhage,

1949: Nov., 1577 1949: March, 577 in

polyneuropathy, in 1948: May, 731 in senility, 1949: Nov., 1682

in ulcerative colitis, 1948: July, 969 Vitamins, in nutrition, 1948: Sept., 1162 personality and, 1949: Nov., 1717

personality and, 1949: Nov., 171 Vocational tests, 1950: July, 1077 Vomiting, cyclic, abdominal pain in, 1948: March, 392

in chronic nephritis, 1950: Jan., 82 Von Gierke's disease, electrocardiogram in, 1949: July, 1167

Vulva, pruritus, 1949: Jan., 17

Walking, in peripheral vascular disease, 1949: March, 354

Warts, anatomic, 1949: Jan., 244 emotional factors, 1948: May, 680 Washstand syndrome in multiple sclerosis, 1948: May, 744

Water balance in heart and kidney disease as related to edema and oliguria, 1950: March, 571-587

retention in congestive heart failure, 1950: May, 615-628

Weber-Sturge syndrome, 1949: Jan., 220

Weil's disease, 1948: March, 476 serum protein fractions in, 1948: March, 459

Werdnig-Hoffmann's disease, 1950: Jan., 149

Whooping cough, immunization, 1950: Nov., 1721

streptomycin in, 1948: May, 834; 1950: March, 329 treatment, 1950: Jan., 139

Wills factor, 1948: July, 1126

Wilson-Brocq type of dermatitis ex-foliativa, 1949: Jan., 135

Winged scapula, 1950: Sept., 1325, 1326 Winter headache, 1949: July, 995 Wolff-Parkinson-White syndrome, elec-

trocardiogram in, 1949: July, 1169 Wood light in diagnosis of ringworm of scalp, 1950: Jan., 259

XANTHOMA, 1949: Jan., 286 X-ray. See Roentgen.

YELLOW fever, 1948: March, 475 immunization, 1950: Nov., 1728

ZINC sulfate centrifugal flotation technic for amebae, 1949: May, 901 Zoster, 1949: Jan., 154-163

